

*The*  
**Burden of Injury**  
*in Wisconsin*

Homicide

*Cut/pierce*

**Nontraffic Transportation**

*Assault Overexertion*

**Motor Vehicle Crash**

*Poisoning*

**Falls**

*Drowning*

Struck by/against

*Suicide*

**Self-harm**

Fall, **2006**

This inside cover page is blank on the actual printed report, but is helpful when printing this pdf document double-sided to ensure the facing pages are in correct order.

# Burden of Injury in Wisconsin

Released Fall, 2006

## *A partnership of:*

This report was developed through a partnership between the Injury Research Center at the Medical College of Wisconsin, Children's Health Alliance of Wisconsin and the Wisconsin Department of Health and Family Services' Injury Prevention Program. This effort was funded in part by: the MCH Title V Services Block Grant, Maternal and Child Health Bureau, Health Resources and Services Administration, U.S. Department of Health and Human Services; U.S. Centers for Disease Control and Prevention grant Cooperative Agreement Award Number U17/CCU524815; and a grant from the Healthier Wisconsin Partnership Program at the Medical College of Wisconsin.

## *The partners would like to acknowledge the special efforts of:*

Brianna Kopp, MPH, Injury Prevention and Surveillance Coordinator, Wisconsin Injury Prevention Program

Randy Glysch, MS, Research Scientist, Wisconsin Injury Prevention Program

Ann Christiansen, MPH, Assistant Director, Injury Research Center, Medical College of Wisconsin

Clare Guse, MS, Senior Biostatistician, Injury Research Center, Medical College of Wisconsin

Hongyan Yang, MS, Biostatistician, Injury Research Center, Medical College of Wisconsin

Tara Goris, MS, Graphic Design and Communications Specialist, Children's Health Alliance of Wisconsin

## *Printing courtesy of:*

*The printing of this report is courtesy of Kohl's Department Stores and the "Kohl's Tour for Kids Safety" program grant devoted to injury prevention and education in Wisconsin.*

**KOHL'S**  
expect great things



# Table of Contents

<b>Executive Summary</b> .....	1
<b>The Burden of Injury in Wisconsin</b> .....	4
• Wisconsin - All Ages .....	5
• Wisconsin - Children .....	6
• Wisconsin - Adults .....	7
<b>Wisconsin Counties</b> .....	8
• Adams County .....	8
• Ashland County.....	10
• Barron County.....	12
• Bayfield County .....	14
• Brown County.....	16
• Buffalo County .....	18
• Burnett County .....	20
• Calumet County .....	22
• Chippewa County .....	24
• Clark County.....	26
• Columbia County .....	28
• Crawford County .....	30
• Dane County.....	32
• Dodge County.....	34
• Door County .....	36
• Douglas County .....	38
• Dunn County.....	40
• Eau Claire County.....	42
• Florence County .....	44
• Fond du Lac County .....	46
• Forest County .....	48
• Grant County .....	50
• Green County .....	52
• Green Lake County .....	54
• Iowa County .....	56
• Iron County.....	58
• Jackson County.....	60
• Jefferson County.....	62
• Juneau County .....	64
• Kenosha County .....	66
• Kewaunee County.....	68
• La Crosse County .....	70
• Lafayette County.....	72
• Langlade County.....	74



## Wisconsin Counties Continued

• Lincoln County .....	76
• Manitowoc County .....	78
• Marathon County .....	80
• Marinette County .....	82
• Marquette County.....	84
• Menominee County .....	86
• Milwaukee County .....	88
• Monroe County.....	90
• Oconto County .....	92
• Oneida County .....	94
• Outagamie County .....	96
• Ozaukee County .....	98
• Pepin County .....	100
• Pierce County .....	102
• Polk County .....	104
• Portage County.....	106
• Price County .....	108
• Racine County.....	110
• Richland County .....	112
• Rock County .....	114
• Rusk County .....	116
• St. Croix County .....	118
• Sauk County .....	120
• Sawyer County .....	122
• Shawano County.....	124
• Sheboygan County .....	126
• Taylor County .....	128
• Trempealeau County .....	130
• Vernon County .....	132
• Vilas County .....	134
• Walworth County .....	136
• Washburn County .....	138
• Washington County.....	140
• Waukesha County .....	142
• Waupaca County.....	144
• Waushara County .....	146
• Winnebago County .....	148
• Wood County .....	150
<b>Technical Notes .....</b>	<b>153</b>
<b>Glossary .....</b>	<b>162</b>



*“Now is the time to make injury prevention a priority to save lives and keep our families safe.”*

*– Rose Perrizo, Product Safety Investigator, U.S. Consumer Product Safety Commission*

*“When communities come together to address an issue like falls among the elderly, it is amazing what can be accomplished. In our community, we have raised awareness of the problem of falls and have started implementing screening programs to identify elderly who are at-risk for a fall.”*

*– Charlene R. Oftedahl, Director, Barron County Office on Aging*



# EXECUTIVE SUMMARY

## Purpose of the Report

The disease burden of injuries among children and adults in Wisconsin cannot be ignored. The loss of life, the lifelong toll of disability, and the emotional and financial stress on individuals, families, and communities is immense. Injuries are the leading cause of death in Wisconsin residents ages 1-44 years and a significant cause of morbidity and mortality in all ages. Injuries result in over 1 billion dollars in unnecessary medical costs each year in Wisconsin. In addition to economic loss, injuries result in loss of productivity and stress to the victim, family and other caregivers. Even injuries that do not result in loss of life may have significant physical, emotional, and financial effects.

Injuries are a preventable public health problem and should not be considered “accidents,” which are thought to be random, nonpreventable events. There are strategies that may be employed at multiple levels to prevent injuries from occurring. However, in the case of most injury types, it is critical to understand the extent of the injury problem to determine the best strategy. To assist communities in this, the **Burden of Injury in Wisconsin** is presented to heighten awareness of the significant problem injury presents to Wisconsin residents and to provide critical information to community members and leaders, health, and safety professionals so they may successfully initiate and support injury prevention efforts.

## What you will find in this Report

Wisconsin is comprised of 72 counties, each with unique needs and concerns. This report is intended to capture the impact of injury within the State and for each county, as well as create a statewide picture of the challenges we face.

This report provides an excellent starting point for the development and enhancement of injury prevention efforts; however, certain aspects of the injury burden could not be captured at the county level. Dedicated efforts to conduct surveillance of injury-related deaths, hospitalizations, and emergency department visits allows for a clearer picture of the injury burden. Through this monitoring at the state level, racial and ethnic disparities have become evident.



# EXECUTIVE SUMMARY

## Key findings 2002-04

- Almost 9,000 Wisconsin residents died from a violent or unintentional injury. Violent and unintentional injuries resulted in almost 1.5 million visits to Wisconsin emergency departments and more than 150,000 admissions to Wisconsin hospitals.
- Compared to other racial and ethnic minority groups, American Indians had the highest rate of all injury-related fatalities.\*
- The rate of death from homicide in Wisconsin was 3.22 homicides per 100,000 people. When compared by race, blacks had a rate of 24.08 homicides per 100,000 as compared to a rate of 1.85 homicides per 100,000 for whites, American Indians, and Asians combined.\*
- Hispanics had lower rates of death from all injuries; however, their rate of death from homicide was over twice that of non-Hispanics.\*
- Violent deaths, those resulting from suicide or homicide, totaled 2,456. Combined, these intentional deaths are more than those caused by motor vehicle crashes (MVC) during the same time period.
- Of those violent deaths, nearly four suicides occurred for every one homicide.
- Firearms were the leading cause of injury for these violent deaths.
- In 2002, Wisconsin had the second highest rate in the nation of death from injury caused by unintentional falls.

\*Information on race and ethnicity is not provided for each county. For further information, please refer to the contact information on the back page of this report.

## How you can use this report

The ultimate goal of this report is to help drive local and state injury prevention programming, initiatives, and evaluation and to serve as a catalyst for injury-related policy development.

### The following usages may be most helpful:

- Raise awareness among the public and media;
- Educate the public and caregivers through presentations and campaigns;
- Educate your legislators at the local, state, and national level;
- Use as a guide when planning injury prevention efforts and allocating resources;
- Collaborate with surrounding counties, counties with similar challenges, or the state to maximize prevention strategies and resources.





# THE BURDEN OF INJURY

## STATE & COUNTY



# THE BURDEN OF INJURY

The following three pages present the burden of injury to all Wisconsin residents from 2002-04, first across the lifespan and then more detailed by age category for children and adults. The subsequent pages provide a snapshot of the injury burden for each county in Wisconsin for the same time period. The first county page shows ranked injury counts and rates in the county compared to Wisconsin. The second county page provides more specific ranked injury causes for three age categories--child, adult, and older adult.

In both the state and county pages, there are brief descriptions of the economic costs associated with injury, as described through emergency department visit and inpatient hospitalization charges. However, this description does not include other costs, including loss of productivity (economic loss to the individual, family, and work force) or years of potential life lost (YPLL) due to injury mortality. These costs represent a substantial segment of the injury cost burden and should not be ignored when considering the impact that reduction in injury events could provide. Brief technical notes may also be found on both the state and county pages, with a reference to the more detailed technical notes in the back of this document.



# WISCONSIN - ALL AGES

Population 5,539,050

## Injury Deaths (2002-04)

Rank	Injury Deaths	Number (2002-04)	Annual Rate Per 100,000
1	MVC	2,365	14
2	Falls	2,288	14
3	Suicide	1,924	12
4	Poisoning	877	5
5	Homicide	532	3

### Descriptive Notes:

- There were 8,974 injury-related deaths in Wisconsin during 2002-04.
- Ranked causes of death vary by age; however, crashes involving motor vehicles resulted in the greatest number of injury deaths among Wisconsin residents.
- In 2002 alone, injury deaths to Wisconsin residents resulted in 83,445 years of potential life lost (YPLL) before the age of 75 years.

## Injury Hospitalizations (2002-04)

Rank	Injury Hospitalizations	Number (2002-04)	Annual Rate Per 100,000
1	Falls	62,040	376
2	Self-harm	14,539	88
3	MVC	14,221	86
4	Poisoning	5,671	34
5	Nontraffic Trans	4,181	25

### Descriptive Notes:

- During 2002-04, there were 150,276 injury-related inpatient hospitalizations in Wisconsin.
- While the greatest number of fall-related hospitalizations occurred among Wisconsin residents between the ages of 65-84 years, those ages 85 years and older had the highest rate of fall-related hospitalizations at 5,712 per 100,000 people.

## Injury Emergency Department Visits (2002-04)

Rank	Injury Emergency Department Visits	Number (2002-04)	Annual Rate Per 100,000
1	Falls	336,823	2,041
2	Struck (by/against)	196,729	1,192
3	Cut/pierce	149,690	907
4	Overexertion	146,656	889
5	MVC	131,948	800

### Descriptive Notes:

- During 2002-04, there were 1,424,547 injury-related emergency department visits in Wisconsin.
- Falls resulted in the greatest number of injury-related emergency department visits. Those ages 85 years and older, and those ages 1-4 years, had the highest rates of fall-related emergency department visits, at 7,157 and 4,645 per 100,000, respectively.

### Costs:

- The average charge per injury-related emergency department visit in Wisconsin during 2002-04 was \$588.37.
- The average charge per injury-related inpatient hospitalization in Wisconsin during 2002-04 was \$17,587.04.
- The average length of injury-related inpatient hospitalization in Wisconsin during 2002-04 was 5.30 days, with an average charge of \$3,317.52 per day.



# WISCONSIN - CHILDREN

Ages 0-17 Years

## Number of Injury Deaths (2002-04)

Rank	<1 Year	1 – 4 Years	5 – 9 Years	10 – 14 Years	15 – 17 Years
1	Suffocation 36	Homicide 18	MVC 39	MVC 35	MVC 168
2	Homicide 19	Drowning 18	Drowning 9	Suicide 20	Suicide 62
3	MVC 6	MVC 14	Homicide <5	Nontraffic Trans 14	Homicide 35
4	Falls <5	Suffocation 14	Fire <5	Drowning 11	Drowning 13
5	Drowning <5	Fire 7	Nontraffic Trans <5	Homicide 8	Nontraffic Trans 11

## Number of Injury Hospitalizations (2002-04)

Rank	<1 Year	1 – 4 Years	5 – 9 Years	10 – 14 Years	15 – 17 Years
1	Falls 187	Falls 520	Falls 668	Self-harm 751	Self-harm 1,725
2	Assault 146	Poisoning 459	MVC 274	Falls 637	MVC 1,058
3	Fire 77	Fire 221	Nontraffic Trans 249	Nontraffic Trans 472	Falls 443
4	Poisoning 68	Nat/Env Factors 173	Struck (by/against) 163	MVC 398	Struck (by/against) 328
5	Suffocation 61	MVC 150	Nat/Env Factors 127	Struck (by/against) 305	Nontraffic Trans 296

## Number of Injury Emergency Department Visits (2002-04)

Rank	<1 Year	1 – 4 Years	5 – 9 Years	10 – 14 Years	15 – 17 Years
1	Falls 5,262	Falls 37,799	Falls 27,225	Falls 28,485	Struck (by/against) 21,083
2	Struck (by/against) 1,308	Struck (by/against) 16,274	Struck (by/against) 18,058	Struck (by/against) 28,432	Falls 13,794
3	Fire 568	Nat/Env Factors 6,758	Cut/pierce 8,093	Overexertion 11,215	MVC 12,734
4	Cut/pierce 489	Cut/pierce 6,092	Nontraffic Trans 6,681	Cut/pierce 10,587	Overexertion 10,629
5	Nat/Env Factors 469	Overexertion 4,409	Nat/Env Factors 5,852	Nontraffic Trans 9,392	Cut/pierce 7,812

### Technical Notes:

- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WISCONSIN - ADULTS

*Ages 18-85+ Years*

## Number of Injury Deaths (2002-04)

Rank	18 – 24 Years	25 – 44 Years	45 – 64 Years	65 – 84 Years	85+ Years
1	MVC 494	Suicide 712	Suicide 627	Falls 810	Falls 1,190
2	Suicide 242	MVC 660	MVC 513	MVC 360	MVC 76
3	Homicide 138	Poisoning 414	Poisoning 310	Suicide 215	Suffocation 48
4	Poisoning 83	Homicide 203	Falls 198	Suffocation 70	Suicide 45
5	Nontraffic Trans 34	Nontraffic Trans 101	Homicide 88	Poisoning 43	Poisoning 14

## Number of Injury Hospitalizations (2002-04)

Rank	18 – 24 Years	25 – 44 Years	45 – 64 Years	65 – 84 Years	85+ Years
1	Self-harm 2,845	Self-harm 6,401	Falls 9,418	Falls 26,294	Falls 18,396
2	MVC 2,629	Falls 4,541	MVC 3,059	MVC 1,988	MVC 356
3	Falls 936	MVC 4,293	Self-harm 2,438	Poisoning 1,094	Poisoning 288
4	Assault 900	Assault 1,621	Poisoning 1,511	Overexertion 967	Overexertion 279
5	Nontraffic Trans 491	Poisoning 1,509	Overexertion 953	Struck (by/against) 570	Struck (by/against) 253

## Number of Injury Emergency Department Visits (2002-04)

Rank	18 – 24 Years	25 – 44 Years	45 – 64 Years	65 – 84 Years	85+ Years
1	MVC 31,825	Falls 68,975	Falls 54,307	Falls 48,909	Falls 23,049
2	Struck (by/against) 30,415	Overexertion 60,575	Cut/pierce 27,469	MVC 7,103	Struck (by/against) 1,399
3	Falls 29,018	Cut/pierce 54,627	Overexertion 23,984	Cut/pierce 7,030	Overexertion 825
4	Cut/pierce 26,763	Struck (by/against) 52,272	MVC 22,217	Struck (by/against) 5,846	MVC 800
5	Overexertion 26,138	MVC 45,152	Struck (by/against) 21,642	Overexertion 5,824	Cut/pierce 728

### Technical Notes:

- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.




# ADAMS COUNTY

Population 20,702

## Injury Deaths (2002-04)


Injury Deaths (Five Leading Causes)  
Rates per 100,000



	Wisconsin		Adams	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	20	32*
Falls	2,288	14	9	15*
Suicide	1,924	12	9	15*
Poisoning	877	5	<5	–
Drowning	157	1	<5	–

## Injury Hospitalizations (2002-04)


Injury Hospitalizations (Five Leading Causes)  
Rates per 100,000



	Wisconsin		Adams	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	216	350
MVC	14,221	86	86	139
Self-harm	14,539	88	46	75
Nontraffic Trans	4,181	25	20	32*
Nat/Env Factors	2,806	17	18	29*

## Injury Emergency Department Visits (2002-04)

Injury Emergency Department Visits (Five Leading Causes)  
Rates per 100,000



	Wisconsin		Adams	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,245	2,018
Struck (by/against)	196,729	1,192	739	1,198
Cut/pierce	149,690	907	643	1,042
Overexertion	146,656	889	542	878
MVC	131,948	800	459	744

### Costs:

- The average charge per injury-related emergency department visit in Adams County during 2002-04 was \$439.45.
- The average charge per injury-related inpatient hospitalization in Adams County during 2002-04 was \$16,772.44.
- The average length of injury-related inpatient hospitalization in Adams County during 2002-04 was 5.19 days, with an average charge of \$3,233.75 per day.



# ADAMS COUNTY

Population 20,702

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	13	121*
Self-harm	8	74*
Nontraffic Trans	7	65*
Falls	6	56*
Struck (by/against)	5	46*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Struck (by/against)	358	3,324
Falls	354	3,287
Cut/pierce	160	1,486
Nat/Env Factors	128	1,189
Overexertion	97	901

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Adams County during 2002-04.
- There were 51 injury-related inpatient hospitalizations and 1,516 injury-related emergency department visits in children in Adams County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	62	160
Falls	55	142
Self-harm	35	90
Nat/Env Factors	16	41*
Nontraffic Trans	12	31*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	565	1,460
Cut/pierce	435	1,124
Overexertion	411	1,062
Struck (by/against)	349	902
MVC	322	832

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 18-64 years in Adams County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 268 injury-related inpatient hospitalizations and 3,092 injury-related emergency department visits in adults ages 18-64 years in Adams County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	155	1,267
MVC	11	90*
Overexertion	7	57*
Self-harm	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	326	2,666
Nat/Env Factors	59	482
Cut/pierce	48	392
MVC	45	368
Overexertion	34	278

### Descriptive Notes:

- Twenty injury-related deaths occurred in adults ages 65 years and older in Adams County during 2002-04. The majority of these deaths were caused by falls.
- There were 222 injury-related inpatient hospitalizations and 625 injury-related emergency department visits in adults ages 65 years and older in Adams County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# ASHLAND COUNTY


Population 16,906

## Injury Deaths (2002-04)




	Wisconsin		Ashland	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	11	22*
MVC	2,365	14	7	14*
Falls	2,288	14	6	12*
Poisoning	877	5	<5	-
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Ashland	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	274	541
Self-harm	14,539	88	139	274
Poisoning	5,671	34	41	81
MVC	14,221	86	37	73
Struck (by/against)	3,628	22	20	39*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Ashland	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,393	2,749
Struck (by/against)	196,729	1,192	767	1,514
Cut/pierce	149,690	907	667	1,316
Overexertion	146,656	889	568	1,121
MVC	131,948	800	294	580

### Costs:

- The average charge per injury-related emergency department visit in Ashland County during 2002-04 was \$454.02.
- The average charge per injury-related inpatient hospitalization in Ashland County during 2002-04 was \$8,878.63.
- The average length of injury-related inpatient hospitalization in Ashland County during 2002-04 was 4.64 days, with an average charge of \$1,913.64 per day.





# ASHLAND COUNTY

Population 16,906

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	37	305
Poisoning	11	91*
MVC	5	41*
Falls	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	476	3,927
Struck (by/against)	367	3,028
Cut/pierce	183	1,510
Overexertion	153	1,262
Nontraffic Trans	120	990

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Ashland County during 2002-04.
- There were 72 injury-related inpatient hospitalizations and 1,739 injury-related emergency department visits in children in Ashland County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	101	329
Falls	61	199
MVC	23	75
Poisoning	20	65*
Struck (by/against)	13	42*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	627	2,041
Cut/pierce	471	1,533
Overexertion	397	1,292
Struck (by/against)	381	1,240
MVC	220	716

### Descriptive Notes:

- Twenty-four injury-related deaths occurred in adults ages 18-64 years in Ashland County during 2002-04. The majority of these deaths were suicides caused by firearms.
- There were 336 injury-related inpatient hospitalizations and 3,019 injury-related emergency department visits in adults ages 18-64 years in Ashland County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	209	2,671
Poisoning	10	128*
MVC	9	115*
Struck (by/against)	5	64*
Overexertion	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	290	3,706
MVC	21	268
Struck (by/against)	19	243*
Nat/Env Factors	19	243*
Overexertion	18	230*

### Descriptive Notes:

- Eight injury-related deaths occurred in adults ages 65 years and older in Ashland County during 2002-04.
- There were 283 injury-related inpatient hospitalizations and 427 injury-related emergency department visits in adults ages 65 years and older in Ashland County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# BARRON COUNTY


Population 46,444

## Injury Deaths (2002-04)




	Wisconsin		Barron	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	32	23
Falls	2,288	14	19	14*
Suicide	1,924	12	17	12*
Homicide	532	3	6	4*
Nontraffic Trans	264	2	5	4*

## Injury Hospitalizations (2002-04)



	Wisconsin		Barron	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	656	475
MVC	14,221	86	155	112
Self-harm	14,539	88	102	74
Nontraffic Trans	4,181	25	44	32
Struck (by/against)	3,628	22	34	25

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Barron	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,862	2,073
Cut/pierce	149,690	907	1,555	1,126
Struck (by/against)	196,729	1,192	1,536	1,112
MVC	131,948	800	1,091	790
Overexertion	146,656	889	868	629



### Costs:

- The average charge per injury-related emergency department visit in Barron County during 2002-04 was \$385.92.
- The average charge per injury-related inpatient hospitalization in Barron County during 2002-04 was \$11,097.33.
- The average length of injury-related inpatient hospitalization in Barron County during 2002-04 was 4.85 days, with an average charge of \$2,285.77 per day.

# BARRON COUNTY

Population 46,444

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	19	60*
Self-harm	16	51*
Falls	15	48*
Nontraffic Trans	15	48*
Struck (by/against)	8	25*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	965	3,072
Struck (by/against)	730	2,324
Cut/pierce	365	1,162
MVC	246	783
Nontraffic Trans	234	745

### Descriptive Notes:

- Five injury-related deaths occurred in children in Barron County during 2002-04.
- There were 93 injury-related inpatient hospitalizations and 3,470 injury-related emergency department visits in children in Barron County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	158	188
MVC	111	132
Self-harm	85	101
Assault	22	26
Nontraffic Trans	21	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,140	1,356
Cut/pierce	1,111	1,322
MVC	769	915
Struck (by/against)	745	886
Overexertion	594	707

### Descriptive Notes:

- Sixty-three injury-related deaths occurred in adults ages 18-64 years in Barron County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 569 injury-related inpatient hospitalizations and 6,291 injury-related emergency department visits in adults ages 18-64 years in Barron County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	483	2,135
MVC	25	111
Overexertion	22	97
Nontraffic Trans	9	40*
Fire	9	40*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	757	3,346
Nat/Env Factors	86	380
Cut/pierce	79	349
MVC	76	336
Struck (by/against)	61	270

### Descriptive Notes:

- Twenty-four injury-related deaths occurred in adults ages 65 years and older in Barron County during 2002-04. The majority of these deaths were caused by falls.
- There were 648 injury-related inpatient hospitalizations and 1,147 injury-related emergency department visits in adults ages 65 years and older in Barron County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# BAYFIELD COUNTY


Population 15,503

## Injury Deaths (2002-04)




	Wisconsin		Bayfield	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	13	28*
Falls	2,288	14	6	13*
Suicide	1,924	12	5	11*
Poisoning	877	5	<5	–
Homicide	532	3	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Bayfield	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	194	421
Self-harm	14,539	88	63	137
Poisoning	5,671	34	20	43*
Struck (by/against)	3,628	22	20	43*
Nontraffic Trans	4,181	25	15	33*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Bayfield	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	931	2,018
Struck (by/against)	196,729	1,192	487	1,056
Cut/pierce	149,690	907	395	856
Overexertion	146,656	889	352	763
Nat/Env Factors	62,053	376	238	516



### Costs:

- The average charge per injury-related emergency department visit in Bayfield County during 2002-04 was \$447.45.
- The average charge per injury-related inpatient hospitalization in Bayfield County during 2002-04 was \$8,746.45.
- The average length of injury-related inpatient hospitalization in Bayfield County during 2002-04 was 4.82 days, with an average charge of \$1,816.45 per day.

# BAYFIELD COUNTY

Population 15,503

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	15	147*
Nontraffic Trans	<5	–
Falls	<5	–
Struck (by/against)	<5	–
MVC	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	322	3,164
Struck (by/against)	222	2,181
Overexertion	104	1,022
Cut/pierce	95	933
Nontraffic Trans	78	766

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Bayfield County during 2002-04.
- There were 30 injury-related inpatient hospitalizations and 1,092 injury-related emergency department visits in children in Bayfield County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	47	166
Falls	44	155
Poisoning	13	46*
Struck (by/against)	13	46*
Nontraffic Trans	9	32*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	419	1,476
Cut/pierce	273	962
Overexertion	232	817
Struck (by/against)	228	803
MVC	134	472

### Descriptive Notes:

- Seventeen injury-related deaths occurred in adults ages 18-64 years in Bayfield County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 208 injury-related inpatient hospitalizations and 1,893 injury-related emergency department visits in adults ages 18-64 years in Bayfield County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	147	1,946
Poisoning	7	93*
Nat/Env Factors	6	79*
MVC	5	66*
Struck (by/against)	5	66*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	190	2,515
Struck (by/against)	37	490
Cut/pierce	27	357
Nat/Env Factors	26	344
MVC	18	238*

### Descriptive Notes:

- Eleven injury-related deaths occurred in adults ages 65 years and older in Bayfield County during 2002-04.
- There were 211 injury-related inpatient hospitalizations and 366 injury-related emergency department visits in adults ages 65 years and older in Bayfield County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# BROWN COUNTY


Population 238,679

## Injury Deaths (2002-04)




	Wisconsin		Brown	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	89	13
MVC	2,365	14	83	12
Suicide	1,924	12	70	10
Poisoning	877	5	27	4
Homicide	532	3	16	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Brown	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	2,447	346
Self-harm	14,539	88	842	119
MVC	14,221	86	728	103
Poisoning	5,671	34	220	31
Nontraffic Trans	4,181	25	172	24

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Brown	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	15,933	2,253
Struck (by/against)	196,729	1,192	10,693	1,512
Overexertion	146,656	889	9,431	1,334
Cut/pierce	149,690	907	7,779	1,100
MVC	131,948	800	5,613	794

### Costs:

- The average charge per injury-related emergency department visit in Brown County during 2002-04 was \$442.37.
- The average charge per injury-related inpatient hospitalization in Brown County during 2002-04 was \$14,772.75.
- The average length of injury-related inpatient hospitalization in Brown County during 2002-04 was 4.77 days, with an average charge of \$3,086.86 per day.



# BROWN COUNTY

Population 238,679

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	195	110
Falls	119	67
MVC	101	57
Nontraffic Trans	52	29
Struck (by/against)	44	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	5,043	2,855
Struck (by/against)	4,342	2,458
Overexertion	1,573	891
Cut/pierce	1,548	876
MVC	978	554

### Descriptive Notes:

- Nineteen injury-related deaths occurred in children in Brown County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 709 injury-related inpatient hospitalizations and 18,563 injury-related emergency department visits in children in Brown County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	652	143
Self-harm	625	137
MVC	531	117
Poisoning	121	27
Assault	115	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	7,899	1,736
Overexertion	7,508	1,650
Struck (by/against)	6,024	1,324
Cut/pierce	5,892	1,295
MVC	4,381	963

### Descriptive Notes:

- Two hundred sixteen injury-related deaths occurred in adults ages 18-64 years in Brown County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 3,017 injury-related inpatient hospitalizations and 46,336 injury-related emergency department visits in adults ages 18-64 years in Brown County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,676	2,222
MVC	96	127
Poisoning	65	86
Overexertion	53	70
Struck (by/against)	39	52

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,991	3,965
Overexertion	350	464
Cut/pierce	339	449
Struck (by/against)	327	433
Nat/Env Factors	255	338

### Descriptive Notes:

- One hundred and five injury-related deaths occurred in adults ages 65 years and older in Brown County during 2002-04. The majority of these deaths were caused by falls.
- There were 2,352 injury-related inpatient hospitalizations and 5,202 injury-related emergency department visits in adults ages 65 years and older in Brown County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# BUFFALO COUNTY


Population 13,981

## Injury Deaths (2002-04)




	Wisconsin		Buffalo	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	9	22*
Suicide	1,924	12	6	14*
Falls	2,288	14	5	12*
Nontraffic Trans	264	2	<5	–
Fire	155	1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Buffalo	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	98	234
MVC	14,221	86	33	79
Self-harm	14,539	88	26	62
Poisoning	5,671	34	13	31*
Nontraffic Trans	4,181	25	13	31*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Buffalo	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	336	804
Struck (by/against)	196,729	1,192	197	471
Cut/pierce	149,690	907	150	359
Overexertion	146,656	889	143	342
MVC	131,948	800	125	299

### Costs:

- The average charge per injury-related emergency department visit in Buffalo County during 2002-04 was \$559.21.
- The average charge per injury-related inpatient hospitalization in Buffalo County during 2002-04 was \$13,915.38.
- The average length of injury-related inpatient hospitalization in Buffalo County during 2002-04 was 4.14 days, with an average charge of \$3,361.91 per day.





# BUFFALO COUNTY

Population 13,981

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	9	94*
Falls	<5	–
MVC	<5	–
Nontraffic Trans	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	106	1,105
Struck (by/against)	87	907
Overexertion	40	417
Nontraffic Trans	33	344
Nat/Env Factors	30	313

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Buffalo County during 2002-04.
- There were 22 injury-related inpatient hospitalizations and 423 injury-related emergency department visits in children in Buffalo County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	25	99
MVC	25	99
Self-harm	17	67*
Nontraffic Trans	9	36*
Poisoning	6	24*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	158	626
Cut/pierce	115	456
Struck (by/against)	101	400
Overexertion	93	368
MVC	92	364

### Descriptive Notes:

- Eighteen injury-related deaths occurred in adults ages 18-64 years in Buffalo County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 114 injury-related inpatient hospitalizations and 864 injury-related emergency department visits in adults ages 18-64 years in Buffalo County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	70	1,005
Poisoning	6	86*
MVC	5	72*
Struck (by/against)	<5	–
Overexertion	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	72	1,034
Overexertion	10	144*
MVC	10	144*
Struck (by/against)	9	129*
Cut/pierce	5	72*

### Descriptive Notes:

- Six injury-related deaths occurred in adults ages 65 years and older in Buffalo County during 2002-04. The majority of these deaths were caused by falls.
- There were 94 injury-related inpatient hospitalizations and 136 injury-related emergency department visits in adults ages 65 years and older in Buffalo County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# BURNETT COUNTY


Population 16,546

## Injury Deaths (2002-04)




	Wisconsin		Burnett	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	21	43
Falls	2,288	14	7	14*
Nontraffic Trans	264	2	<5	-
Suicide	1,924	12	<5	-
Poisoning	877	5	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Burnett	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	151	309
MVC	14,221	86	20	41*
Self-harm	14,539	88	19	39*
Poisoning	5,671	34	16	33*
Overexertion	3,443	21	13	27*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Burnett	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,008	2,063
Cut/pierce	149,690	907	550	1,126
Struck (by/against)	196,729	1,192	480	982
MVC	131,948	800	312	639
Overexertion	146,656	889	303	620

### Costs:

- The average charge per injury-related emergency department visit in Burnett County during 2002-04 was \$634.10.
- The average charge per injury-related inpatient hospitalization in Burnett County during 2002-04 was \$7,654.89.
- The average length of injury-related inpatient hospitalization in Burnett County during 2002-04 was 3.75 days, with an average charge of \$2,043.17 per day.



# BURNETT COUNTY

Population 16,546

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	7	73*
MVC	<5	–
Assault	<5	–
Falls	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	300	3,123
Struck (by/against)	230	2,395
Cut/pierce	145	1,510
Nat/Env Factors	85	885
Overexertion	77	802

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Burnett County during 2002-04.
- There were 20 injury-related inpatient hospitalizations and 1,181 injury-related emergency department visits in children in Burnett County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	30	103
Self-harm	12	41*
MVC	10	34*
Overexertion	6	21*
Nat/Env Factors	6	21*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	429	1,471
Cut/pierce	356	1,220
Struck (by/against)	230	788
MVC	208	713
Overexertion	196	672

### Descriptive Notes:

- Twenty-eight injury-related deaths occurred in adults ages 18-64 years in Burnett County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 97 injury-related inpatient hospitalizations and 2,075 injury-related emergency department visits in adults ages 18-64 years in Burnett County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	120	1,190
Poisoning	10	99*
MVC	7	69*
Overexertion	7	69*
Nat/Env Factors	4	40*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	279	2,768
Cut/pierce	49	486
Nat/Env Factors	41	407
MVC	32	317
Overexertion	30	298

### Descriptive Notes:

- Thirteen injury-related deaths occurred in adults ages 65 years and older in Burnett County during 2002-04. The majority of these deaths were caused by falls.
- There were 175 injury-related inpatient hospitalizations and 473 injury-related emergency department visits in adults ages 65 years and older in Burnett County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# CALUMET COUNTY


Population 44,413

## Injury Deaths (2002-04)




	Wisconsin		Calumet	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	17	13*
Falls	2,288	14	13	10*
Suicide	1,924	12	10	8*
Suffocation	275	2	<5	–
Poisoning	877	5	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Calumet	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	290	221
Self-harm	14,539	88	78	60
MVC	14,221	86	75	57
Nontraffic Trans	4,181	25	27	21
Overexertion	3,443	21	17	13*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Calumet	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,011	1,535
Struck (by/against)	196,729	1,192	1,705	1,301
Cut/pierce	149,690	907	1,226	936
Overexertion	146,656	889	1,123	857
MVC	131,948	800	625	477

### Costs:

- The average charge per injury-related emergency department visit in Calumet County during 2002-04 was \$380.43.
- The average charge per injury-related inpatient hospitalization in Calumet County during 2002-04 was \$12,838.75.
- The average length of injury-related inpatient hospitalization in Calumet County during 2002-04 was 4.30 days, with an average charge of \$2,984.88 per day.



# CALUMET COUNTY

Population 44,413

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	19	54*
MVC	8	23*
Falls	6	17*
Nontraffic Trans	5	14*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Struck (by/against)	808	2,288
Falls	647	1,832
Cut/pierce	259	733
Overexertion	212	600
Nontraffic Trans	162	459

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Calumet County during 2002-04.
- There were 50 injury-related inpatient hospitalizations and 2,722 injury-related emergency department visits in children in Calumet County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	57	70
MVC	54	66
Falls	51	62
Nontraffic Trans	20	24*
Overexertion	11	13*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Cut/pierce	900	1,100
Falls	863	1,054
Overexertion	850	1,038
Struck (by/against)	803	981
MVC	474	579

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 18-64 years in Calumet County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 289 injury-related inpatient hospitalizations and 5,687 injury-related emergency department visits in adults ages 18-64 years in Calumet County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	233	1,682
MVC	13	94*
Struck (by/against)	5	36*
Overexertion	5	36*
Machinery	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	501	3,616
Struck (by/against)	94	678
Cut/pierce	67	484
Overexertion	61	440
Nat/Env Factors	52	375

### Descriptive Notes:

- Eighteen injury-related deaths occurred in adults ages 65 years and older in Calumet County during 2002-04. The majority of these deaths were caused by falls.
- There were 295 injury-related inpatient hospitalizations and 865 injury-related emergency department visits in adults ages 65 years and older in Calumet County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# CHIPPEWA COUNTY


Population 59,993

## Injury Deaths (2002-04)




	Wisconsin		Chippewa	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	39	22
MVC	2,365	14	24	14
Suicide	1,924	12	24	14
Poisoning	877	5	5	3*
Suffocation	275	2	5	3*

## Injury Hospitalizations (2002-04)



	Wisconsin		Chippewa	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	799	458
Self-harm	14,539	88	181	104
MVC	14,221	86	147	84
Nontraffic Trans	4,181	25	65	37
Poisoning	5,671	34	60	34

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Chippewa	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	4,298	2,463
Struck (by/against)	196,729	1,192	2,075	1,189
Cut/pierce	149,690	907	1,878	1,076
Overexertion	146,656	889	1,765	1,011
MVC	131,948	800	1,174	673

### Costs:

- The average charge per injury-related emergency department visit in Chippewa County during 2002-04 was \$474.19.
- The average charge per injury-related inpatient hospitalization in Chippewa County during 2002-04 was \$12,622.06.
- The average length of injury-related inpatient hospitalization in Chippewa County during 2002-04 was 4.71 days, with an average charge of \$2,682.34 per day.



# CHIPPEWA COUNTY

Population 59,993

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	36	85
Falls	30	71
Poisoning	19	45*
Nontraffic Trans	18	43*
Nat/Env Factors	18	43*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,374	3,246
Struck (by/against)	939	2,219
Overexertion	349	825
Nat/Env Factors	304	718
Nontraffic Trans	294	695

### Descriptive Notes:

- Five injury-related deaths occurred in children in Chippewa County during 2002-04.
- There were 194 injury-related inpatient hospitalizations and 4,470 injury-related emergency department visits in children in Chippewa County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	216	202
Self-harm	142	132
MVC	107	100
Nontraffic Trans	44	41
Overexertion	27	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,833	1,710
Cut/pierce	1,370	1,278
Overexertion	1,290	1,204
Struck (by/against)	1,048	978
MVC	875	816

### Descriptive Notes:

- Fifty-three injury-related deaths occurred in adults ages 18-64 years in Chippewa County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 781 injury-related inpatient hospitalizations and 8,948 injury-related emergency department visits in adults ages 18-64 years in Chippewa County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	553	2,210
MVC	24	96
Poisoning	23	92
Struck (by/against)	22	88
Overexertion	21	84

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,091	4,360
Nat/Env Factors	131	523
Overexertion	126	503
Struck (by/against)	88	352
Cut/pierce	77	308

### Descriptive Notes:

- Fifty-seven injury-related deaths occurred in adults ages 65 years and older in Chippewa County during 2002-04. The majority of these deaths were caused by falls.
- There were 737 injury-related inpatient hospitalizations and 1,754 injury-related emergency department visits in adults ages 65 years and older in Chippewa County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# CLARK COUNTY


Population 34,418

## Injury Deaths (2002-04)




	Wisconsin		Clark	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	35	34
Falls	2,288	14	22	21
Suicide	1,924	12	7	7*
Suffocation	275	2	6	6*
Nontraffic Trans	264	2	5	5*

## Injury Hospitalizations (2002-04)



	Wisconsin		Clark	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	462	451
MVC	14,221	86	160	156
Self-harm	14,539	88	64	63
Nontraffic Trans	4,181	25	58	57
Poisoning	5,671	34	27	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Clark	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,833	1,790
Struck (by/against)	196,729	1,192	1,005	981
Cut/pierce	149,690	907	894	873
Overexertion	146,656	889	593	579
MVC	131,948	800	568	555



### Costs:

- The average charge per injury-related emergency department visit in Clark County during 2002-04 was \$568.79.
- The average charge per injury-related inpatient hospitalization in Clark County during 2002-04 was \$14,876.21.
- The average length of injury-related inpatient hospitalization in Clark County during 2002-04 was 4.40 days, with an average charge of \$3,378.62 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	34	118
MVC	21	73
Self-harm	15	52*
Nontraffic Trans	15	52*
Poisoning	7	24*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	592	2,052
Struck (by/against)	478	1,657
Cut/pierce	203	704
Nontraffic Trans	165	572
Nat/Env Factors	149	517

### Descriptive Notes:

- Fourteen injury-related deaths occurred in children in Clark County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 128 injury-related inpatient hospitalizations and 2,152 injury-related emergency department visits in children in Clark County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	117	202
Falls	107	185
Self-harm	47	81
Nontraffic Trans	35	61
Struck (by/against)	14	24*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	717	1,240
Cut/pierce	629	1,088
Struck (by/against)	480	830
Overexertion	432	747
MVC	390	675

### Descriptive Notes:

- Thirty-six injury-related deaths occurred in adults ages 18-64 years in Clark County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 463 injury-related inpatient hospitalizations and 3,928 injury-related emergency department visits in adults ages 18-64 years in Clark County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	321	2,040
MVC	22	140
Poisoning	12	76*
Struck (by/against)	10	64*
Nat/Env Factors	9	57*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	524	3,331
Cut/pierce	62	394
MVC	53	337
Struck (by/against)	47	299
Nat/Env Factors	37	235

### Descriptive Notes:

- Thirty-seven injury-related deaths occurred in adults ages 65 years and older in Clark County during 2002-04. The majority of these deaths were caused by falls.
- There were 461 injury-related inpatient hospitalizations and 801 injury-related emergency department visits in adults ages 65 years and older in Clark County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# COLUMBIA COUNTY


Population 54,911

## Injury Deaths (2002-04)




	Wisconsin		Columbia	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	36	22
Suicide	1,924	12	21	13
Falls	2,288	14	19	12*
Poisoning	877	5	6	4*
Suffocation	275	2	6	4*

## Injury Hospitalizations (2002-04)



	Wisconsin		Columbia	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	747	459
MVC	14,221	86	195	120
Self-harm	14,539	88	102	63
Poisoning	5,671	34	61	38
Nontraffic Trans	4,181	25	60	37

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Columbia	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	3,797	2,334
Struck (by/against)	196,729	1,192	2,258	1,388
Cut/pierce	149,690	907	1,767	1,086
Overexertion	146,656	889	1,726	1,061
MVC	131,948	800	1,380	848

### Costs:

- The average charge per injury-related emergency department visit in Columbia County during 2002-04 was \$562.32.
- The average charge per injury-related inpatient hospitalization in Columbia County during 2002-04 was \$17,236.66.
- The average length of injury-related inpatient hospitalization in Columbia County during 2002-04 was 5.07 days, with an average charge of \$3,399.35 per day.



# COLUMBIA COUNTY

Population 54,911

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	36	96
Falls	35	93
Self-harm	14	37*
Nontraffic Trans	12	32*
Poisoning	11	29*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,164	3,089
Struck (by/against)	980	2,600
Cut/pierce	381	1,011
Overexertion	346	918
MVC	301	799

### Descriptive Notes:

- Twelve injury-related deaths occurred in children in Columbia County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 159 injury-related inpatient hospitalizations and 4,357 injury-related emergency department visits in children in Columbia County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	172	169
MVC	129	126
Self-harm	85	83
Nontraffic Trans	44	43
Poisoning	39	38

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,870	1,833
Overexertion	1,312	1,286
Cut/pierce	1,299	1,273
Struck (by/against)	1,210	1,186
MVC	992	972

### Descriptive Notes:

- Sixty-five injury-related deaths occurred in adults ages 18-64 years in Columbia County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 756 injury-related inpatient hospitalizations and 9,470 injury-related emergency department visits in adults ages 18-64 years in Columbia County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	540	2,352
MVC	30	131
Overexertion	19	83*
Poisoning	11	48*
Struck (by/against)	11	48*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	763	3,323
Cut/pierce	87	379
MVC	87	379
Nat/Env Factors	82	357
Struck (by/against)	68	296

### Descriptive Notes:

- Thirty-three injury-related deaths occurred in adults ages 65 years and older in Columbia County during 2002-04. The majority of these deaths were caused by falls.
- There were 743 injury-related inpatient hospitalizations and 1,292 injury-related emergency department visits in adults ages 65 years and older in Columbia County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# CRAWFORD COUNTY


Population 17,367

## Injury Deaths (2002-04)




	Wisconsin		Crawford	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	7	13*
Suicide	1,924	12	7	13*
MVC	2,365	14	5	10*
Nontraffic Trans	264	2	<5	–
Poisoning	877	5	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Crawford	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	228	439
Self-harm	14,539	88	47	91
MVC	14,221	86	45	87
Nontraffic Trans	4,181	25	30	58
Poisoning	5,671	34	23	44

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Crawford	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	946	1,823
Cut/pierce	149,690	907	489	942
Struck (by/against)	196,729	1,192	449	865
MVC	131,948	800	340	655
Overexertion	146,656	889	259	499



### Costs:

- The average charge per injury-related emergency department visit in Crawford County during 2002-04 was \$481.54.
- The average charge per injury-related inpatient hospitalization in Crawford County during 2002-04 was \$15,459.28.
- The average length of injury-related inpatient hospitalization in Crawford County during 2002-04 was 4.24 days, with an average charge of \$3,642.05 per day.

# CRAWFORD COUNTY

Population 17,367

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	8	66*
Nontraffic Trans	7	57*
Self-harm	5	41*
Poisoning	<5	–
Fire	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	247	2,025
Struck (by/against)	183	1,500
Cut/pierce	100	820
MVC	95	779
Nontraffic Trans	71	582

### Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Crawford County during 2002-04.
- There were 42 injury-related inpatient hospitalizations and 941 injury-related emergency department visits in children in Crawford County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	45	143
Self-harm	41	130
MVC	37	117
Nontraffic Trans	19	60*
Poisoning	13	41*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	407	1,292
Cut/pierce	355	1,127
Struck (by/against)	250	794
MVC	221	702
Overexertion	180	571

### Descriptive Notes:

- Seventeen injury-related deaths occurred in adults ages 18-64 years in Crawford County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 245 injury-related inpatient hospitalizations and 1,992 injury-related emergency department visits in adults ages 18-64 years in Crawford County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	175	2,138
Overexertion	8	98*
MVC	6	73*
Poisoning	6	73*
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	292	3,568
Cut/pierce	34	415
MVC	24	293
Nat/Env Factors	23	281
Struck (by/against)	16	195*

### Descriptive Notes:

- Ten injury-related deaths occurred in adults ages 65 years and older in Crawford County during 2002-04. The majority of these deaths were caused by falls.
- There were 228 injury-related inpatient hospitalizations and 406 injury-related emergency department visits in adults ages 65 years and older in Crawford County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# DANE COUNTY


Population 453,508

## Injury Deaths (2002-04)




	Wisconsin		Dane	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	153	11
MVC	2,365	14	143	11
Falls	2,288	14	86	6
Poisoning	877	5	74	6
Suffocation	275	2	24	2

## Injury Hospitalizations (2002-04)



	Wisconsin		Dane	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	4,368	325
Self-harm	14,539	88	1,351	100
MVC	14,221	86	1,014	75
Poisoning	5,671	34	441	33
Nontraffic Trans	4,181	25	357	27

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Dane	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	18,556	1,380
Struck (by/against)	196,729	1,192	11,180	832
Overexertion	146,656	889	7,596	565
MVC	131,948	800	7,436	553
Cut/pierce	149,690	907	7,060	525

### Costs:

- The average charge per injury-related emergency department visit in Dane County during 2002-04 was \$623.93.
- The average charge per injury-related inpatient hospitalization in Dane County during 2002-04 was \$17,220.09.
- The average length of injury-related inpatient hospitalization in Dane County during 2002-04 was 5.11 days, with an average charge of \$3,368.30 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	256	85
Self-harm	182	60
MVC	109	36
Nontraffic Trans	76	25
Struck (by/against)	74	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	5,503	1,824
Struck (by/against)	4,155	1,377
MVC	1,172	388
Overexertion	1,107	367
Cut/pierce	1,048	347

### Descriptive Notes:

- Thirty-three injury-related deaths occurred in children in Dane County during 2002-04. The majority of these deaths were caused by suffocation.
- There were 1,012 injury-related inpatient hospitalizations and 17,698 injury-related emergency department visits in children in Dane County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,275	139
Self-harm	1,149	125
MVC	788	86
Poisoning	285	31
Nontraffic Trans	234	26

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	9,395	1,025
Struck (by/against)	6,726	734
Overexertion	6,214	678
MVC	5,908	644
Cut/pierce	5,755	628

### Descriptive Notes:

- Four hundred thirteen injury-related deaths occurred in adults ages 18-64 years in Dane County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 5,867 injury-related inpatient hospitalizations and 48,551 injury-related emergency department visits in adults ages 18-64 years in Dane County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,837	2,257
MVC	117	93
Poisoning	101	80
Overexertion	61	49
Struck (by/against)	49	39

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	3,658	2,911
MVC	356	283
Struck (by/against)	299	238
Overexertion	275	219
Cut/pierce	257	204

### Descriptive Notes:

- One hundred fourteen injury-related deaths occurred in adults ages 65 years and older in Dane County during 2002-04. The majority of these deaths were caused by falls.
- There were 3,833 injury-related inpatient hospitalizations and 5,798 injury-related emergency department visits in adults ages 65 years and older in Dane County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# DODGE COUNTY


Population 88,442

## Injury Deaths (2002-04)




	Wisconsin		Dodge	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	73	28
Suicide	1,924	12	30	11
Falls	2,288	14	22	8
Poisoning	877	5	8	3*
Fire	155	1	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Dodge	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,130	429
MVC	14,221	86	270	103
Self-harm	14,539	88	228	87
Nontraffic Trans	4,181	25	87	33
Overexertion	3,443	21	74	28

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Dodge	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	6,265	2,380
Struck (by/against)	196,729	1,192	4,539	1,724
Overexertion	146,656	889	3,499	1,329
Cut/pierce	149,690	907	3,069	1,166
MVC	131,948	800	2,039	774



### Costs:

- The average charge per injury-related emergency department visit in Dodge County during 2002-04 was \$565.83.
- The average charge per injury-related inpatient hospitalization in Dodge County during 2002-04 was \$18,307.32.
- The average length of injury-related inpatient hospitalization in Dodge County during 2002-04 was 5.18 days, with an average charge of \$3,532.03 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	47	78
MVC	46	76
Falls	33	55
Nontraffic Trans	22	36
Poisoning	11	18*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,140	3,550
Struck (by/against)	1,949	3,233
Overexertion	684	1,135
Cut/pierce	644	1,068
Nat/Env Factors	471	781

### Descriptive Notes:

- Fourteen injury-related deaths occurred in children in Dodge County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 244 injury-related inpatient hospitalizations and 8,167 injury-related emergency department visits in children in Dodge County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	196	118
Self-harm	175	105
MVC	162	97
Nontraffic Trans	52	31
Overexertion	43	26

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,689	1,614
Overexertion	2,666	1,601
Struck (by/against)	2,371	1,423
Cut/pierce	2,250	1,351
MVC	1,503	902

### Descriptive Notes:

- Ninety injury-related deaths occurred in adults ages 18-64 years in Dodge County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,050 injury-related inpatient hospitalizations and 16,527 injury-related emergency department visits in adults ages 18-64 years in Dodge County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	901	2,473
MVC	62	170
Overexertion	29	80
Poisoning	23	63
Nat/Env Factors	15	41*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,436	3,942
Struck (by/against)	219	601
Cut/pierce	175	480
Overexertion	149	409
Nat/Env Factors	145	398

### Descriptive Notes:

- Fifty injury-related deaths occurred in adults ages 65 years and older in Dodge County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,211 injury-related inpatient hospitalizations and 2,585 injury-related emergency department visits in adults ages 65 years and older in Dodge County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# DOOR COUNTY


Population 28,945

## Injury Deaths (2002-04)




	Wisconsin		Door	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	25	29
Suicide	1,924	12	18	21*
MVC	2,365	14	11	13*
Suffocation	275	2	<5	–
Poisoning	877	5	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Door	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	406	471
MVC	14,221	86	107	124
Self-harm	14,539	88	54	63
Nontraffic Trans	4,181	25	35	41
Overexertion	3,443	21	24	28

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Door	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,562	1,811
Struck (by/against)	196,729	1,192	836	969
Overexertion	146,656	889	762	884
Cut/pierce	149,690	907	737	855
MVC	131,948	800	459	532

### Costs:

- The average charge per injury-related emergency department visit in Door County during 2002-04 was \$618.71.
- The average charge per injury-related inpatient hospitalization in Door County during 2002-04 was \$17,228.40.
- The average length of injury-related inpatient hospitalization in Door County during 2002-04 was 5.11 days, with an average charge of \$3,372.47 per day.



# DOOR COUNTY

Population 28,945

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	15	89*
Nontraffic Trans	9	54*
Self-harm	8	48*
Falls	6	36*
Struck (by/against)	5	30*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	397	2,363
Struck (by/against)	333	1,982
Overexertion	168	1,000
Cut/pierce	123	732
Nontraffic Trans	123	732

### Descriptive Notes:

- Five injury-related deaths occurred in children in Door County during 2002-04.
- There were 61 injury-related inpatient hospitalizations and 1,596 injury-related emergency department visits in children in Door County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	88	167
MVC	49	93
Self-harm	45	85
Nontraffic Trans	20	38*
Struck (by/against)	13	25*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	646	1,224
Cut/pierce	554	1,050
Overexertion	541	1,025
Struck (by/against)	459	870
MVC	301	570

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 18-64 years in Door County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 307 injury-related inpatient hospitalizations and 3,633 injury-related emergency department visits in adults ages 18-64 years in Door County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	312	1,872
MVC	43	258
Poisoning	15	90*
Overexertion	15	90*
Nontraffic Trans	6	36*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	519	3,114
Cut/pierce	60	360
MVC	54	324
Overexertion	53	318
Struck (by/against)	44	264

### Descriptive Notes:

- Thirty-five injury-related deaths occurred in adults ages 65 years and older in Door County during 2002-04. The majority of these deaths were caused by falls.
- There were 498 injury-related inpatient hospitalizations and 868 injury-related emergency department visits in adults ages 65 years and older in Door County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# DOUGLAS COUNTY


Population 43,864

## Injury Deaths (2002-04)




	Wisconsin		Douglas	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	18	14*
Suicide	1,924	12	18	14*
Falls	2,288	14	17	13*
Homicide	532	3	5	4*
Nontraffic Trans	264	2	5	4*

## Injury Hospitalizations (2002-04)



	Wisconsin		Douglas	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	134	102
MVC	14,221	86	15	11*
Overexertion	3,443	21	7	5*
Self-harm	14,539	88	6	5*
Nontraffic Trans	4,181	25	5	4*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Douglas	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,139	1,629
Overexertion	146,656	889	1,368	1,042
Struck (by/against)	196,729	1,192	970	739
Cut/pierce	149,690	907	782	595
MVC	131,948	800	586	446



### Costs:

- The average charge per injury-related emergency department visit in Douglas County during 2002-04 was \$442.89.
- The average charge per injury-related inpatient hospitalization in Douglas County during 2002-04 was \$9,598.05.
- The average length of injury-related inpatient hospitalization in Douglas County during 2002-04 was 4.54 days, with an average charge of \$2,112.44 per day.

# DOUGLAS COUNTY

Population 43,864

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	<5	–
Self-harm	<5	–
Nontraffic Trans	<5	–
MVC	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	625	2,136
Struck (by/against)	311	1,063
Overexertion	233	796
Cut/pierce	169	578
Nontraffic Trans	139	475

### Descriptive Notes:

- Six injury-related deaths occurred in children in Douglas County during 2002-04.
- There were 11 injury-related inpatient hospitalizations and 1,981 injury-related emergency department visits in children in Douglas County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	22	26
MVC	9	11*
Self-harm	<5	–
Poisoning	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,093	1,310
Overexertion	1,063	1,274
Struck (by/against)	594	712
Cut/pierce	565	677
MVC	465	557

### Descriptive Notes:

- Fifty injury-related deaths occurred in adults ages 18-64 years in Douglas County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 55 injury-related inpatient hospitalizations and 5,086 injury-related emergency department visits in adults ages 18-64 years in Douglas County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	109	585
Overexertion	6	32*
MVC	5	27*
Poisoning	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	421	2,258
Overexertion	72	386
Struck (by/against)	65	349
Nat/Env Factors	61	327
Cut/pierce	48	257

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 65 years and older in Douglas County during 2002-04. The majority of these deaths were caused by falls.
- There were 129 injury-related inpatient hospitalizations and 750 injury-related emergency department visits in adults ages 65 years and older in Douglas County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# DUNN COUNTY


Population 41,791

## Injury Deaths (2002-04)




	Wisconsin		Dunn	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	28	23
Suicide	1,924	12	16	13*
Falls	2,288	14	8	6*
Poisoning	877	5	<5	–
Fire	155	1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Dunn	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	307	247
Self-harm	14,539	88	127	102
MVC	14,221	86	75	60
Nontraffic Trans	4,181	25	28	23
Poisoning	5,671	34	27	22

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Dunn	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,729	1,393
Struck (by/against)	196,729	1,192	1,162	936
Cut/pierce	149,690	907	1,031	831
Overexertion	146,656	889	838	675
MVC	131,948	800	748	603

### Costs:

- The average charge per injury-related emergency department visit in Dunn County during 2002-04 was \$399.67.
- The average charge per injury-related inpatient hospitalization in Dunn County during 2002-04 was \$10,515.28.
- The average length of injury-related inpatient hospitalization in Dunn County during 2002-04 was 3.93 days, with an average charge of \$2,678.36 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	33	111
Nontraffic Trans	10	34*
Falls	9	30*
MVC	5	17*
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	557	1,872
Struck (by/against)	467	1,569
Cut/pierce	215	722
Overexertion	193	649
Nontraffic Trans	179	601

### Descriptive Notes:

- Five injury-related deaths occurred in children in Dunn County during 2002-04.
- There were 78 injury-related inpatient hospitalizations and 2,228 injury-related emergency department visits in children in Dunn County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	96	119
Self-harm	91	113
MVC	60	74
Poisoning	17	21*
Nontraffic Trans	17	21*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	828	1,027
Cut/pierce	773	958
Struck (by/against)	662	821
Overexertion	611	757
MVC	558	692

### Descriptive Notes:

- Forty-six injury-related deaths occurred in adults ages 18-64 years in Dunn County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 439 injury-related inpatient hospitalizations and 4,936 injury-related emergency department visits in adults ages 18-64 years in Dunn County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	202	1,475
MVC	10	73*
Overexertion	9	66*
Poisoning	8	58*
Nat/Env Factors	7	51*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	344	2,513
MVC	47	343
Cut/pierce	43	314
Overexertion	34	248
Nat/Env Factors	34	248

### Descriptive Notes:

- Fifteen injury-related deaths occurred in adults ages 65 years and older in Dunn County during 2002-04. The majority of these deaths were caused by falls.
- There were 294 injury-related inpatient hospitalizations and 629 injury-related emergency department visits in adults ages 65 years and older in Dunn County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# EAU CLAIRE COUNTY


Population 95,654

## Injury Deaths (2002-04)




	Wisconsin		Eau Claire	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	37	13
MVC	2,365	14	33	12
Falls	2,288	14	21	7
Poisoning	877	5	7	2*
Suffocation	275	2	5	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Eau Claire	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,203	420
Self-harm	14,539	88	461	161
MVC	14,221	86	230	80
Poisoning	5,671	34	74	26
Nontraffic Trans	4,181	25	67	23

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Eau Claire	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	5,439	1,901
Struck (by/against)	196,729	1,192	3,071	1,073
Cut/pierce	149,690	907	2,599	908
Overexertion	146,656	889	2,269	793
MVC	131,948	800	1,754	613

### Costs:

- The average charge per injury-related emergency department visit in Eau Claire County during 2002-04 was \$493.66.
- The average charge per injury-related inpatient hospitalization in Eau Claire County during 2002-04 was \$12,048.15.
- The average length of injury-related inpatient hospitalization in Eau Claire County during 2002-04 was 4.83 days, with an average charge of \$2,494.58 per day.





# EAU CLAIRE COUNTY

Population 95,654

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	90	133
Falls	33	49
MVC	21	31
Nontraffic Trans	13	19*
Struck (by/against)	12	18*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,602	2,362
Struck (by/against)	1,184	1,746
Cut/pierce	459	677
Overexertion	362	534
Nat/Env Factors	319	470

### Descriptive Notes:

- Six injury-related deaths occurred in children in Eau Claire County during 2002-04.
- There were 226 injury-related inpatient hospitalizations and 5,343 injury-related emergency department visits in children in Eau Claire County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	362	197
Falls	275	150
MVC	160	87
Poisoning	52	28
Assault	48	26

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,642	1,438
Cut/pierce	2,026	1,102
Overexertion	1,823	992
Struck (by/against)	1,773	965
MVC	1,354	737

### Descriptive Notes:

- Eighty-three injury-related deaths occurred in adults ages 18-64 years in Eau Claire County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 1,327 injury-related inpatient hospitalizations and 13,531 injury-related emergency department visits in adults ages 18-64 years in Eau Claire County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	895	2,589
MVC	49	142
Struck (by/against)	17	49*
Poisoning	16	46*
Overexertion	15	43*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,195	3,456
MVC	136	393
Struck (by/against)	114	330
Cut/pierce	114	330
Nat/Env Factors	92	266

### Descriptive Notes:

- Thirty-five injury-related deaths occurred in adults ages 65 years and older in Eau Claire County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,172 injury-related inpatient hospitalizations and 2,010 injury-related emergency department visits in adults ages 65 years and older in Eau Claire County during 2002-04.

### Technical Notes:

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.




# FLORENCE COUNTY

Population 5,159

## Injury Deaths (2002-04)


**Injury Deaths (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Florence	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	<5	–
Falls	2,288	14	<5	–
Homicide	532	3	<5	–
Nat/Env Factors	77	<1	<5	–
N/A	N/A	N/A	N/A	N/A

## Injury Hospitalizations (2002-04)


**Injury Hospitalizations (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Florence	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	19	123*
MVC	14,221	86	16	103*
Self-harm	14,539	88	6	39*
Nontraffic Trans	4,181	25	<5	–
Struck (by/against)	3,628	22	<5	–

## Injury Emergency Department Visits (2002-04)

**Injury Emergency Department Visits (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Florence	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	22	142
MVC	131,948	800	12	78*
Cut/pierce	149,690	907	11	71*
Overexertion	146,656	889	11	71*
Struck (by/against)	196,729	1,192	9	58*

### Costs:

- The average charge per injury-related emergency department visit in Florence County during 2002-04 was \$591.36.
- The average charge per injury-related inpatient hospitalization in Florence County during 2002-04 was \$36,801.34.
- The average length of injury-related inpatient hospitalization in Florence County during 2002-04 was 8.90 days, with an average charge of \$4,133.48 per day.



# FLORENCE COUNTY

Population 5,159

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	<5	–
Falls	<5	–
Overexertion	<5	–
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	<5	–
Struck (by/against)	<5	–
Overexertion	<5	–
Cut/pierce	<5	–
Nontraffic Trans	<5	–

### Descriptive Notes:

- No injury-related deaths were reported in children in Florence County during 2002-04.
- There were 8 injury-related inpatient hospitalizations and 13 injury-related emergency department visits in children in Florence County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	13	137*
Falls	7	74*
Self-harm	<5	–
Nontraffic Trans	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	16	169*
MVC	11	116*
Cut/pierce	10	105*
Overexertion	9	95*
Struck (by/against)	7	74*

### Descriptive Notes:

- Five injury-related deaths occurred in adults ages 18-64 years in Florence County during 2002-04.
- There were 35 injury-related inpatient hospitalizations and 76 injury-related emergency department visits in adults ages 18-64 years in Florence County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	11	387*
MVC	<5	–
Poisoning	<5	–
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	<5	–
MVC	<5	–
Nat/Env Factors	<5	–
N/A	N/A	N/A
N/A	N/A	N/A

### Descriptive Notes:

- Less than five injury-related deaths occurred in adults ages 65 years and older in Florence County during 2002-04.
- There were 19 injury-related inpatient hospitalizations and 7 injury-related emergency department visits in adults ages 65 years and older in Florence County during 2002-04.

### Technical Notes:

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.




# FOND DU LAC COUNTY

Population 99,423

## Injury Deaths (2002-04)


**Injury Deaths (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Fond du Lac	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	44	15
Suicide	1,924	12	44	15
MVC	2,365	14	41	14
Poisoning	877	5	7	2*
Nontraffic Trans	264	2	7	2*

## Injury Hospitalizations (2002-04)


**Injury Hospitalizations (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Fond du Lac	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,078	363
Self-harm	14,539	88	351	118
MVC	14,221	86	261	88
Overexertion	3,443	21	73	25
Nontraffic Trans	4,181	25	71	24

## Injury Emergency Department Visits (2002-04)

**Injury Emergency Department Visits (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Fond du Lac	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	4,800	1,617
Struck (by/against)	196,729	1,192	3,222	1,085
Cut/pierce	149,690	907	2,389	805
Overexertion	146,656	889	2,203	742
MVC	131,948	800	1,800	606

### Costs:

- The average charge per injury-related emergency department visit in Fond du Lac County during 2002-04 was \$561.40.
- The average charge per injury-related inpatient hospitalization in Fond du Lac County during 2002-04 was \$16,734.99.
- The average length of injury-related inpatient hospitalization in Fond du Lac County during 2002-04 was 5.91 days, with an average charge of \$2,833.96 per day.



# FOND DU LAC COUNTY

Population 99,423

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	87	125
MVC	47	67
Falls	39	56
Struck (by/against)	21	30
Poisoning	18	26*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,453	2,086
Struck (by/against)	1,332	1,912
Cut/pierce	483	693
Overexertion	469	673
Nontraffic Trans	381	547

### Descriptive Notes:

- Thirteen injury-related deaths occurred in children in Fond du Lac County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 291 injury-related inpatient hospitalizations and 5,555 injury-related emergency department visits in children in Fond du Lac County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	253	137
Falls	225	122
MVC	181	98
Overexertion	54	29
Nontraffic Trans	40	22

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,189	1,183
Cut/pierce	1,776	959
Struck (by/against)	1,771	957
Overexertion	1,593	861
MVC	1,317	711

### Descriptive Notes:

- Eighty-nine injury-related deaths occurred in adults ages 18-64 years in Fond du Lac County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,131 injury-related inpatient hospitalizations and 12,248 injury-related emergency department visits in adults ages 18-64 years in Fond du Lac County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	814	1,935
MVC	33	78
Overexertion	17	40*
Nontraffic Trans	13	31*
Struck (by/against)	12	29*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,158	2,752
Overexertion	141	335
Cut/pierce	130	309
MVC	121	288
Struck (by/against)	119	283

### Descriptive Notes:

- Fifty-seven injury-related deaths occurred in adults ages 65 years and older in Fond du Lac County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,077 injury-related inpatient hospitalizations and 1,997 injury-related emergency department visits in adults ages 65 years and older in Fond du Lac County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# FOREST COUNTY


Population 10,131

## Injury Deaths (2002-04)




	Wisconsin		Forest	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	6	20*
MVC	2,365	14	<5	-
Suicide	1,924	12	<5	-
Homicide	532	3	<5	-
Poisoning	877	5	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Forest	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	155	511
Self-harm	14,539	88	48	158
MVC	14,221	86	44	145
Nontraffic Trans	4,181	25	13	43*
Poisoning	5,671	34	11	36*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Forest	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	638	2,104
Struck (by/against)	196,729	1,192	318	1,049
Overexertion	146,656	889	251	828
MVC	131,948	800	225	742
Cut/pierce	149,690	907	198	653

### Costs:

- The average charge per injury-related emergency department visit in Forest County during 2002-04 was \$907.44.
- The average charge per injury-related inpatient hospitalization in Forest County during 2002-04 was \$15,799.27.
- The average length of injury-related inpatient hospitalization in Forest County during 2002-04 was 4.60 days, with an average charge of \$3,438.33 per day.



# FOREST COUNTY

Population 10,131

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	20	284*
MVC	6	85*
Nontraffic Trans	6	85*
Poisoning	5	71*
Falls	5	71*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	218	3,097
Struck (by/against)	141	2,003
Nontraffic Trans	117	1,662
Cut/pierce	76	1,080
MVC	58	824

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Forest County during 2002-04.
- There were 53 injury-related inpatient hospitalizations and 818 injury-related emergency department visits in children in Forest County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	41	236
MVC	36	208
Self-harm	28	161
Assault	9	52*
Struck (by/against)	8	46*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	263	1,516
Overexertion	169	974
Struck (by/against)	158	911
MVC	154	888
Cut/pierce	113	651

### Descriptive Notes:

- Eleven injury-related deaths occurred in adults ages 18-64 years in Forest County during 2002-04.
- There were 169 injury-related inpatient hospitalizations and 1,234 injury-related emergency department visits in adults ages 18-64 years in Forest County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	110	1,854
Overexertion	<5	–
Nat/Env Factors	<5	–
MVC	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	157	2,646
Overexertion	29	489
Struck (by/against)	19	320*
MVC	13	219*
Nat/Env Factors	11	185*

### Descriptive Notes:

- Five injury-related deaths occurred in adults ages 65 years and older in Forest County during 2002-04. The majority of these deaths were caused by falls.
- There were 141 injury-related inpatient hospitalizations and 273 injury-related emergency department visits in adults ages 65 years and older in Forest County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# GRANT COUNTY


Population 50,357

## Injury Deaths (2002-04)




	Wisconsin		Grant	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	40	27
Suicide	1,924	12	19	13*
Falls	2,288	14	16	11*
Poisoning	877	5	<5	-
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Grant	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	425	283
MVC	14,221	86	139	92
Self-harm	14,539	88	102	68
Nontraffic Trans	4,181	25	53	35
Poisoning	5,671	34	44	29

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Grant	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,195	1,460
Struck (by/against)	196,729	1,192	1,482	986
Cut/pierce	149,690	907	1,177	783
MVC	131,948	800	870	579
Overexertion	146,656	889	758	504

### Costs:

- The average charge per injury-related emergency department visit in Grant County during 2002-04 was \$561.02.
- The average charge per injury-related inpatient hospitalization in Grant County during 2002-04 was \$16,395.71.
- The average length of injury-related inpatient hospitalization in Grant County during 2002-04 was 4.58 days, with an average charge of \$3,576.46 per day.





## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	20	57*
Self-harm	15	43*
Falls	13	37*
Nontraffic Trans	12	34*
Poisoning	10	29*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	682	1,950
Cut/pierce	217	621
MVC	210	601
Overexertion	184	526
Nontraffic Trans	178	509

### Descriptive Notes:

- Fifteen injury-related deaths occurred in children in Grant County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 122 injury-related inpatient hospitalizations and 2,704 injury-related emergency department visits in children in Grant County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	105	114
Falls	82	89
Self-harm	82	89
Nontraffic Trans	38	41
Struck (by/against)	17	18*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	904	981
Cut/pierce	896	972
Struck (by/against)	812	881
MVC	589	639
Overexertion	537	583

### Descriptive Notes:

- Fifty-two injury-related deaths occurred in adults ages 18-64 years in Grant County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 501 injury-related inpatient hospitalizations and 5,288 injury-related emergency department visits in adults ages 18-64 years in Grant County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	330	1,422
Poisoning	19	82*
MVC	14	60*
Overexertion	6	26*
Nat/Env Factors	6	26*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	609	2,624
MVC	71	306
Cut/pierce	64	276
Struck (by/against)	51	220
Nat/Env Factors	38	164

### Descriptive Notes:

- Nineteen injury-related deaths occurred in adults ages 65 years and older in Grant County during 2002-04. The majority of these deaths were caused by falls.
- There were 450 injury-related inpatient hospitalizations and 891 injury-related emergency department visits in adults ages 65 years and older in Grant County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# GREEN COUNTY


Population 35,157

## Injury Deaths (2002-04)




	Wisconsin		Green	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	18	17*
Falls	2,288	14	18	17*
Suicide	1,924	12	15	14*
Poisoning	877	5	<5	–
Nontraffic Trans	264	2	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Green	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	404	388
MVC	14,221	86	101	97
Self-harm	14,539	88	83	80
Poisoning	5,671	34	36	35
Nontraffic Trans	4,181	25	27	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Green	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,844	2,729
Struck (by/against)	196,729	1,192	1,827	1,753
Overexertion	146,656	889	1,385	1,329
Cut/pierce	149,690	907	1,331	1,277
MVC	131,948	800	831	797

### Costs:

- The average charge per injury-related emergency department visit in Green County during 2002-04 was \$391.39.
- The average charge per injury-related inpatient hospitalization in Green County during 2002-04 was \$16,543.09.
- The average length of injury-related inpatient hospitalization in Green County during 2002-04 was 4.80 days, with an average charge of \$3,446.17 per day.



# GREEN COUNTY

Population 35,157

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	19	74*
MVC	14	54*
Falls	13	50*
Poisoning	7	27*
Struck (by/against)	6	23*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	996	3,863
Struck (by/against)	824	3,196
Overexertion	315	1,222
Cut/pierce	305	1,183
Nontraffic Trans	255	989

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Green County during 2002-04.
- There were 96 injury-related inpatient hospitalizations and 3,601 injury-related emergency department visits in children in Green County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	86	136
MVC	77	121
Self-harm	63	99
Poisoning	20	32*
Nontraffic Trans	18	28*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,174	1,852
Overexertion	1,001	1,579
Cut/pierce	936	1,476
Struck (by/against)	925	1,459
MVC	579	913

### Descriptive Notes:

- Thirty-eight injury-related deaths occurred in adults ages 18-64 years in Green County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 427 injury-related inpatient hospitalizations and 6,716 injury-related emergency department visits in adults ages 18-64 years in Green County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	305	2,027
MVC	10	66*
Poisoning	9	60*
Suffocation	9	60*
Struck (by/against)	<5	-

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	674	4,480
Cut/pierce	90	598
Struck (by/against)	78	518
Overexertion	69	459
Nat/Env Factors	65	432

### Descriptive Notes:

- Twenty injury-related deaths occurred in adults ages 65 years and older in Green County during 2002-04. The majority of these deaths were caused by falls.
- There were 404 injury-related inpatient hospitalizations and 1,198 injury-related emergency department visits in adults ages 65 years and older in Green County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# GREEN LAKE COUNTY


Population 19,332

## Injury Deaths (2002-04)




	Wisconsin		Green Lake	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	10	17*
Suicide	1,924	12	9	16*
Falls	2,288	14	8	14*
Homicide	532	3	<5	-
Suffocation	275	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Green Lake	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	288	498
MVC	14,221	86	45	78
Self-harm	14,539	88	40	69
Overexertion	3,443	21	16	28*
Struck (by/against)	3,628	22	15	26*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Green Lake	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,391	2,407
Struck (by/against)	196,729	1,192	817	1,414
Overexertion	146,656	889	675	1,168
Cut/pierce	149,690	907	635	1,099
MVC	131,948	800	463	801

### Costs:

- The average charge per injury-related emergency department visit in Green Lake County during 2002-04 was \$464.36.
- The average charge per injury-related inpatient hospitalization in Green Lake County during 2002-04 was \$15,530.37.
- The average length of injury-related inpatient hospitalization in Green Lake County during 2002-04 was 4.94 days, with an average charge of \$3,146.29 per day.



# GREEN LAKE COUNTY

Population 19,332

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	10	79*
Self-harm	5	39*
Fire	5	39*
Overexertion	<5	–
Assault	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	444	3,492
Struck (by/against)	349	2,745
Cut/pierce	138	1,086
Overexertion	138	1,086
Nat/Env Factors	109	857

### Descriptive Notes:

- No injury-related deaths were reported in children in Green Lake County during 2002-04.
- There were 33 injury-related inpatient hospitalizations and 1,622 injury-related emergency department visits in children in Green Lake County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	41	119
MVC	34	99
Self-harm	33	96
Nontraffic Trans	10	29*
Struck (by/against)	9	26*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	513	1,488
Overexertion	498	1,444
Cut/pierce	428	1,241
Struck (by/against)	420	1,218
MVC	329	954

### Descriptive Notes:

- Twenty-one injury-related deaths occurred in adults ages 18-64 years in Green Lake County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 193 injury-related inpatient hospitalizations and 3,195 injury-related emergency department visits in adults ages 18-64 years in Green Lake County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	237	2,236
MVC	10	94*
Suffocation	7	66*
Poisoning	6	57*
Nat/Env Factors	6	57*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	434	4,095
Cut/pierce	69	651
Struck (by/against)	48	453
Nat/Env Factors	46	434
Overexertion	39	368

### Descriptive Notes:

- Fourteen injury-related deaths occurred in adults ages 65 years and older in Green Lake County during 2002-04. The majority of these deaths were caused by falls.
- There were 306 injury-related inpatient hospitalizations and 749 injury-related emergency department visits in adults ages 65 years and older in Green Lake County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# IOWA COUNTY


Population 23,654

## Injury Deaths (2002-04)




	Wisconsin		Iowa	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	18	26*
Falls	2,288	14	12	17*
Suicide	1,924	12	10	14*
Fire	155	1	<5	-
Poisoning	877	5	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Iowa	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	229	326
MVC	14,221	86	84	120
Nontraffic Trans	4,181	25	38	54
Self-harm	14,539	88	37	53
Nat/Env Factors	2,806	17	24	34

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Iowa	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,368	1,947
Struck (by/against)	196,729	1,192	1,260	1,793
Overexertion	146,656	889	747	1,063
Cut/pierce	149,690	907	630	897
MVC	131,948	800	578	823

### Costs:

- The average charge per injury-related emergency department visit in Iowa County during 2002-04 was \$571.61.
- The average charge per injury-related inpatient hospitalization in Iowa County during 2002-04 was \$17,732.33.
- The average length of injury-related inpatient hospitalization in Iowa County during 2002-04 was 5.16 days, with an average charge of \$3,433.34 per day.



# IOWA COUNTY

Population 23,654

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	14	80*
Self-harm	13	74*
Falls	11	63*
Nontraffic Trans	11	63*
Struck (by/against)	8	46*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Struck (by/against)	588	3,355
Falls	504	2,876
Overexertion	234	1,335
Nat/Env Factors	153	873
MVC	133	759

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Iowa County during 2002-04.
- There were 78 injury-related inpatient hospitalizations and 2,163 injury-related emergency department visits in children in Iowa County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	67	153
MVC	58	133
Self-harm	24	55
Nontraffic Trans	19	44*
Nat/Env Factors	15	34*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Struck (by/against)	635	1,454
Falls	623	1,427
Overexertion	486	1,113
Cut/pierce	485	1,111
MVC	405	928

### Descriptive Notes:

- Twenty-eight injury-related deaths occurred in adults ages 18-64 years in Iowa County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 298 injury-related inpatient hospitalizations and 3,910 injury-related emergency department visits in adults ages 18-64 years in Iowa County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	151	1,662
MVC	12	132*
Nontraffic Trans	8	88*
Overexertion	5	55*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	241	2,653
MVC	40	440
Struck (by/against)	37	407
Cut/pierce	32	352
Nat/Env Factors	31	341

### Descriptive Notes:

- Twenty-one injury-related deaths occurred in adults ages 65 years and older in Iowa County during 2002-04. The majority of these deaths were caused by falls.
- There were 231 injury-related inpatient hospitalizations and 497 injury-related emergency department visits in adults ages 65 years and older in Iowa County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# IRON COUNTY


Population 6,861

## Injury Deaths (2002-04)




	Wisconsin		Iron	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	5	24*
Falls	2,288	14	<5	–
Suicide	1,924	12	<5	–
Poisoning	877	5	<5	–
Homicide	532	3	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Iron	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	64	310
Self-harm	14,539	88	21	102
MVC	14,221	86	12	58*
Nontraffic Trans	4,181	25	9	44*
Struck (by/against)	3,628	22	5	24*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Iron	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	172	834
Struck (by/against)	196,729	1,192	73	354
MVC	131,948	800	58	281
Cut/pierce	149,690	907	55	267
Overexertion	146,656	889	45	218



### Costs:

- The average charge per injury-related emergency department visit in Iron County during 2002-04 was \$591.84.
- The average charge per injury-related inpatient hospitalization in Iron County during 2002-04 was \$12,911.33.
- The average length of injury-related inpatient hospitalization in Iron County during 2002-04 was 5.47 days, with an average charge of \$2,359.43 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	5	142*
Falls	<5	–
Nontraffic Trans	<5	–
Poisoning	<5	–
Cut/pierce	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	49	1,388
Struck (by/against)	26	736
Nontraffic Trans	17	481*
Cut/pierce	12	340*
Nat/Env Factors	10	283*

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Iron County during 2002-04.
- There were 11 injury-related inpatient hospitalizations and 152 injury-related emergency department visits in children in Iron County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	19	154*
Self-harm	15	121*
MVC	9	73*
Nontraffic Trans	6	49*
Struck (by/against)	5	40*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	82	664
MVC	40	324
Struck (by/against)	39	316
Cut/pierce	39	316
Overexertion	34	275

### Descriptive Notes:

- Six injury-related deaths occurred in adults ages 18-64 years in Iron County during 2002-04.
- There were 74 injury-related inpatient hospitalizations and 342 injury-related emergency department visits in adults ages 18-64 years in Iron County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	43	905
MVC	<5	–
Overexertion	<5	–
Self-harm	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	41	863
MVC	10	210*
Struck (by/against)	8	168*
Cut/pierce	<5	–
Nat/Env Factors	<5	–

### Descriptive Notes:

- Seven injury-related deaths occurred in adults ages 65 years and older in Iron County during 2002-04.
- There were 59 injury-related inpatient hospitalizations and 77 injury-related emergency department visits in adults ages 65 years and older in Iron County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# JACKSON COUNTY


Population 19,702

## Injury Deaths (2002-04)




	Wisconsin		Jackson	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	12	20*
MVC	2,365	14	10	17*
Falls	2,288	14	6	10*
Poisoning	877	5	<5	–
Homicide	532	3	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Jackson	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	262	446
MVC	14,221	86	76	129
Self-harm	14,539	88	54	92
Nontraffic Trans	4,181	25	26	44
Poisoning	5,671	34	20	34

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Jackson	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,467	2,498
Struck (by/against)	196,729	1,192	850	1,447
Cut/pierce	149,690	907	703	1,197
Overexertion	146,656	889	666	1,134
MVC	131,948	800	480	817

### Costs:

- The average charge per injury-related emergency department visit in Jackson County during 2002-04 was \$545.97.
- The average charge per injury-related inpatient hospitalization in Jackson County during 2002-04 was \$14,396.86.
- The average length of injury-related inpatient hospitalization in Jackson County during 2002-04 was 4.43 days, with an average charge of \$3,247.49 per day.



# JACKSON COUNTY

Population 19,702

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	11	83*
MVC	6	45*
Nontraffic Trans	5	38*
Falls	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	473	3,563
Struck (by/against)	370	2,787
Cut/pierce	172	1,296
Nontraffic Trans	167	1,258
Overexertion	161	1,213

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Jackson County during 2002-04.
- There were 42 injury-related inpatient hospitalizations and 1,873 injury-related emergency department visits in children in Jackson County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	76	206
MVC	60	162
Self-harm	42	114
Nontraffic Trans	21	57
Assault	17	46*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	647	1,751
Cut/pierce	495	1,340
Overexertion	478	1,294
Struck (by/against)	458	1,240
MVC	359	972

### Descriptive Notes:

- Twenty-eight injury-related deaths occurred in adults ages 18-64 years in Jackson County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 327 injury-related inpatient hospitalizations and 3,619 injury-related emergency department visits in adults ages 18-64 years in Jackson County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	182	2,140
MVC	10	118*
Overexertion	8	94*
Poisoning	6	71*
Nat/Env Factors	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	347	4,080
Nat/Env Factors	45	529
Cut/pierce	36	423
MVC	30	353
Overexertion	27	317

### Descriptive Notes:

- Seven injury-related deaths occurred in adults ages 65 years and older in Jackson County during 2002-04.
- There were 245 injury-related inpatient hospitalizations and 546 injury-related emergency department visits in adults ages 65 years and older in Jackson County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# JEFFERSON COUNTY


Population 78,571

## Injury Deaths (2002-04)




	Wisconsin		Jefferson	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	38	16
MVC	2,365	14	32	14
Falls	2,288	14	22	9
Poisoning	877	5	9	4*
Nontraffic Trans	264	2	5	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Jefferson	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	851	365
MVC	14,221	86	230	99
Self-harm	14,539	88	185	79
Nontraffic Trans	4,181	25	67	29
Overexertion	3,443	21	60	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Jefferson	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	5,718	2,452
Struck (by/against)	196,729	1,192	3,942	1,690
Overexertion	146,656	889	3,263	1,399
Cut/pierce	149,690	907	2,505	1,074
MVC	131,948	800	1,717	736

### Costs:

- The average charge per injury-related emergency department visit in Jefferson County during 2002-04 was \$469.63.
- The average charge per injury-related inpatient hospitalization in Jefferson County during 2002-04 was \$16,336.92.
- The average length of injury-related inpatient hospitalization in Jefferson County during 2002-04 was 5.13 days, with an average charge of \$3,187.69 per day.



# JEFFERSON COUNTY

Population 78,571

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	33	59
Self-harm	27	48
MVC	27	48
Struck (by/against)	15	27*
Nontraffic Trans	14	25*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,983	3,550
Struck (by/against)	1,656	2,965
Overexertion	591	1,058
Cut/pierce	469	840
Nat/Env Factors	398	713

### Descriptive Notes:

- Twelve injury-related deaths occurred in children in Jefferson County during 2002-04.
- There were 170 injury-related inpatient hospitalizations and 6,896 injury-related emergency department visits in children in Jefferson County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	226	152
MVC	159	107
Self-harm	154	104
Nontraffic Trans	43	29
Overexertion	34	23

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,632	1,771
Overexertion	2,544	1,712
Struck (by/against)	2,145	1,443
Cut/pierce	1,918	1,291
MVC	1,257	846

### Descriptive Notes:

- Seventy-nine injury-related deaths occurred in adults ages 18-64 years in Jefferson County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 940 injury-related inpatient hospitalizations and 14,672 injury-related emergency department visits in adults ages 18-64 years in Jefferson County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	592	2,061
MVC	44	153
Overexertion	22	77
Suffocation	19	66*
Nat/Env Factors	13	45*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,103	3,840
Struck (by/against)	141	491
Overexertion	128	446
Cut/pierce	118	411
Nat/Env Factors	97	338

### Descriptive Notes:

- Thirty injury-related deaths occurred in adults ages 65 years and older in Jefferson County during 2002-04. The majority of these deaths were caused by falls.
- There were 826 injury-related inpatient hospitalizations and 1,934 injury-related emergency department visits in adults ages 65 years and older in Jefferson County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# JUNEAU COUNTY


Population 25,535

## Injury Deaths (2002-04)




	Wisconsin		Juneau	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	21	28
MVC	2,365	14	14	18*
Suicide	1,924	12	9	12*
Poisoning	877	5	7	9*
Suffocation	275	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Juneau	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	341	450
MVC	14,221	86	122	161
Self-harm	14,539	88	54	71
Nontraffic Trans	4,181	25	36	47
Poisoning	5,671	34	33	44

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Juneau	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,390	1,833
Struck (by/against)	196,729	1,192	765	1,009
MVC	131,948	800	689	909
Cut/pierce	149,690	907	582	768
Overexertion	146,656	889	463	611

### Costs:

- The average charge per injury-related emergency department visit in Juneau County during 2002-04 was \$674.83.
- The average charge per injury-related inpatient hospitalization in Juneau County during 2002-04 was \$16,493.22.
- The average length of injury-related inpatient hospitalization in Juneau County during 2002-04 was 4.95 days, with an average charge of \$3,331.31 per day.



# JUNEAU COUNTY

Population 25,535

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	16	92*
MVC	15	86*
Nontraffic Trans	15	86*
Self-harm	11	63*
Poisoning	7	40*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	379	2,171
Struck (by/against)	281	1,610
Nat/Env Factors	147	842
MVC	145	831
Cut/pierce	124	710

### Descriptive Notes:

- Six injury-related deaths occurred in children in Juneau County during 2002-04.
- There were 94 injury-related inpatient hospitalizations and 1,552 injury-related emergency department visits in children in Juneau County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	95	208
MVC	82	179
Self-harm	41	90
Poisoning	20	44*
Struck (by/against)	19	42*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	670	1,466
MVC	486	1,064
Struck (by/against)	457	1,000
Cut/pierce	416	910
Overexertion	378	827

### Descriptive Notes:

- Thirty-one injury-related deaths occurred in adults ages 18-64 years in Juneau County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 417 injury-related inpatient hospitalizations and 3,858 injury-related emergency department visits in adults ages 18-64 years in Juneau County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	230	1,816
MVC	25	197
Struck (by/against)	9	71*
Overexertion	9	71*
Nat/Env Factors	9	71*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	341	2,692
MVC	58	458
Nat/Env Factors	50	395
Cut/pierce	42	332
Struck (by/against)	27	213

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 65 years and older in Juneau County during 2002-04. The majority of these deaths were caused by falls.
- There were 366 injury-related inpatient hospitalizations and 655 injury-related emergency department visits in adults ages 65 years and older in Juneau County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# KENOSHA COUNTY


Population 157,483

## Injury Deaths (2002-04)




	Wisconsin		Kenosha	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	59	13
Suicide	1,924	12	57	12
Falls	2,288	14	48	10
Poisoning	877	5	30	6
Drowning	157	1	9	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Kenosha	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,711	366
MVC	14,221	86	429	92
Self-harm	14,539	88	403	86
Poisoning	5,671	34	139	30
Nontraffic Trans	4,181	25	120	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Kenosha	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	11,916	2,552
Struck (by/against)	196,729	1,192	6,057	1,297
MVC	131,948	800	5,923	1,269
Cut/pierce	149,690	907	4,488	961
Overexertion	146,656	889	3,999	857



### Costs:

- The average charge per injury-related emergency department visit in Kenosha County during 2002-04 was \$617.15.
- The average charge per injury-related inpatient hospitalization in Kenosha County during 2002-04 was \$20,107.31.
- The average length of injury-related inpatient hospitalization in Kenosha County during 2002-04 was 6.10 days, with an average charge of \$3,296.39 per day.



# KENOSHA COUNTY

Population 157,483

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	102	85
MVC	53	44
Self-harm	47	39
Nontraffic Trans	39	32
Poisoning	20	17*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	4,325	3,584
Struck (by/against)	2,903	2,406
MVC	1,213	1,005
Cut/pierce	1,097	909
Overexertion	874	724

### Descriptive Notes:

- Thirteen injury-related deaths occurred in children in Kenosha County during 2002-04. The majority of these deaths were caused by drowning.
- There were 399 injury-related inpatient hospitalizations and 15,829 injury-related emergency department visits in children in Kenosha County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	406	138
Suicide	347	118
MVC	307	104
Poisoning	88	30
Nontraffic Trans	72	24

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	5,367	1,823
MVC	4,380	1,488
Cut/pierce	3,175	1,079
Overexertion	2,980	1,012
Struck (by/against)	2,969	1,009

### Descriptive Notes:

- One hundred sixty-six injury-related deaths occurred in adults ages 18-64 years in Kenosha County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 2,010 injury-related inpatient hospitalizations and 29,343 injury-related emergency department visits in adults ages 18-64 years in Kenosha County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,203	2,319
MVC	69	133
Overexertion	39	75
Poisoning	31	60
Struck (by/against)	22	42

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,224	4,287
MVC	330	636
Cut/pierce	216	416
Struck (by/against)	185	357
Nat/Env Factors	173	333

### Descriptive Notes:

- Sixty-seven injury-related deaths occurred in adults ages 65 years and older in Kenosha County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,699 injury-related inpatient hospitalizations and 4,004 injury-related emergency department visits in adults ages 65 years and older in Kenosha County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# KEWAUNEE COUNTY


Population 20,871

## Injury Deaths (2002-04)




	Wisconsin		Kewaunee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	12	19*
Falls	2,288	14	10	16*
Suicide	1,924	12	6	10*
Poisoning	877	5	5	8*
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Kewaunee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	255	411
MVC	14,221	86	86	139
Self-harm	14,539	88	43	69
Nontraffic Trans	4,181	25	27	44
Overexertion	3,443	21	19	31*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Kewaunee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	804	1,296
Struck (by/against)	196,729	1,192	567	914
Cut/pierce	149,690	907	463	746
Overexertion	146,656	889	406	654
MVC	131,948	800	348	561

### Costs:

- The average charge per injury-related emergency department visit in Kewaunee County during 2002-04 was \$551.06.
- The average charge per injury-related inpatient hospitalization in Kewaunee County during 2002-04 was \$18,224.34.
- The average length of injury-related inpatient hospitalization in Kewaunee County during 2002-04 was 5.14 days, with an average charge of \$3,548.79 per day.



# KEWAUNEE COUNTY

Population 20,871

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	15	101*
Self-harm	13	87*
Falls	12	81*
Nontraffic Trans	6	40*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	279	1,876
Struck (by/against)	237	1,594
Cut/pierce	101	679
Overexertion	86	578
MVC	69	464

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Kewaunee County during 2002-04.
- There were 66 injury-related inpatient hospitalizations and 1,061 injury-related emergency department visits in children in Kewaunee County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	63	166
Falls	57	150
Self-harm	27	71
Nontraffic Trans	17	45*
Overexertion	10	26*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	362	955
Cut/pierce	351	926
Struck (by/against)	315	831
Overexertion	300	791
MVC	265	699

### Descriptive Notes:

- Nineteen injury-related deaths occurred in adults ages 18-64 years in Kewaunee County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 262 injury-related inpatient hospitalizations and 2,382 injury-related emergency department visits in adults ages 18-64 years in Kewaunee County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	186	2,008
Overexertion	9	97*
MVC	8	86*
Poisoning	8	86*
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	163	1,760
Overexertion	20	216*
Nat/Env Factors	19	205*
Struck (by/against)	15	162*
MVC	14	151*

### Descriptive Notes:

- Fifteen injury-related deaths occurred in adults ages 65 years and older in Kewaunee County during 2002-04. The majority of these deaths were caused by falls.
- There were 263 injury-related inpatient hospitalizations and 286 injury-related emergency department visits in adults ages 65 years and older in Kewaunee County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# LA CROSSE COUNTY


Population 109,601

## Injury Deaths (2002-04)




	Wisconsin		La Crosse	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	42	13
Falls	2,288	14	41	13
MVC	2,365	14	30	9
Poisoning	877	5	12	4*
Suffocation	275	2	9	3*

## Injury Hospitalizations (2002-04)



	Wisconsin		La Crosse	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,194	365
Self-harm	14,539	88	535	164
MVC	14,221	86	249	76
Poisoning	5,671	34	90	28
Overexertion	3,443	21	83	25

## Injury Emergency Department Visits (2002-04)



	Wisconsin		La Crosse	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	4,645	1,420
Struck (by/against)	196,729	1,192	2,007	614
MVC	131,948	800	1,737	531
Cut/pierce	149,690	907	1,478	452
Overexertion	146,656	889	1,337	409

### Costs:

- The average charge per injury-related emergency department visit in La Crosse County during 2002-04 was \$521.10.
- The average charge per injury-related inpatient hospitalization in La Crosse County during 2002-04 was \$14,541.91.
- The average length of injury-related inpatient hospitalization in La Crosse County during 2002-04 was 4.27 days, with an average charge of \$3,402.83 per day.



# LA CROSSE COUNTY

Population 109,601

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	88	115
Falls	55	72
MVC	23	30
Nontraffic Trans	23	30
Struck (by/against)	19	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,280	1,668
Struck (by/against)	708	923
MVC	326	425
Cut/pierce	294	383
Nontraffic Trans	259	338

### Descriptive Notes:

- Twelve injury-related deaths occurred in children in La Crosse County during 2002-04.
- There were 278 injury-related inpatient hospitalizations and 4,120 injury-related emergency department visits in children in La Crosse County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	443	211
Falls	375	179
MVC	186	89
Assault	57	27
Poisoning	51	24

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,279	1,088
MVC	1,300	621
Struck (by/against)	1,236	590
Cut/pierce	1,099	525
Overexertion	1,045	499

### Descriptive Notes:

- Ninety-one injury-related deaths occurred in adults ages 18-64 years in La Crosse County during 2002-04. The majority of these deaths were suicides caused by firearms.
- There were 1,622 injury-related inpatient hospitalizations and 10,580 injury-related emergency department visits in adults ages 18-64 years in La Crosse County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	764	1,869
MVC	40	98
Overexertion	34	83
Poisoning	27	66
Nat/Env Factors	9	22

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,086	2,657
MVC	111	272
Nat/Env Factors	86	210
Cut/pierce	85	208
Overexertion	64	157

### Descriptive Notes:

- Sixty-two injury-related deaths occurred in adults ages 65 years and older in La Crosse County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,029 injury-related inpatient hospitalizations and 1,726 injury-related emergency department visits in adults ages 65 years and older in La Crosse County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# LAFAYETTE COUNTY


Population 16,327

## Injury Deaths (2002-04)




	Wisconsin		Lafayette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	10	20*
Falls	2,288	14	6	12*
Suicide	1,924	12	5	10*
Poisoning	877	5	<5	–
Nat/Env Factors	77	<1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Lafayette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	156	319
MVC	14,221	86	42	86
Self-harm	14,539	88	30	61
Struck (by/against)	3,628	22	18	37*
Nontraffic Trans	4,181	25	17	35*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Lafayette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	914	1,870
Struck (by/against)	196,729	1,192	636	1,301
Cut/pierce	149,690	907	393	804
Overexertion	146,656	889	338	691
MVC	131,948	800	317	648

### Costs:

- The average charge per injury-related emergency department visit in Lafayette County during 2002-04 was \$437.44.
- The average charge per injury-related inpatient hospitalization in Lafayette County during 2002-04 was \$16,026.56.
- The average length of injury-related inpatient hospitalization in Lafayette County during 2002-04 was 4.80 days, with an average charge of \$3,341.38 per day.



# LAFAYETTE COUNTY

Population 16,327

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	10	83*
MVC	7	58*
Falls	5	41*
Struck (by/against)	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Struck (by/against)	332	2,753
Falls	324	2,687
Nontraffic Trans	89	738
Overexertion	87	721
Nat/Env Factors	87	721

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Lafayette County during 2002-04.
- There were 37 injury-related inpatient hospitalizations and 1,269 injury-related emergency department visits in children in Lafayette County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	30	103
Falls	25	86
Self-harm	20	69*
Nontraffic Trans	14	48*
Machinery	10	34*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	374	1,284
Cut/pierce	289	992
Struck (by/against)	285	979
Overexertion	235	807
MVC	223	766

### Descriptive Notes:

- Twenty injury-related deaths occurred in adults ages 18-64 years in Lafayette County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 176 injury-related inpatient hospitalizations and 2,170 injury-related emergency department visits in adults ages 18-64 years in Lafayette County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	126	1,636
MVC	5	65*
Struck (by/against)	5	65*
Poisoning	<5	–
Overexertion	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	216	2,804
MVC	19	247*
Cut/pierce	18	234*
Overexertion	16	208*
Nat/Env Factors	16	208*

### Descriptive Notes:

- Seven injury-related deaths occurred in adults ages 65 years and older in Lafayette County during 2002-04.
- There were 175 injury-related inpatient hospitalizations and 321 injury-related emergency department visits in adults ages 65 years and older in Lafayette County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# LANGLADE COUNTY


Population 21,188

## Injury Deaths (2002-04)




	Wisconsin		Langlade	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	19	30*
Falls	2,288	14	13	21*
Suicide	1,924	12	9	14*
Homicide	532	3	<5	–
Nontraffic Trans	264	2	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Langlade	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	301	477
MVC	14,221	86	66	105
Self-harm	14,539	88	34	54
Nontraffic Trans	4,181	25	20	32*
Poisoning	5,671	34	11	17*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Langlade	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,727	2,735
Struck (by/against)	196,729	1,192	805	1,275
Cut/pierce	149,690	907	758	1,200
Overexertion	146,656	889	599	949
MVC	131,948	800	595	942



### Costs:

- The average charge per injury-related emergency department visit in Langlade County during 2002-04 was \$532.76.
- The average charge per injury-related inpatient hospitalization in Langlade County during 2002-04 was \$16,256.65.
- The average length of injury-related inpatient hospitalization in Langlade County during 2002-04 was 5.38 days, with an average charge of \$3,021.52 per day.



# LANGLADE COUNTY

Population 21,188

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	8	57*
Falls	6	43*
MVC	<5	–
Nontraffic Trans	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	477	3,395
Struck (by/against)	315	2,242
Cut/pierce	151	1,075
Nontraffic Trans	134	954
Overexertion	131	932

### Descriptive Notes:

- No injury-related deaths were reported in children in Langlade County during 2002-04.
- There were 39 injury-related inpatient hospitalizations and 1,701 injury-related emergency department visits in children in Langlade County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	51	137
Falls	48	129
Self-harm	26	70
Nontraffic Trans	15	40*
Machinery	8	22*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	769	2,071
Cut/pierce	549	1,479
MVC	443	1,193
Struck (by/against)	438	1,180
Overexertion	435	1,172

### Descriptive Notes:

- Thirty-one injury-related deaths occurred in adults ages 18-64 years in Langlade County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 217 injury-related inpatient hospitalizations and 3,785 injury-related emergency department visits in adults ages 18-64 years in Langlade County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	247	2,063
MVC	11	92*
Poisoning	6	50*
Overexertion	<5	–
Nat/Env Factors	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	481	4,018
Cut/pierce	58	485
Struck (by/against)	52	434
Nat/Env Factors	43	359
MVC	38	317

### Descriptive Notes:

- Twenty injury-related deaths occurred in adults ages 65 years and older in Langlade County during 2002-04. The majority of these deaths were caused by falls.
- There were 312 injury-related inpatient hospitalizations and 792 injury-related emergency department visits in adults ages 65 years and older in Langlade County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# LINCOLN COUNTY


Population 30,342

## Injury Deaths (2002-04)




	Wisconsin		Lincoln	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	19	21*
Falls	2,288	14	16	18*
MVC	2,365	14	11	12*
Poisoning	877	5	<5	–
Nontraffic Trans	264	2	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Lincoln	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	371	410
MVC	14,221	86	96	106
Self-harm	14,539	88	67	74
Overexertion	3,443	21	34	38
Struck (by/against)	3,628	22	31	34

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Lincoln	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,732	1,916
Struck (by/against)	196,729	1,192	935	1,034
Cut/pierce	149,690	907	845	935
Overexertion	146,656	889	772	854
MVC	131,948	800	654	723

### Costs:

- The average charge per injury-related emergency department visit in Lincoln County during 2002-04 was \$456.82.
- The average charge per injury-related inpatient hospitalization in Lincoln County during 2002-04 was \$13,138.17.
- The average length of injury-related inpatient hospitalization in Lincoln County during 2002-04 was 4.37 days, with an average charge of \$3,006.86 per day.



# LINCOLN COUNTY

Population 30,342

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	14	68*
Poisoning	11	54*
Falls	9	44*
Nontraffic Trans	9	44*
MVC	7	34*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	478	2,337
Struck (by/against)	416	2,034
Cut/pierce	174	851
Overexertion	158	772
Nontraffic Trans	157	768

### Descriptive Notes:

- Five injury-related deaths occurred in children in Lincoln County during 2002-04.
- There were 68 injury-related inpatient hospitalizations and 1,966 injury-related emergency department visits in children in Lincoln County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	89	161
MVC	75	136
Self-harm	48	87
Struck (by/against)	19	34*
Overexertion	19	34*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	788	1,429
Cut/pierce	620	1,125
Overexertion	564	1,023
MVC	484	878
Struck (by/against)	480	871

### Descriptive Notes:

- Thirty-four injury-related deaths occurred in adults ages 18-64 years in Lincoln County during 2002-04. The majority of these deaths were suicides caused by firearms.
- There were 364 injury-related inpatient hospitalizations and 4,321 injury-related emergency department visits in adults ages 18-64 years in Lincoln County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	273	1,841
MVC	14	94*
Overexertion	14	94*
Suffocation	9	61*
Struck (by/against)	6	40*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	466	3,142
Nat/Env Factors	59	398
Cut/pierce	51	344
MVC	51	344
Overexertion	50	337

### Descriptive Notes:

- Twenty-four injury-related deaths occurred in adults ages 65 years and older in Lincoln County during 2002-04. The majority of these deaths were caused by falls.
- There were 372 injury-related inpatient hospitalizations and 800 injury-related emergency department visits in adults ages 65 years and older in Lincoln County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# MANITOWOC COUNTY


Population 83,544

## Injury Deaths (2002-04)




	Wisconsin		Manitowoc	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	92	37
MVC	2,365	14	35	14
Suicide	1,924	12	29	12
Poisoning	877	5	6	2*
Suffocation	275	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Manitowoc	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,336	533
Self-harm	14,539	88	270	108
MVC	14,221	86	248	99
Poisoning	5,671	34	100	40
Overexertion	3,443	21	93	37

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Manitowoc	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	5,360	2,140
Struck (by/against)	196,729	1,192	3,229	1,289
Cut/pierce	149,690	907	2,493	995
Overexertion	146,656	889	2,423	967
MVC	131,948	800	1,651	659

### Costs:

- The average charge per injury-related emergency department visit in Manitowoc County during 2002-04 was \$599.87.
- The average charge per injury-related inpatient hospitalization in Manitowoc County during 2002-04 was \$15,618.81.
- The average length of injury-related inpatient hospitalization in Manitowoc County during 2002-04 was 4.49 days, with an average charge of \$3,475.61 per day.



# MANITOWOC COUNTY

Population 83,544

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	55	93
Self-harm	47	79
Struck (by/against)	25	42
MVC	24	41
Nontraffic Trans	23	39

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,559	2,636
Struck (by/against)	1,410	2,384
Cut/pierce	476	805
Overexertion	431	729
Nontraffic Trans	387	654

### Descriptive Notes:

- Seven injury-related deaths occurred in children in Manitowoc County during 2002-04.
- There were 255 injury-related inpatient hospitalizations and 5,831 injury-related emergency department visits in children in Manitowoc County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	301	197
Self-harm	213	140
MVC	171	112
Poisoning	57	37
Nontraffic Trans	54	35

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,248	1,473
Cut/pierce	1,876	1,229
Overexertion	1,856	1,216
Struck (by/against)	1,662	1,089
MVC	1,170	767

### Descriptive Notes:

- Sixty-two injury-related deaths occurred in adults ages 18-64 years in Manitowoc County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,204 injury-related inpatient hospitalizations and 12,710 injury-related emergency department visits in adults ages 18-64 years in Manitowoc County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	980	2,533
MVC	53	137
Overexertion	31	80
Poisoning	25	65
Struck (by/against)	21	54

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,553	4,014
Struck (by/against)	157	406
MVC	148	383
Cut/pierce	141	364
Overexertion	136	351

### Descriptive Notes:

- One hundred seventeen injury-related deaths occurred in adults ages 65 years and older in Manitowoc County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,297 injury-related inpatient hospitalizations and 2,556 injury-related emergency department visits in adults ages 65 years and older in Manitowoc County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# MARATHON COUNTY


Population 129,598

## Injury Deaths (2002-04)




	Wisconsin		Marathon	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	68	18
Falls	2,288	14	46	12
Suicide	1,924	12	40	10
Suffocation	275	2	10	3*
Poisoning	877	5	8	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Marathon	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,538	398
MVC	14,221	86	343	89
Self-harm	14,539	88	195	51
Nontraffic Trans	4,181	25	110	28
Struck (by/against)	3,628	22	99	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Marathon	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	5,202	1,347
Struck (by/against)	196,729	1,192	3,237	838
Cut/pierce	149,690	907	2,407	623
MVC	131,948	800	2,124	550
Overexertion	146,656	889	1,819	471

### Costs:

- The average charge per injury-related emergency department visit in Marathon County during 2002-04 was \$427.34.
- The average charge per injury-related inpatient hospitalization in Marathon County during 2002-04 was \$14,510.40.
- The average length of injury-related inpatient hospitalization in Marathon County during 2002-04 was 5.31 days, with an average charge of \$2,731.49 per day.



# MARATHON COUNTY

Population 129,598

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	69	72
MVC	53	55
Self-harm	32	33
Nontraffic Trans	30	31
Struck (by/against)	19	20*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,722	1,789
Struck (by/against)	1,405	1,460
Cut/pierce	497	516
MVC	408	424
Overexertion	376	391

### Descriptive Notes:

- Fifteen injury-related deaths occurred in children in Marathon County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 317 injury-related inpatient hospitalizations and 6,147 injury-related emergency department visits in children in Marathon County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	416	174
MVC	239	100
Self-harm	153	64
Nontraffic Trans	69	29
Assault	38	16

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,334	974
Cut/pierce	1,821	760
Struck (by/against)	1,698	709
MVC	1,594	665
Overexertion	1,339	559

### Descriptive Notes:

- One hundred seventeen injury-related deaths occurred in adults ages 18-64 years in Marathon County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,422 injury-related inpatient hospitalizations and 12,737 injury-related emergency department visits in adults ages 18-64 years in Marathon County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,053	2,098
MVC	51	102
Overexertion	35	70
Struck (by/against)	29	58
Poisoning	20	40*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,146	2,283
Struck (by/against)	134	267
MVC	122	243
Overexertion	104	207
Nat/Env Factors	101	201

### Descriptive Notes:

- Seventy-three injury-related deaths occurred in adults ages 65 years and older in Marathon County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,393 injury-related inpatient hospitalizations and 1,950 injury-related emergency department visits in adults ages 65 years and older in Marathon County during 2002-04.

### Technical Notes:

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.




# MARINETTE COUNTY

Population 43,998

## Injury Deaths (2002-04)


**Injury Deaths (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Marinette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	35	27
Suicide	1,924	12	19	14*
Falls	2,288	14	12	9*
Poisoning	877	5	7	5*
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)


**Injury Hospitalizations (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Marinette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	537	408
MVC	14,221	86	165	125
Self-harm	14,539	88	110	84
Poisoning	5,671	34	44	33
Nontraffic Trans	4,181	25	41	31

## Injury Emergency Department Visits (2002-04)

**Injury Emergency Department Visits (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Marinette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,948	2,241
Struck (by/against)	196,729	1,192	1,747	1,328
Overexertion	146,656	889	1,379	1,048
Cut/pierce	149,690	907	1,242	944
MVC	131,948	800	1,072	815

### Costs:

- The average charge per injury-related emergency department visit in Marinette County during 2002-04 was \$477.35.
- The average charge per injury-related inpatient hospitalization in Marinette County during 2002-04 was \$17,497.63.
- The average length of injury-related inpatient hospitalization in Marinette County during 2002-04 was 6.24 days, with an average charge of \$2,805.65 per day.





# MARINETTE COUNTY

Population 43,998

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	21	75
Falls	20	72*
MVC	20	72*
Nontraffic Trans	12	43*
Poisoning	10	36*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	893	3,196
Struck (by/against)	870	3,114
Cut/pierce	368	1,317
Overexertion	288	1,031
Nat/Env Factors	254	909

### Descriptive Notes:

- Eleven injury-related deaths occurred in children in Marinette County during 2002-04. The majority of these deaths were caused by drowning.
- There were 127 injury-related inpatient hospitalizations and 3,685 injury-related emergency department visits in children in Marinette County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	117	146
Falls	113	141
Self-harm	87	109
Nontraffic Trans	25	31
Struck (by/against)	22	27

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,269	1,584
Overexertion	994	1,241
Cut/pierce	787	982
Struck (by/against)	784	979
MVC	733	915

### Descriptive Notes:

- Sixty-two injury-related deaths occurred in adults ages 18-64 years in Marinette County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 545 injury-related inpatient hospitalizations and 6,468 injury-related emergency department visits in adults ages 18-64 years in Marinette County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	404	1,719
MVC	28	119
Poisoning	15	64*
Overexertion	7	30*
Suffocation	7	30*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	786	3,344
Overexertion	97	413
MVC	95	404
Struck (by/against)	93	396
Cut/pierce	87	370

### Descriptive Notes:

- Twenty-three injury-related deaths occurred in adults ages 65 years and older in Marinette County during 2002-04. The majority of these deaths were caused by falls.
- There were 537 injury-related inpatient hospitalizations and 1,389 injury-related emergency department visits in adults ages 65 years and older in Marinette County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# MARQUETTE COUNTY


Population 15,077

## Injury Deaths (2002-04)




	Wisconsin		Marquette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	17	38*
Falls	2,288	14	10	22*
Suicide	1,924	12	10	22*
Poisoning	877	5	5	11*
Suffocation	275	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Marquette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	201	449
MVC	14,221	86	49	109
Self-harm	14,539	88	36	80
Nontraffic Trans	4,181	25	16	36*
Poisoning	5,671	34	15	33*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Marquette	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,316	2,938
Struck (by/against)	196,729	1,192	788	1,759
Overexertion	146,656	889	666	1,487
Cut/pierce	149,690	907	664	1,482
MVC	131,948	800	459	1,025



### Costs:

- The average charge per injury-related emergency department visit in Marquette County during 2002-04 was \$525.20.
- The average charge per injury-related inpatient hospitalization in Marquette County during 2002-04 was \$19,282.31.
- The average length of injury-related inpatient hospitalization in Marquette County during 2002-04 was 5.49 days, with an average charge of \$3,511.31 per day.

# MARQUETTE COUNTY

Population 15,077

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	6	65*
Falls	<5	–
MVC	<5	–
Poisoning	<5	–
Fire	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	392	4,237
Struck (by/against)	328	3,545
Cut/pierce	133	1,438
Overexertion	130	1,405
Nat/Env Factors	126	1,362

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Marquette County during 2002-04.
- There were 31 injury-related inpatient hospitalizations and 1,505 injury-related emergency department visits in children in Marquette County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	39	145
MVC	36	134
Self-harm	29	108
Nontraffic Trans	13	48*
Assault	12	45*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	619	2,305
Overexertion	494	1,839
Cut/pierce	489	1,821
Struck (by/against)	417	1,553
MVC	330	1,229

### Descriptive Notes:

- Thirty-five injury-related deaths occurred in adults ages 18-64 years in Marquette County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 216 injury-related inpatient hospitalizations and 3,385 injury-related emergency department visits in adults ages 18-64 years in Marquette County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	158	1,820
MVC	9	104*
Poisoning	<5	–
Overexertion	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	305	3,513
Nat/Env Factors	55	633
Struck (by/against)	43	495
Cut/pierce	42	484
Overexertion	42	484

### Descriptive Notes:

- Twenty injury-related deaths occurred in adults ages 65 years and older in Marquette County during 2002-04. The majority of these deaths were caused by falls.
- There were 223 injury-related inpatient hospitalizations and 610 injury-related emergency department visits in adults ages 65 years and older in Marquette County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# MENOMINEE COUNTY


Population 4,604

## Injury Deaths (2002-04)




	Wisconsin		Menominee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	8	58*
Falls	2,288	14	<5	–
Suicide	1,924	12	<5	–
Nat/Env Factors	77	<1	<5	–
N/A	N/A	N/A	N/A	N/A

## Injury Hospitalizations (2002-04)



	Wisconsin		Menominee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	57	412
MVC	14,221	86	36	260
Assault	3,920	24	20	145*
Self-harm	14,539	88	18	130*
Struck (by/against)	3,628	22	9	65*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Menominee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	741	5,354
Overexertion	146,656	889	422	3,049
Struck (by/against)	196,729	1,192	376	2,717
Assault	51,293	311	300	2,168
MVC	131,948	800	229	1,655

### Costs:

- The average charge per injury-related emergency department visit in Menominee County during 2002-04 was \$453.91.
- The average charge per injury-related inpatient hospitalization in Menominee County during 2002-04 was \$17,413.31.
- The average length of injury-related inpatient hospitalization in Menominee County during 2002-04 was 6.35 days, with an average charge of \$2,740.50 per day.



# MENOMINEE COUNTY

Population 4,604

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	9	185*
Self-harm	6	123*
Falls	5	103*
Assault	5	103*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	276	5,660
Struck (by/against)	194	3,979
Cut/pierce	104	2,133
Overexertion	96	1,969
Nontraffic Trans	87	1,784

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Menominee County during 2002-04.
- There were 40 injury-related inpatient hospitalizations and 1,066 injury-related emergency department visits in children in Menominee County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	26	337
MVC	24	311
Assault	15	194
Self-harm	12	155
Cut/pierce	5	65*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	404	5,233
Overexertion	313	4,054
Assault	233	3,018
Struck (by/against)	177	2,293
MVC	153	1,982

### Descriptive Notes:

- Thirteen injury-related deaths occurred in adults ages 18-64 years in Menominee County during 2002-04.
- There were 128 injury-related inpatient hospitalizations and 1,710 injury-related emergency department visits in adults ages 18-64 years in Menominee County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	26	2,090
Poisoning	<5	–
MVC	<5	–
Struck (by/against)	<5	–
Fire	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	61	4,904
Overexertion	13	1,045
MVC	9	723*
Nat/Env Factors	9	723*
Cut/pierce	7	563*

### Descriptive Notes:

- Less than five injury-related deaths occurred in adults ages 65 years and older in Menominee County during 2002-04.
- There were 41 injury-related inpatient hospitalizations and 106 injury-related emergency department visits in adults ages 65 years and older in Menominee County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# MILWAUKEE COUNTY


Population 934,932

## Injury Deaths (2002-04)




	Wisconsin		Milwaukee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	520	18
Poisoning	877	5	368	13
Homicide	532	3	331	12
Suicide	1,924	12	305	11
MVC	2,365	14	245	9

## Injury Hospitalizations (2002-04)



	Wisconsin		Milwaukee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	12,155	432
MVC	14,221	86	2,346	83
Self-harm	14,539	88	2,115	75
Assault	3,920	24	2,005	71
Poisoning	5,671	34	2,002	71

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Milwaukee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	73,586	2,616
Struck (by/against)	196,729	1,192	39,936	1,420
MVC	131,948	800	36,186	1,287
Overexertion	146,656	889	33,513	1,191
Cut/pierce	149,690	907	28,067	998

### Costs:

- The average charge per injury-related emergency department visit in Milwaukee County during 2002-04 was \$766.96.
- The average charge per injury-related inpatient hospitalization in Milwaukee County during 2002-04 was \$22,128.92.
- The average length of injury-related inpatient hospitalization in Milwaukee County during 2002-04 was 5.55 days, with an average charge of \$3,985.65 per day.



# MILWAUKEE COUNTY

Population 934,932

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	488	68
MVC	417	58
Poisoning	276	39
Assault	241	34
Fire	181	25

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	24,928	3,490
Struck (by/against)	16,843	2,358
Cut/pierce	7,166	1,003
Overexertion	6,277	879
MVC	6,137	859

### Descriptive Notes:

- One hundred twenty-seven injury-related deaths occurred in children in Milwaukee County during 2002-04. The majority of these deaths were homicides caused by firearms.
- There were 2,779 injury-related inpatient hospitalizations and 86,822 injury-related emergency department visits in children in Milwaukee County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	3,029	174
Self-harm	1,868	107
Assault	1,681	96
MVC	1,529	88
Poisoning	1,366	78

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	35,428	2,031
MVC	28,268	1,621
Overexertion	25,950	1,488
Cut/pierce	19,600	1,124
Assault	18,469	1,059

### Descriptive Notes:

- One thousand two hundred sixty-three injury-related deaths occurred in adults ages 18-64 years in Milwaukee County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 14,353 injury-related inpatient hospitalizations and 195,071 injury-related emergency department visits in adults ages 18-64 years in Milwaukee County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	8,638	2,439
MVC	400	113
Poisoning	360	102
Overexertion	216	61
Struck (by/against)	160	45

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	13,230	3,735
MVC	1,781	503
Struck (by/against)	1,366	386
Cut/pierce	1,301	367
Overexertion	1,286	363

### Descriptive Notes:

- Six hundred twenty-four injury-related deaths occurred in adults ages 65 years and older in Milwaukee County during 2002-04. The majority of these deaths were caused by falls.
- There were 11,806 injury-related inpatient hospitalizations and 23,104 injury-related emergency department visits in adults ages 65 years and older in Milwaukee County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# MONROE COUNTY


Population 42,732

## Injury Deaths (2002-04)




	Wisconsin		Monroe	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	26	21
Suicide	1,924	12	15	12*
Falls	2,288	14	14	11*
Suffocation	275	2	<5	–
Machinery	54	<1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Monroe	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	423	334
Self-harm	14,539	88	133	105
MVC	14,221	86	130	103
Nontraffic Trans	4,181	25	47	37
Overexertion	3,443	21	33	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Monroe	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,972	1,556
Struck (by/against)	196,729	1,192	1,242	980
Cut/pierce	149,690	907	1,106	873
MVC	131,948	800	828	653
Overexertion	146,656	889	624	492

### Costs:

- The average charge per injury-related emergency department visit in Monroe County during 2002-04 was \$550.20.
- The average charge per injury-related inpatient hospitalization in Monroe County during 2002-04 was \$17,038.03.
- The average length of injury-related inpatient hospitalization in Monroe County during 2002-04 was 5.05 days, with an average charge of \$3,371.28 per day.





# MONROE COUNTY

Population 42,732

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	25	76
Falls	24	73
MVC	16	49*
Nontraffic Trans	14	43*
Machinery	8	24*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	656	2,002
Struck (by/against)	591	1,803
Cut/pierce	275	839
Nontraffic Trans	211	644
MVC	186	568

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Monroe County during 2002-04.
- There were 139 injury-related inpatient hospitalizations and 2,592 injury-related emergency department visits in children in Monroe County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	117	153
Self-harm	106	138
MVC	101	132
Nontraffic Trans	28	37
Overexertion	19	25*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	794	1,036
Cut/pierce	781	1,019
MVC	605	789
Struck (by/against)	598	780
Overexertion	444	579

### Descriptive Notes:

- Forty-one injury-related deaths occurred in adults ages 18-64 years in Monroe County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 574 injury-related inpatient hospitalizations and 4,763 injury-related emergency department visits in adults ages 18-64 years in Monroe County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	282	1,627
MVC	13	75*
Overexertion	11	63*
Poisoning	7	40*
Nontraffic Trans	5	29*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	522	3,012
Struck (by/against)	53	306
Cut/pierce	50	288
MVC	37	213
Overexertion	34	196

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 65 years and older in Monroe County during 2002-04. The majority of these deaths were caused by falls.
- There were 382 injury-related inpatient hospitalizations and 746 injury-related emergency department visits in adults ages 65 years and older in Monroe County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# OCONTO COUNTY


Population 37,794

## Injury Deaths (2002-04)




	Wisconsin		Oconto	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	36	32
Suicide	1,924	12	13	12*
Falls	2,288	14	12	11*
Poisoning	877	5	5	4*
Homicide	532	3	5	4*

## Injury Hospitalizations (2002-04)



	Wisconsin		Oconto	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	352	314
MVC	14,221	86	158	141
Self-harm	14,539	88	103	92
Nontraffic Trans	4,181	25	53	47
Nat/Env Factors	2,806	17	39	35

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Oconto	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,684	2,397
Struck (by/against)	196,729	1,192	1,474	1,316
Overexertion	146,656	889	1,423	1,271
Cut/pierce	149,690	907	1,298	1,159
MVC	131,948	800	997	890

### Costs:

- The average charge per injury-related emergency department visit in Oconto County during 2002-04 was \$521.75.
- The average charge per injury-related inpatient hospitalization in Oconto County during 2002-04 was \$16,658.71.
- The average length of injury-related inpatient hospitalization in Oconto County during 2002-04 was 5.65 days, with an average charge of \$2,949.86 per day.



# OCONTO COUNTY

Population 37,794

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	32	122
MVC	32	122
Nontraffic Trans	15	57*
Falls	14	53*
Struck (by/against)	5	19*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	835	3,183
Struck (by/against)	648	2,470
Cut/pierce	301	1,147
Overexertion	300	1,144
Nontraffic Trans	228	869

### Descriptive Notes:

- Six injury-related deaths occurred in children in Oconto County during 2002-04.
- There were 128 injury-related inpatient hospitalizations and 3,293 injury-related emergency department visits in children in Oconto County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	107	155
Falls	90	130
Self-harm	71	103
Nontraffic Trans	29	42
Nat/Env Factors	22	32

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,209	1,753
Overexertion	1,032	1,496
Cut/pierce	917	1,329
Struck (by/against)	779	1,129
MVC	718	1,041

### Descriptive Notes:

- Fifty-six injury-related deaths occurred in adults ages 18-64 years in Oconto County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 490 injury-related inpatient hospitalizations and 6,799 injury-related emergency department visits in adults ages 18-64 years in Oconto County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	248	1,479
MVC	19	113*
Nat/Env Factors	15	89*
Nontraffic Trans	9	54*
Struck (by/against)	8	48*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	640	3,816
Overexertion	91	543
Cut/pierce	80	477
MVC	65	388
Nat/Env Factors	50	298

### Descriptive Notes:

- Seventeen injury-related deaths occurred in adults ages 65 years and older in Oconto County during 2002-04. The majority of these deaths were caused by falls.
- There were 380 injury-related inpatient hospitalizations and 1,084 injury-related emergency department visits in adults ages 65 years and older in Oconto County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# ONEIDA COUNTY


Population 37,636

## Injury Deaths (2002-04)




	Wisconsin		Oneida	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	19	17*
Suicide	1,924	12	17	15*
Falls	2,288	14	9	8*
Poisoning	877	5	<5	-
Nat/Env Factors	77	<1	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Oneida	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	675	601
Self-harm	14,539	88	153	136
MVC	14,221	86	113	101
Nontraffic Trans	4,181	25	51	45
Nat/Env Factors	2,806	17	47	42

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Oneida	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	3,015	2,684
Struck (by/against)	196,729	1,192	1,345	1,197
Cut/pierce	149,690	907	1,228	1,093
Overexertion	146,656	889	1,017	905
MVC	131,948	800	817	727

### Costs:

- The average charge per injury-related emergency department visit in Oneida County during 2002-04 was \$714.57.
- The average charge per injury-related inpatient hospitalization in Oneida County during 2002-04 was \$15,092.77.
- The average length of injury-related inpatient hospitalization in Oneida County during 2002-04 was 4.85 days, with an average charge of \$3,112.90 per day.



# ONEIDA COUNTY

Population 37,636

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	35	157
MVC	17	76*
Falls	16	72*
Nontraffic Trans	13	58*
Poisoning	8	36*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	909	4,085
Struck (by/against)	596	2,679
Cut/pierce	260	1,168
Nontraffic Trans	242	1,088
Overexertion	236	1,061

### Descriptive Notes:

- Eight injury-related deaths occurred in children in Oneida County during 2002-04.
- There were 119 injury-related inpatient hospitalizations and 2,992 injury-related emergency department visits in children in Oneida County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	139	202
Self-harm	114	166
MVC	75	109
Nontraffic Trans	30	44
Poisoning	16	23*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,245	1,811
Cut/pierce	854	1,242
Overexertion	689	1,002
Struck (by/against)	666	969
MVC	556	809

### Descriptive Notes:

- Thirty-one injury-related deaths occurred in adults ages 18-64 years in Oneida County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 527 injury-related inpatient hospitalizations and 5,725 injury-related emergency department visits in adults ages 18-64 years in Oneida County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	520	2,438
MVC	21	98
Nat/Env Factors	18	84*
Poisoning	14	66*
Suffocation	12	56*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	861	4,036
Cut/pierce	114	534
Overexertion	92	431
Struck (by/against)	83	389
MVC	82	384

### Descriptive Notes:

- Twenty-five injury-related deaths occurred in adults ages 65 years and older in Oneida County during 2002-04. The majority of these deaths were caused by falls.
- There were 687 injury-related inpatient hospitalizations and 1,469 injury-related emergency department visits in adults ages 65 years and older in Oneida County during 2002-04.

### Technical Notes:

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.




# OUTAGAMIE COUNTY

Population 169,468

## Injury Deaths (2002-04)


**Injury Deaths (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Outagamie	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	63	13
Suicide	1,924	12	52	10
Falls	2,288	14	51	10
Nontraffic Trans	264	2	12	2*
Poisoning	877	5	8	2*

## Injury Hospitalizations (2002-04)


**Injury Hospitalizations (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Outagamie	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,232	245
Self-harm	14,539	88	388	77
MVC	14,221	86	351	70
Poisoning	5,671	34	108	21
Nontraffic Trans	4,181	25	99	20

## Injury Emergency Department Visits (2002-04)

**Injury Emergency Department Visits (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Outagamie	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	10,179	2,021
Struck (by/against)	196,729	1,192	6,752	1,341
Cut/pierce	149,690	907	5,812	1,154
Overexertion	146,656	889	4,890	971
MVC	131,948	800	3,490	693

### Costs:

- The average charge per injury-related emergency department visit in Outagamie County during 2002-04 was \$369.83.
- The average charge per injury-related inpatient hospitalization in Outagamie County during 2002-04 was \$14,664.14.
- The average length of injury-related inpatient hospitalization in Outagamie County during 2002-04 was 4.99 days, with an average charge of \$2,936.40 per day.



# OUTAGAMIE COUNTY

Population 169,468

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	85	65
Falls	47	36
MVC	40	30
Poisoning	20	15*
Struck (by/against)	20	15*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	3,797	2,891
Struck (by/against)	3,135	2,387
Cut/pierce	1,174	894
Overexertion	966	736
Nontraffic Trans	723	551

### Descriptive Notes:

- Twenty injury-related deaths occurred in children in Outagamie County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 322 injury-related inpatient hospitalizations and 12,862 injury-related emergency department visits in children in Outagamie County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	301	95
Self-harm	294	92
MVC	258	81
Nontraffic Trans	73	23
Poisoning	63	20

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	4,490	1,412
Cut/pierce	4,394	1,382
Overexertion	3,721	1,170
Struck (by/against)	3,431	1,079
MVC	2,677	842

### Descriptive Notes:

- One hundred twenty-five injury-related deaths occurred in adults ages 18-64 years in Outagamie County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,441 injury-related inpatient hospitalizations and 26,377 injury-related emergency department visits in adults ages 18-64 years in Outagamie County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	884	1,629
MVC	53	98
Overexertion	28	52
Poisoning	25	46
Struck (by/against)	13	24*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,892	3,487
Cut/pierce	244	450
Overexertion	203	374
MVC	199	367
Struck (by/against)	186	343

### Descriptive Notes:

- Eighty injury-related deaths occurred in adults ages 65 years and older in Outagamie County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,201 injury-related inpatient hospitalizations and 3,289 injury-related emergency department visits in adults ages 65 years and older in Outagamie County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# OZAUKEE COUNTY


Population 85,667

## Injury Deaths (2002-04)




	Wisconsin		Ozaukee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	32	13
MVC	2,365	14	18	7*
Falls	2,288	14	16	6*
Poisoning	877	5	6	2*
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Ozaukee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	852	335
Self-harm	14,539	88	170	67
MVC	14,221	86	161	63
Nontraffic Trans	4,181	25	54	21
Poisoning	5,671	34	48	19

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Ozaukee	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	3,986	1,566
Struck (by/against)	196,729	1,192	2,205	866
Cut/pierce	149,690	907	1,363	535
MVC	131,948	800	1,322	519
Overexertion	146,656	889	1,232	484

### Costs:

- The average charge per injury-related emergency department visit in Ozaukee County during 2002-04 was \$700.76.
- The average charge per injury-related inpatient hospitalization in Ozaukee County during 2002-04 was \$18,399.67.
- The average length of injury-related inpatient hospitalization in Ozaukee County during 2002-04 was 5.01 days, with an average charge of \$3,669.05 per day.





# OZAUKEE COUNTY

Population 85,667

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	38	60
MVC	30	47
Suicide	20	32*
Struck (by/against)	14	22*
Nontraffic Trans	13	21*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,557	2,461
Struck (by/against)	1,095	1,730
Overexertion	313	495
MVC	279	441
Nontraffic Trans	267	422

### Descriptive Notes:

- Eleven injury-related deaths occurred in children in Ozaukee County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 159 injury-related inpatient hospitalizations and 4,785 injury-related emergency department visits in children in Ozaukee County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	183	115
Self-harm	143	90
MVC	99	62
Nontraffic Trans	33	21
Poisoning	27	17

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,460	921
Struck (by/against)	1,000	631
Cut/pierce	999	630
MVC	947	597
Overexertion	841	530

### Descriptive Notes:

- Forty-six injury-related deaths occurred in adults ages 18-64 years in Ozaukee County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 749 injury-related inpatient hospitalizations and 7,588 injury-related emergency department visits in adults ages 18-64 years in Ozaukee County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	631	1,927
MVC	32	98
Poisoning	16	49*
Nat/Env Factors	13	40*
Struck (by/against)	11	34*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	969	2,960
Struck (by/against)	110	336
Cut/pierce	99	302
MVC	96	293
Overexertion	78	238

### Descriptive Notes:

- Twenty-two injury-related deaths occurred in adults ages 65 years and older in Ozaukee County during 2002-04. The majority of these deaths were caused by falls.
- There were 845 injury-related inpatient hospitalizations and 1,635 injury-related emergency department visits in adults ages 65 years and older in Ozaukee County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# PEPIN COUNTY


Population 7,535

## Injury Deaths (2002-04)




	Wisconsin		Pepin	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	<5	–
Machinery	54	<1	<5	–
MVC	2,365	14	<5	–
Falls	2,288	14	<5	–
Drowning	157	1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Pepin	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	91	405
MVC	14,221	86	24	107
Self-harm	14,539	88	15	67*
Nat/Env Factors	2,806	17	7	31*
Nontraffic Trans	4,181	25	6	27*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Pepin	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	339	1,510
Struck (by/against)	196,729	1,192	185	824
Cut/pierce	149,690	907	156	695
MVC	131,948	800	109	486
Overexertion	146,656	889	88	392

### Costs:

- The average charge per injury-related emergency department visit in Pepin County during 2002-04 was \$562.59.
- The average charge per injury-related inpatient hospitalization in Pepin County during 2002-04 was \$12,294.03.
- The average length of injury-related inpatient hospitalization in Pepin County during 2002-04 was 5.51 days, with an average charge of \$2,233.05 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	<5	–
MVC	<5	–
Struck (by/against)	<5	–
Nat/Env Factors	<5	–
Cut/pierce	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	120	2,206
Struck (by/against)	74	1,360
Cut/pierce	30	551
Overexertion	26	478
MVC	21	386

### Descriptive Notes:

- No injury-related deaths were reported in children in Pepin County during 2002-04.
- There were 12 injury-related inpatient hospitalizations and 388 injury-related emergency department visits in children in Pepin County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	15	113*
Falls	12	90*
Self-harm	10	75*
Nontraffic Trans	<5	–
Overexertion	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	137	1,031
Cut/pierce	113	850
Struck (by/against)	102	768
MVC	77	579
Overexertion	57	429

### Descriptive Notes:

- Seven injury-related deaths occurred in adults ages 18-64 years in Pepin County during 2002-04.
- There were 63 injury-related inpatient hospitalizations and 728 injury-related emergency department visits in adults ages 18-64 years in Pepin County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	79	2,122
MVC	6	161*
Nontraffic Trans	<5	–
Nat/Env Factors	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	82	2,203
Cut/pierce	13	349*
MVC	11	295*
Struck (by/against)	9	242*
Nat/Env Factors	7	188*

### Descriptive Notes:

- Less than five injury-related deaths occurred in adults ages 65 years and older in Pepin County during 2002-04.
- There were 107 injury-related inpatient hospitalizations and 148 injury-related emergency department visits in adults ages 65 years and older in Pepin County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# PIERCE COUNTY


Population 38,688

## Injury Deaths (2002-04)




	Wisconsin		Pierce	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	23	20
Falls	2,288	14	18	16*
Suicide	1,924	12	14	12*
Nontraffic Trans	264	2	<5	–
Homicide	532	3	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Pierce	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	184	160
Self-harm	14,539	88	52	45
MVC	14,221	86	36	31
Nontraffic Trans	4,181	25	19	17*
Overexertion	3,443	21	17	15*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Pierce	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,012	883
Struck (by/against)	196,729	1,192	755	658
Cut/pierce	149,690	907	573	500
MVC	131,948	800	451	393
Overexertion	146,656	889	302	263



### Costs:

- The average charge per injury-related emergency department visit in Pierce County during 2002-04 was \$546.01.
- The average charge per injury-related inpatient hospitalization in Pierce County during 2002-04 was \$9,844.38.
- The average length of injury-related inpatient hospitalization in Pierce County during 2002-04 was 3.28 days, with an average charge of \$3,002.89 per day.

# PIERCE COUNTY

Population 38,688

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	16	57*
Falls	5	18*
Nontraffic Trans	5	18*
Struck (by/against)	<5	–
Overexertion	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	393	1,389
Struck (by/against)	365	1,290
Cut/pierce	108	382
Nontraffic Trans	102	360
MVC	94	332

### Descriptive Notes:

- Less than five deaths were reported in children in Pierce County during 2002-04.
- There were 40 injury-related inpatient hospitalizations and 1,418 injury-related emergency department visits in children in Pierce County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	38	51
Self-harm	35	47
MVC	28	37
Nontraffic Trans	14	19*
Poisoning	9	12*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Cut/pierce	441	586
Falls	415	552
Struck (by/against)	367	488
MVC	329	437
Overexertion	217	289

### Descriptive Notes:

- Forty-one injury-related deaths occurred in adults ages 18-64 years in Pierce County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 195 injury-related inpatient hospitalizations and 2,563 injury-related emergency department visits in adults ages 18-64 years in Pierce County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	141	1,263
MVC	7	63*
Overexertion	6	54*
Nat/Env Factors	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	204	1,827
MVC	28	251
Cut/pierce	24	215
Struck (by/against)	23	206
Nat/Env Factors	19	170*

### Descriptive Notes:

- Twenty-one injury-related deaths occurred in adults ages 65 years and older in Pierce County during 2002-04. The majority of these deaths were caused by falls.
- There were 189 injury-related inpatient hospitalizations and 331 injury-related emergency department visits in adults ages 65 years and older in Pierce County during 2002-04.

### Technical Notes:

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.




# POLK COUNTY

Population 44,099

## Injury Deaths (2002-04)


**Injury Deaths (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Polk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	38	29
Falls	2,288	14	22	17
Suicide	1,924	12	16	12*
Nontraffic Trans	264	2	5	4*
Homicide	532	3	<5	-

## Injury Hospitalizations (2002-04)


**Injury Hospitalizations (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Polk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	439	337
MVC	14,221	86	66	51
Self-harm	14,539	88	63	48
Poisoning	5,671	34	45	35
Nontraffic Trans	4,181	25	32	25

## Injury Emergency Department Visits (2002-04)

**Injury Emergency Department Visits (Five Leading Causes)**  
Rates per 100,000



	Wisconsin		Polk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,223	1,705
Cut/pierce	149,690	907	1,069	820
Struck (by/against)	196,729	1,192	984	755
MVC	131,948	800	930	713
Nat/Env Factors	62,053	376	576	442

### Costs:

- The average charge per injury-related emergency department visit in Polk County during 2002-04 was \$497.86.
- The average charge per injury-related inpatient hospitalization in Polk County during 2002-04 was \$8,403.15.
- The average length of injury-related inpatient hospitalization in Polk County during 2002-04 was 3.40 days, with an average charge of \$2,474.55 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	13	42*
MVC	10	32*
Poisoning	8	26*
Nontraffic Trans	7	23*
Falls	6	19*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	763	2,460
Struck (by/against)	485	1,563
Cut/pierce	292	941
MVC	209	674
Nontraffic Trans	197	635

### Descriptive Notes:

- Nine injury-related deaths occurred in children in Polk County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 65 injury-related inpatient hospitalizations and 2,799 injury-related emergency department visits in children in Polk County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	89	112
MVC	53	67
Self-harm	48	60
Nontraffic Trans	22	28
Poisoning	19	24*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	887	1,115
Cut/pierce	719	904
MVC	655	823
Struck (by/against)	462	581
Overexertion	333	419

### Descriptive Notes:

- Fifty-four injury-related deaths occurred in adults ages 18-64 years in Polk County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 333 injury-related inpatient hospitalizations and 4,811 injury-related emergency department visits in adults ages 18-64 years in Polk County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	344	1,735
Poisoning	18	91*
Overexertion	11	55*
Suffocation	7	35*
Nat/Env Factors	6	30*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	573	2,890
MVC	66	333
Nat/Env Factors	65	328
Cut/pierce	58	293
Struck (by/against)	37	187

### Descriptive Notes:

- Twenty-four injury-related deaths occurred in adults ages 65 years and older in Polk County during 2002-04. The majority of these deaths were caused by falls.
- There were 466 injury-related inpatient hospitalizations and 882 injury-related emergency department visits in adults ages 65 years and older in Polk County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# PORTAGE COUNTY


Population 68,499

## Injury Deaths (2002-04)




	Wisconsin		Portage	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	32	16
Suicide	1,924	12	23	11
Falls	2,288	14	17	8*
Poisoning	877	5	5	2*
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Portage	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	527	257
Self-harm	14,539	88	226	110
MVC	14,221	86	163	80
Poisoning	5,671	34	58	28
Nontraffic Trans	4,181	25	35	17

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Portage	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	4,162	2,031
Struck (by/against)	196,729	1,192	2,522	1,231
Overexertion	146,656	889	2,163	1,056
Cut/pierce	149,690	907	1,542	753
MVC	131,948	800	1,219	595



### Costs:

- The average charge per injury-related emergency department visit in Portage County during 2002-04 was \$300.42.
- The average charge per injury-related inpatient hospitalization in Portage County during 2002-04 was \$14,763.17.
- The average length of injury-related inpatient hospitalization in Portage County during 2002-04 was 5.26 days, with an average charge of \$2,806.39 per day.



# PORTAGE COUNTY

Population 68,499

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	37	76
MVC	16	33*
Falls	14	29*
Poisoning	12	25*
Struck (by/against)	9	18*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,213	2,492
Struck (by/against)	943	1,937
Overexertion	532	1,093
Cut/pierce	239	491
MVC	206	423

### Descriptive Notes:

- Six injury-related deaths occurred in children in Portage County during 2002-04.
- There were 130 injury-related inpatient hospitalizations and 4,156 injury-related emergency department visits in children in Portage County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	172	129
Falls	123	92
MVC	117	88
Poisoning	33	25
Nontraffic Trans	24	18

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,098	1,572
Overexertion	1,537	1,151
Struck (by/against)	1,461	1,095
Cut/pierce	1,232	923
MVC	941	705

### Descriptive Notes:

- Fifty-four injury-related deaths occurred in adults ages 18-64 years in Portage County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 680 injury-related inpatient hospitalizations and 10,173 injury-related emergency department visits in adults ages 18-64 years in Portage County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	390	1,714
MVC	30	132
Self-harm	17	75*
Poisoning	13	57*
Overexertion	13	57*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	851	3,741
Struck (by/against)	118	519
Overexertion	94	413
Nat/Env Factors	88	387
MVC	72	317

### Descriptive Notes:

- Thirty-one injury-related deaths occurred in adults ages 65 years and older in Portage County during 2002-04. The majority of these deaths were caused by falls.
- There were 587 injury-related inpatient hospitalizations and 1,466 injury-related emergency department visits in adults ages 65 years and older in Portage County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# PRICE COUNTY


Population 15,804

## Injury Deaths (2002-04)




	Wisconsin		Price	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	13	27*
Falls	2,288	14	12	25*
Suicide	1,924	12	5	11*
Poisoning	877	5	<5	–
Nontraffic Trans	264	2	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Price	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	236	499
MVC	14,221	86	45	95
Self-harm	14,539	88	36	76
Nontraffic Trans	4,181	25	26	55
Struck (by/against)	3,628	22	23	49

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Price	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	948	2,005
Struck (by/against)	196,729	1,192	464	981
Cut/pierce	149,690	907	377	797
Overexertion	146,656	889	352	745
MVC	131,948	800	299	632



### Costs:

- The average charge per injury-related emergency department visit in Price County during 2002-04 was \$513.05.
- The average charge per injury-related inpatient hospitalization in Price County during 2002-04 was \$15,270.97.
- The average length of injury-related inpatient hospitalization in Price County during 2002-04 was 5.16 days, with an average charge of \$2,961.01 per day.

# PRICE COUNTY

Population 15,804

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	7	71*
Falls	6	61*
Nontraffic Trans	5	51*
Struck (by/against)	5	51*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	254	2,567
Struck (by/against)	209	2,112
Overexertion	101	1,021
Cut/pierce	87	879
MVC	59	596

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Price County during 2002-04.
- There were 35 injury-related inpatient hospitalizations and 948 injury-related emergency department visits in children in Price County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	33	116
Falls	31	109
Self-harm	27	95
Nontraffic Trans	18	63*
Struck (by/against)	14	49*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	351	1,231
Cut/pierce	269	944
Struck (by/against)	238	835
Overexertion	231	810
MVC	211	740

### Descriptive Notes:

- Twenty-one injury-related deaths occurred in adults ages 18-64 years in Price County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 189 injury-related inpatient hospitalizations and 1,841 injury-related emergency department visits in adults ages 18-64 years in Price County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	199	2,241
MVC	9	101*
Overexertion	9	101*
Poisoning	5	56*
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	343	3,863
MVC	29	327
Cut/pierce	21	236
Overexertion	20	225*
Nat/Env Factors	19	214*

### Descriptive Notes:

- Seventeen injury-related deaths occurred in adults ages 65 years and older in Price County during 2002-04. The majority of these deaths were caused by falls.
- There were 259 injury-related inpatient hospitalizations and 431 injury-related emergency department visits in adults ages 65 years and older in Price County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# RACINE COUNTY


Population 192,890

## Injury Deaths (2002-04)




	Wisconsin		Racine	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	71	12
Suicide	1,924	12	70	12
Falls	2,288	14	69	12
Poisoning	877	5	42	7
Homicide	532	3	13	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Racine	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	2,054	357
Self-harm	14,539	88	688	120
MVC	14,221	86	502	87
Poisoning	5,671	34	212	37
Nontraffic Trans	4,181	25	144	25

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Racine	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	14,345	2,493
Struck (by/against)	196,729	1,192	7,981	1,387
Cut/pierce	149,690	907	6,821	1,185
MVC	131,948	800	6,682	1,161
Overexertion	146,656	889	6,236	1,084



### Costs:

- The average charge per injury-related emergency department visit in Racine County during 2002-04 was \$629.42.
- The average charge per injury-related inpatient hospitalization in Racine County during 2002-04 was \$19,202.85.
- The average length of injury-related inpatient hospitalization in Racine County during 2002-04 was 6.58 days, with an average charge of \$2,919.13 per day.

# RACINE COUNTY

Population 192,890

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	118	81
Falls	104	71
MVC	48	33
Struck (by/against)	43	29
Nontraffic Trans	39	27

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	5,411	3,694
Struck (by/against)	3,663	2,501
Cut/pierce	1,779	1,215
Overexertion	1,406	960
MVC	1,261	861

### Descriptive Notes:

- Nineteen injury-related deaths occurred in children in Racine County during 2002-04. The majority of these deaths were caused by suffocation.
- There were 534 injury-related inpatient hospitalizations and 18,844 injury-related emergency department visits in children in Racine County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	557	155
Falls	543	151
MVC	358	100
Poisoning	143	40
Assault	97	27

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	6,386	1,780
MVC	5,074	1,415
Cut/pierce	4,718	1,315
Overexertion	4,637	1,293
Struck (by/against)	4,084	1,139

### Descriptive Notes:

- One hundred eighty-seven injury-related deaths occurred in adults ages 18-64 years in Racine County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 2,664 injury-related inpatient hospitalizations and 35,225 injury-related emergency department visits in adults ages 18-64 years in Racine County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,407	2,001
MVC	96	137
Poisoning	41	58
Overexertion	28	40
Struck (by/against)	26	37

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,548	3,624
MVC	347	493
Cut/pierce	324	461
Struck (by/against)	234	333
Overexertion	193	274

### Descriptive Notes:

- Ninety-eight injury-related deaths occurred in adults ages 65 years and older in Racine County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,988 injury-related inpatient hospitalizations and 4,523 injury-related emergency department visits in adults ages 65 years and older in Racine County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# RICHLAND COUNTY


Population 18,224

## Injury Deaths (2002-04)




	Wisconsin		Richland	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	19	35*
MVC	2,365	14	7	13*
Suicide	1,924	12	7	13*
Poisoning	877	5	<5	-
Suffocation	275	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Richland	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	320	588
MVC	14,221	86	92	169
Self-harm	14,539	88	49	90
Nontraffic Trans	4,181	25	27	50
Poisoning	5,671	34	19	35*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Richland	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,240	2,280
Struck (by/against)	196,729	1,192	784	1,442
Cut/pierce	149,690	907	547	1,006
MVC	131,948	800	506	930
Overexertion	146,656	889	332	610

### Costs:

- The average charge per injury-related emergency department visit Richland County during 2002-04 was \$663.57.
- The average charge per injury-related inpatient hospitalization in Richland County during 2002-04 was \$16,838.83.
- The average length of injury-related inpatient hospitalization in Richland County during 2002-04 was 4.89 days, with an average charge of \$3,441.34 per day.



# RICHLAND COUNTY

Population 18,224

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	7	55*
MVC	7	55*
Falls	6	47*
Poisoning	6	47*
Nontraffic Trans	6	47*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	391	3,061
Struck (by/against)	358	2,803
MVC	123	963
Nat/Env Factors	119	932
Nontraffic Trans	102	799

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Richland County during 2002-04.
- There were 61 injury-related inpatient hospitalizations and 1561 injury-related emergency department visits in children in Richland County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	65	201
Falls	60	185
Self-harm	41	127
Nontraffic Trans	15	46*
Struck (by/against)	10	31*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	560	1,730
Cut/pierce	421	1,301
Struck (by/against)	392	1,211
MVC	352	1,088
Overexertion	243	751

### Descriptive Notes:

- Twenty-two injury-related deaths occurred in adults ages 18-64 years in Richland County during 2002-04.
- There were 297 injury-related inpatient hospitalizations and 3,007 injury-related emergency department visits in adults ages 18-64 years in Richland County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	254	2,746
MVC	20	216*
Poisoning	6	65*
Nontraffic Trans	6	65*
Nat/Env Factors	5	54*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	289	3,124
Struck (by/against)	34	368
Nat/Env Factors	34	368
MVC	31	335
Cut/pierce	28	303

### Descriptive Notes:

- Twenty-two injury-related deaths occurred in adults ages 65 years and older in Richland County during 2002-04. The majority of these deaths were caused by falls.
- There were 353 injury-related inpatient hospitalizations and 488 injury-related emergency department visits in adults ages 65 years and older in Richland County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# ROCK COUNTY


Population 156,180

## Injury Deaths (2002-04)




	Wisconsin		Rock	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	78	17
Suicide	1,924	12	45	10
Falls	2,288	14	20	4*
Poisoning	877	5	17	4*
Suffocation	275	2	13	3*

## Injury Hospitalizations (2002-04)



	Wisconsin		Rock	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,605	345
MVC	14,221	86	430	92
Self-harm	14,539	88	393	84
Poisoning	5,671	34	147	32
Nontraffic Trans	4,181	25	143	31

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Rock	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	9,282	1,995
Struck (by/against)	196,729	1,192	5,532	1,189
Cut/pierce	149,690	907	4,431	952
MVC	131,948	800	3,851	828
Overexertion	146,656	889	3,755	807



### Costs:

- The average charge per injury-related emergency department visit in Rock County during 2002-04 was \$588.64.
- The average charge per injury-related inpatient hospitalization in Rock County during 2002-04 was \$18,915.71.
- The average length of injury-related inpatient hospitalization in Rock County during 2002-04 was 5.54 days, with an average charge of \$3,414.28 per day.



# ROCK COUNTY

Population 156,180

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	62	53
MVC	52	44
Nontraffic Trans	41	35
Struck (by/against)	30	26
Self-harm	28	24

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,991	2,554
Struck (by/against)	2,269	1,938
Cut/pierce	1,036	885
MVC	807	689
Nat/Env Factors	653	558

### Descriptive Notes:

- Eighteen injury-related deaths occurred in children in Rock County during 2002-04. The majority of these deaths were caused by suffocation.
- There were 356 injury-related inpatient hospitalizations and 11,077 injury-related emergency department visits in children in Rock County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	402	139
Self-harm	354	122
MVC	332	115
Poisoning	102	35
Nontraffic Trans	86	30

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	4,253	1,471
Cut/pierce	3,185	1,102
Struck (by/against)	3,115	1,078
Overexertion	2,971	1,028
MVC	2,838	982

### Descriptive Notes:

- One hundred fifty-eight injury-related deaths occurred in adults ages 18-64 years in Rock County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 2,163 injury-related inpatient hospitalizations and 24,052 injury-related emergency department visits in adults ages 18-64 years in Rock County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,141	1,928
MVC	46	78
Overexertion	40	68
Poisoning	30	51
Suffocation	26	44

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,038	3,444
Cut/pierce	210	355
MVC	206	348
Struck (by/against)	148	250
Overexertion	144	243

### Descriptive Notes:

- Forty-nine injury-related deaths occurred in adults ages 65 years and older in Rock County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,600 injury-related inpatient hospitalizations and 3,255 injury-related emergency department visits in adults ages 65 years and older in Rock County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# RUSK COUNTY


Population 15,489

## Injury Deaths (2002-04)




	Wisconsin		Rusk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	9	19*
Falls	2,288	14	8	17*
Suicide	1,924	12	<5	-
Poisoning	877	5	<5	-
Homicide	532	3	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Rusk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	206	446
MVC	14,221	86	37	80
Self-harm	14,539	88	27	58
Struck (by/against)	3,628	22	22	48
Nontraffic Trans	4,181	25	18	39*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Rusk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,226	2,652
Struck (by/against)	196,729	1,192	621	1,343
Cut/pierce	149,690	907	617	1,334
Overexertion	146,656	889	371	802
Nat/Env Factors	62,053	376	345	746

### Costs:

- The average charge per injury-related emergency department visit in Rusk County during 2002-04 was \$354.79.
- The average charge per injury-related inpatient hospitalization in Rusk County during 2002-04 was \$12,795.03.
- The average length of injury-related inpatient hospitalization in Rusk County during 2002-04 was 5.12 days, with an average charge of \$2,499.52 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Struck (by/against)	6	58*
Self-harm	5	48*
Nontraffic Trans	5	48*
Falls	<5	–
MVC	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	391	3,764
Struck (by/against)	267	2,570
Cut/pierce	166	1,598
Overexertion	106	1,020
Nat/Env Factors	103	991

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Rusk County during 2002-04.
- There were 37 injury-related inpatient hospitalizations and 1,385 injury-related emergency department visits in children in Rusk County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	42	154
MVC	23	84
Self-harm	22	81
Nontraffic Trans	13	48*
Struck (by/against)	12	44*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	479	1,755
Cut/pierce	425	1,557
Struck (by/against)	329	1,205
Overexertion	249	912
MVC	215	788

### Descriptive Notes:

- Thirteen injury-related deaths occurred in adults ages 18-64 years in Rusk County during 2002-04.
- There were 174 injury-related inpatient hospitalizations and 2,456 injury-related emergency department visits in adults ages 18-64 years in Rusk County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	161	1,882
MVC	11	129*
Poisoning	7	82*
Struck (by/against)	<5	–
Overexertion	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	356	4,162
Nat/Env Factors	65	760
MVC	29	339
Cut/pierce	26	304
Struck (by/against)	25	292

### Descriptive Notes:

- Thirteen injury-related deaths occurred in adults ages 65 years and older in Rusk County during 2002-04. The majority of these deaths were caused by falls.
- There were 226 injury-related inpatient hospitalizations and 507 injury-related emergency department visits in adults ages 65 years and older in Rusk County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# ST. CROIX COUNTY


Population 73,931

## Injury Deaths (2002-04)




	Wisconsin		St. Croix	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	46	22
Suicide	1,924	12	25	12
Falls	2,288	14	17	8*
Homicide	532	3	5	2*
Nontraffic Trans	264	2	5	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		St. Croix	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	429	201
MVC	14,221	86	60	28
Nontraffic Trans	4,181	25	47	22
Self-harm	14,539	88	41	19
Overexertion	3,443	21	34	16

## Injury Emergency Department Visits (2002-04)



	Wisconsin		St. Croix	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	2,679	1,253
Struck (by/against)	196,729	1,192	1,788	836
Cut/pierce	149,690	907	1,669	781
MVC	131,948	800	959	449
Overexertion	146,656	889	684	320



### Costs:

- The average charge per injury-related emergency department visit in St. Croix County during 2002-04 was \$553.66.
- The average charge per injury-related inpatient hospitalization in St. Croix County during 2002-04 was \$10,960.59.
- The average length of injury-related inpatient hospitalization in St. Croix County during 2002-04 was 4.56 days, with an average charge of \$2,406.12 per day.

# ST. CROIX COUNTY

Population 73,931

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	19	34*
Self-harm	13	23*
Poisoning	9	16*
Nontraffic Trans	9	16*
Struck (by/against)	8	14*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,150	2,047
Struck (by/against)	862	1,534
Cut/pierce	436	776
Nontraffic Trans	248	441
MVC	224	399

### Descriptive Notes:

- Eight injury-related deaths occurred in children in St. Croix County during 2002-04.
- There were 87 injury-related inpatient hospitalizations and 3,958 injury-related emergency department visits in children in St. Croix County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	89	65
MVC	43	31
Nontraffic Trans	36	26
Self-harm	28	20
Overexertion	22	16

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Cut/pierce	1,164	851
Falls	1,092	798
Struck (by/against)	870	636
MVC	681	498
Overexertion	506	370

### Descriptive Notes:

- Seventy injury-related deaths occurred in adults ages 18-64 years in St. Croix County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 322 injury-related inpatient hospitalizations and 6,445 injury-related emergency department visits in adults ages 18-64 years in St. Croix County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	321	1,544
MVC	11	53*
Overexertion	11	53*
Poisoning	10	48*
Nat/Env Factors	8	38*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	437	2,102
Cut/pierce	69	332
Struck (by/against)	56	269
MVC	54	260
Nat/Env Factors	41	197

### Descriptive Notes:

- Thirty-one injury-related deaths occurred in adults ages 65 years and older in St. Croix County during 2002-04. The majority of these deaths were caused by falls.
- There were 432 injury-related inpatient hospitalizations and 784 injury-related emergency department visits in adults ages 65 years and older in St. Croix County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# SAUK COUNTY


Population 58,448

## Injury Deaths (2002-04)




	Wisconsin		Sauk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	28	16
Falls	2,288	14	28	16
Suicide	1,924	12	21	12
Poisoning	877	5	15	9*
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Sauk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	820	475
MVC	14,221	86	196	114
Self-harm	14,539	88	150	87
Nontraffic Trans	4,181	25	69	40
Poisoning	5,671	34	62	36


## Injury Emergency Department Visits (2002-04)



	Wisconsin		Sauk	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	4,852	2,813
Struck (by/against)	196,729	1,192	3,628	2,103
Cut/pierce	149,690	907	2,610	1,513
Overexertion	146,656	889	2,428	1,407
MVC	131,948	800	1,654	959

### Costs:

- The average charge per injury-related emergency department visit in Sauk County during 2002-04 was \$481.10.
- The average charge per injury-related inpatient hospitalization in Sauk County during 2002-04 was \$17,295.56.
- The average length of injury-related inpatient hospitalization in Sauk County during 2002-04 was 5.06 days, with an average charge of \$3,418.38 per day.



# SAUK COUNTY

Population 58,448

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	30	72
Falls	25	60
Nontraffic Trans	23	55
MVC	22	53
Poisoning	12	29*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,649	3,948
Struck (by/against)	1,616	3,869
Cut/pierce	560	1,341
Overexertion	526	1,259
Nat/Env Factors	479	1,147

### Descriptive Notes:

- Six injury-related deaths occurred in children in Sauk County during 2002-04.
- There were 172 injury-related inpatient hospitalizations and 6,463 injury-related emergency department visits in children in Sauk County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	178	168
MVC	151	142
Suicide	117	110
Nontraffic Trans	44	41
Poisoning	32	30

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,197	2,067
Cut/pierce	1,885	1,774
Struck (by/against)	1,862	1,752
Overexertion	1,793	1,687
MVC	1,215	1,143

### Descriptive Notes:

- Sixty-eight injury-related deaths occurred in adults ages 18-64 years in Sauk County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 852 injury-related inpatient hospitalizations and 12,608 injury-related emergency department visits in adults ages 18-64 years in Sauk County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	617	2,521
MVC	23	94
Overexertion	23	94
Poisoning	18	74*
Struck (by/against)	18	74*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,006	4,110
Cut/pierce	165	674
Struck (by/against)	150	613
Overexertion	109	445
Nat/Env Factors	109	445

### Descriptive Notes:

- Thirty-two injury-related deaths occurred in adults ages 65 years and older in Sauk County during 2002-04. The majority of these deaths were caused by falls.
- There were 839 injury-related inpatient hospitalizations and 1,868 injury-related emergency department visits in adults ages 65 years and older in Sauk County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# SAWYER COUNTY


Population 17,087

## Injury Deaths (2002-04)




	Wisconsin		Sawyer	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	16	32*
Falls	2,288	14	7	14*
Suicide	1,924	12	<5	-
Homicide	532	3	<5	-
Poisoning	877	5	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Sawyer	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	216	427
Self-harm	14,539	88	97	192
MVC	14,221	86	35	69
Nontraffic Trans	4,181	25	22	44
Overexertion	3,443	21	16	32*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Sawyer	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,396	2,762
Struck (by/against)	196,729	1,192	654	1,294
Cut/pierce	149,690	907	627	1,241
Overexertion	146,656	889	495	979
MVC	131,948	800	477	944



### Costs:

- The average charge per injury-related emergency department visit in Sawyer County during 2002-04 was \$460.37.
- The average charge per injury-related inpatient hospitalization in Sawyer County during 2002-04 was \$8,913.94.
- The average length of injury-related inpatient hospitalization in Sawyer County during 2002-04 was 4.38 days, with an average charge of \$2,036.58 per day.



# SAWYER COUNTY

Population 17,087

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	18	164*
Falls	<5	–
MVC	<5	–
Assault	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	391	3,573
Struck (by/against)	287	2,623
Cut/pierce	141	1,288
Nat/Env Factors	119	1,087
Nontraffic Trans	103	941

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Sawyer County during 2002-04.
- There were 43 injury-related inpatient hospitalizations and 1,532 injury-related emergency department visits in children in Sawyer County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	79	258
Falls	59	193
MVC	25	82
Nontraffic Trans	17	56*
Poisoning	10	33*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	661	2,161
Cut/pierce	440	1,438
Overexertion	361	1,180
MVC	336	1,098
Struck (by/against)	329	1,076

### Descriptive Notes:

- Twenty-eight injury-related deaths occurred in adults ages 18-64 years in Sawyer County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 279 injury-related inpatient hospitalizations and 3,148 injury-related emergency department visits in adults ages 18-64 years in Sawyer County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	153	1,698
MVC	6	67*
Overexertion	6	67*
Nat/Env Factors	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	344	3,818
Nat/Env Factors	75	832
Cut/pierce	46	511
MVC	42	466
Struck (by/against)	38	422

### Descriptive Notes:

- Eleven injury-related deaths occurred in adults ages 65 years and older in Sawyer County during 2002-04. The majority of these deaths were caused by falls.
- There were 198 injury-related inpatient hospitalizations and 645 injury-related emergency department visits in adults ages 65 years and older in Sawyer County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# SHAWANO COUNTY


Population 41,867

## Injury Deaths (2002-04)




	Wisconsin		Shawano	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	23	18
Suicide	1,924	12	22	18
Falls	2,288	14	18	14*
Poisoning	877	5	<5	–
Drowning	157	1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Shawano	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	465	373
MVC	14,221	86	122	98
Self-harm	14,539	88	93	75
Struck (by/against)	3,628	22	35	28
Nontraffic Trans	4,181	25	32	26

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Shawano	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	3,188	2,559
Struck (by/against)	196,729	1,192	1,534	1,231
Overexertion	146,656	889	1,426	1,145
Cut/pierce	149,690	907	1,378	1,106
MVC	131,948	800	1,004	806



### Costs:

- The average charge per injury-related emergency department visit in Shawano County during 2002-04 was \$406.41.
- The average charge per injury-related inpatient hospitalization in Shawano County during 2002-04 was \$15,819.32.
- The average length of injury-related inpatient hospitalization in Shawano County during 2002-04 was 5.42 days, with an average charge of \$2,916.11 per day.

# SHAWANO COUNTY

Population 41,867

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	28	95
Falls	15	51*
MVC	14	47*
Nontraffic Trans	11	37*
Struck (by/against)	9	30*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,016	3,442
Struck (by/against)	703	2,381
Cut/pierce	349	1,182
Overexertion	293	993
Nat/Env Factors	241	816

### Descriptive Notes:

- Five injury-related deaths occurred in children in Shawano County during 2002-04.
- There were 117 injury-related inpatient hospitalizations and 3,654 injury-related emergency department visits in children in Shawano County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	85	114
MVC	84	113
Self-harm	62	83
Nontraffic Trans	17	23*
Struck (by/against)	17	23*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,309	1,759
Overexertion	1,038	1,395
Cut/pierce	936	1,258
Struck (by/against)	763	1,025
MVC	705	947

### Descriptive Notes:

- Forty-four injury-related deaths occurred in adults ages 18-64 years in Shawano County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 437 injury-related inpatient hospitalizations and 7,088 injury-related emergency department visits in adults ages 18-64 years in Shawano County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	365	1,769
MVC	24	116
Struck (by/against)	9	44*
Overexertion	9	44*
Poisoning	8	39*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	863	4,182
Overexertion	95	460
Cut/pierce	93	451
MVC	77	373
Nat/Env Factors	71	344

### Descriptive Notes:

- Thirty-one injury-related deaths occurred in adults ages 65 years and older in Shawano County during 2002-04. The majority of these deaths were caused by falls.
- There were 510 injury-related inpatient hospitalizations and 1,343 injury-related emergency department visits in adults ages 65 years and older in Shawano County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# SHEBOYGAN COUNTY


Population 115,199

## Injury Deaths (2002-04)




	Wisconsin		Sheboygan	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	56	16
Suicide	1,924	12	51	15
Falls	2,288	14	44	13
Nontraffic Trans	264	2	6	2*
Poisoning	877	5	5	1*

## Injury Hospitalizations (2002-04)



	Wisconsin		Sheboygan	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,343	391
Self-harm	14,539	88	659	192
MVC	14,221	86	286	83
Struck (by/against)	3,628	22	98	29
Nontraffic Trans	4,181	25	80	23

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Sheboygan	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	6,248	1,819
Struck (by/against)	196,729	1,192	3,749	1,091
Cut/pierce	149,690	907	3,208	934
Overexertion	146,656	889	2,770	806
MVC	131,948	800	1,930	562

### Costs:

- The average charge per injury-related emergency department visit in Sheboygan County during 2002-04 was \$718.74.
- The average charge per injury-related inpatient hospitalization in Sheboygan County during 2002-04 was \$14,909.94.
- The average length of injury-related inpatient hospitalization in Sheboygan County during 2002-04 was 5.37 days, with an average charge of \$2,775.38 per day.



# SHEBOYGAN COUNTY

Population 115,199

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	135	162
Falls	56	67
MVC	51	61
Struck (by/against)	25	30
Nontraffic Trans	23	28

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,013	2,422
Struck (by/against)	1,519	1,827
Cut/pierce	651	783
Overexertion	497	598
Nontraffic Trans	388	467

### Descriptive Notes:

- Eighteen injury-related deaths occurred in children in Sheboygan County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 410 injury-related inpatient hospitalizations and 6,625 injury-related emergency department visits in children in Sheboygan County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	512	240
Falls	316	148
MVC	177	83
Nontraffic Trans	50	23
Struck (by/against)	48	23

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,870	1,346
Cut/pierce	2,409	1,130
Overexertion	2,144	1,005
Struck (by/against)	2,105	987
MVC	1,436	673

### Descriptive Notes:

- One hundred twelve injury-related deaths occurred in adults ages 18-64 years in Sheboygan County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,619 injury-related inpatient hospitalizations and 15,300 injury-related emergency department visits in adults ages 18-64 years in Sheboygan County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	971	2,061
MVC	58	123
Poisoning	28	59
Struck (by/against)	25	53
Overexertion	25	53

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,365	2,897
Cut/pierce	148	314
MVC	138	293
Overexertion	129	274
Struck (by/against)	125	265

### Descriptive Notes:

- Sixty-two injury-related deaths occurred in adults ages 65 years and older in Sheboygan County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,281 injury-related inpatient hospitalizations and 2,190 injury-related emergency department visits in adults ages 65 years and older in Sheboygan County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# TAYLOR COUNTY


Population 19,882

## Injury Deaths (2002-04)




	Wisconsin		Taylor	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	12	20*
Falls	2,288	14	9	15*
Suicide	1,924	12	5	8*
Fire	155	1	5	8*
Suffocation	275	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Taylor	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	230	388
MVC	14,221	86	65	110
Self-harm	14,539	88	44	74
Struck (by/against)	3,628	22	27	46
Nontraffic Trans	4,181	25	22	37

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Taylor	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,087	1,833
Struck (by/against)	196,729	1,192	581	980
Cut/pierce	149,690	907	518	874
Overexertion	146,656	889	453	764
MVC	131,948	800	389	656

### Costs:

- The average charge per injury-related emergency department visit in Taylor County during 2002-04 was \$569.71.
- The average charge per injury-related inpatient hospitalization in Taylor County during 2002-04 was \$17,713.19.
- The average length of injury-related inpatient hospitalization in Taylor County during 2002-04 was 5.31 days, with an average charge of \$3,336.98 per day.



# TAYLOR COUNTY

Population 19,882

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	11	76*
Falls	10	69*
Nontraffic Trans	9	62*
Struck (by/against)	9	62*
MVC	6	41*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	311	2,138
Struck (by/against)	248	1,705
MVC	119	818
Nontraffic Trans	96	660
Cut/pierce	95	653

### Descriptive Notes:

- Five injury-related deaths occurred in children in Taylor County during 2002-04.
- There were 59 injury-related inpatient hospitalizations and 1,192 injury-related emergency department visits in children in Taylor County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	48	135
Falls	42	118
Self-harm	33	93
Nontraffic Trans	13	36*
Struck (by/against)	11	31*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	438	1,228
Cut/pierce	393	1,102
Overexertion	339	950
Struck (by/against)	299	838
MVC	237	664

### Descriptive Notes:

- Twenty injury-related deaths occurred in adults ages 18-64 years in Taylor County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 204 injury-related inpatient hospitalizations and 2,342 injury-related emergency department visits in adults ages 18-64 years in Taylor County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	178	1,960
MVC	11	121*
Overexertion	10	110*
Struck (by/against)	7	77*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	338	3,721
Struck (by/against)	34	374
MVC	33	363
Cut/pierce	30	330
Overexertion	29	319

### Descriptive Notes:

- Fourteen injury-related deaths occurred in adults ages 65 years and older in Taylor County during 2002-04. The majority of these deaths were caused by falls.
- There were 240 injury-related inpatient hospitalizations and 488 injury-related emergency department visits in adults ages 65 years and older in Taylor County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# TREMPEALEAU COUNTY


Population 27,727

## Injury Deaths (2002-04)




	Wisconsin		Trempealeau	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	22	27
Falls	2,288	14	11	13*
Suicide	1,924	12	7	8*
Nontraffic Trans	264	2	<5	–
Poisoning	877	5	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Trempealeau	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	373	451
MVC	14,221	86	114	138
Self-harm	14,539	88	68	82
Nontraffic Trans	4,181	25	42	51
Struck (by/against)	3,628	22	23	28

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Trempealeau	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,499	1,813
Struck (by/against)	196,729	1,192	829	1,003
Cut/pierce	149,690	907	651	787
MVC	131,948	800	545	659
Overexertion	146,656	889	541	654

### Costs:

- The average charge per injury-related emergency department visit in Trempealeau County during 2002-04 was \$514.74.
- The average charge per injury-related inpatient hospitalization in Trempealeau County during 2002-04 was \$16,045.53.
- The average length of injury-related inpatient hospitalization in Trempealeau County during 2002-04 was 6.37 days, with an average charge of \$2,517.68 per day.





# TREMPEALEAU COUNTY

Population 27,727

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	24	123
Self-harm	16	82*
MVC	13	67*
Nontraffic Trans	9	46*
Struck (by/against)	5	26*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	484	2,477
Struck (by/against)	414	2,119
Nontraffic Trans	165	845
Cut/pierce	163	834
Overexertion	144	737

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Trempealeau County during 2002-04.
- There were 93 injury-related inpatient hospitalizations and 1,910 injury-related emergency department visits in children in Trempealeau County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	86	172
MVC	82	164
Self-harm	50	100
Nontraffic Trans	26	52
Overexertion	17	34*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	619	1,241
Cut/pierce	462	926
MVC	387	776
Struck (by/against)	385	772
Overexertion	366	734

### Descriptive Notes:

- Thirty-five injury-related deaths occurred in adults ages 18-64 years in Trempealeau County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 371 injury-related inpatient hospitalizations 3,399 injury-related emergency department visits in adults ages 18-64 years in Trempealeau County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	263	1,983
MVC	19	143*
Nontraffic Trans	7	53*
Struck (by/against)	7	53*
Poisoning	6	45*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	396	2,986
MVC	49	370
Nat/Env Factors	41	309
Struck (by/against)	30	226
Cut/pierce	26	196

### Descriptive Notes:

- Fifteen injury-related deaths occurred in adults ages 65 years and older in Trempealeau County during 2002-04. The majority of these deaths were caused by falls.
- There were 348 injury-related inpatient hospitalizations and 620 injury-related emergency department visits in adults ages 65 years and older in Trempealeau County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# VERNON COUNTY


Population 28,939

## Injury Deaths (2002-04)




	Wisconsin		Vernon	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	16	19*
MVC	2,365	14	11	13*
Falls	2,288	14	5	6*
Nontraffic Trans	264	2	<5	–
Poisoning	877	5	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Vernon	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	358	415
MVC	14,221	86	103	120
Self-harm	14,539	88	58	67
Nontraffic Trans	4,181	25	46	53
Poisoning	5,671	34	40	46

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Vernon	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,516	1,759
Struck (by/against)	196,729	1,192	686	796
Cut/pierce	149,690	907	609	707
MVC	131,948	800	575	667
Overexertion	146,656	889	413	479



### Costs:

- The average charge per injury-related emergency department visit in Vernon County during 2002-04 was \$556.91.
- The average charge per injury-related inpatient hospitalization in Vernon County during 2002-04 was \$16,224.00.
- The average length of injury-related inpatient hospitalization in Vernon County during 2002-04 was 4.93 days, with an average charge of \$3,294.17 per day.

# VERNON COUNTY

Population 28,939

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	16	72*
Nontraffic Trans	16	72*
MVC	13	58*
Self-harm	12	54*
Poisoning	12	54*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	510	2,291
Struck (by/against)	314	1,410
Cut/pierce	157	705
Nontraffic Trans	135	606
Nat/Env Factors	122	548

### Descriptive Notes:

- Six injury-related deaths occurred in children in Vernon County during 2002-04.
- There were 106 injury-related inpatient hospitalizations and 1,689 injury-related emergency department visits in children in Vernon County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	71	143
Falls	66	133
Suicide	46	93
Nontraffic Trans	24	48
Poisoning	18	36*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	576	1,159
Cut/pierce	413	831
MVC	412	829
Struck (by/against)	348	700
Overexertion	286	575

### Descriptive Notes:

- Twenty-nine injury-related deaths occurred in adults ages 18-64 years in Vernon County during 2002-04. The majority of these deaths were suicides caused by firearms.
- There were 375 injury-related inpatient hospitalizations and 3,177 injury-related emergency department visits in adults ages 18-64 years in Vernon County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	276	1,944
MVC	19	134*
Poisoning	10	70*
Nat/Env Factors	8	56*
Nontraffic Trans	6	42*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	430	3,029
MVC	50	352
Cut/pierce	39	275
Nat/Env Factors	33	232
Overexertion	28	197

### Descriptive Notes:

- Ten injury-related deaths occurred in adults ages 65 years and older in Vernon County during 2002-04.
- There were 373 injury-related inpatient hospitalizations and 703 injury-related emergency department visits in adults ages 65 years and older in Vernon County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# VILAS COUNTY


Population 22,155

## Injury Deaths (2002-04)




	Wisconsin		Vilas	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	10	15*
Falls	2,288	14	9	14*
MVC	2,365	14	8	12*
Poisoning	877	5	<5	–
Fire	155	1	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Vilas	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	364	555
MVC	14,221	86	96	146
Self-harm	14,539	88	90	137
Struck (by/against)	3,628	22	31	47
Assault	3,920	24	31	47

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Vilas	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,786	2,721
Struck (by/against)	196,729	1,192	782	1,192
Cut/pierce	149,690	907	774	1,179
Overexertion	146,656	889	620	945
MVC	131,948	800	513	782



### Costs:

- The average charge per injury-related emergency department visit in Vilas County during 2002-04 was \$651.14.
- The average charge per injury-related inpatient hospitalization in Vilas County during 2002-04 was \$14,891.02.
- The average length of injury-related inpatient hospitalization in Vilas County during 2002-04 was 4.82 days, with an average charge of \$3,090.92 per day.

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	21	176
MVC	12	100*
Falls	9	75*
Nontraffic Trans	8	67*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	498	4,167
Struck (by/against)	331	2,769
Nontraffic Trans	152	1,272
Cut/pierce	183	1,531
Overexertion	139	1,163

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Vilas County during 2002-04.
- There were 75 injury-related inpatient hospitalizations and 1,778 injury-related emergency department visits in children in Vilas County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	105	272
MVC	69	179
Self-harm	66	171
Assault	26	67
Poisoning	18	47*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	809	2,093
Cut/pierce	513	1,327
Overexertion	437	1,131
Struck (by/against)	398	1,030
MVC	365	944

### Descriptive Notes:

- Twenty-four injury-related deaths occurred in adults ages 18-64 years in Vilas County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 425 injury-related inpatient hospitalizations and 3,603 injury-related emergency department visits in adults ages 18-64 years in Vilas County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	250	1,664
MVC	15	100*
Nat/Env Factors	12	80*
Struck (by/against)	10	67*
Overexertion	9	60*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	479	3,188
Cut/pierce	78	519
Nat/Env Factors	55	366
Struck (by/against)	53	353
MVC	50	333

### Descriptive Notes:

- Seventeen injury-related deaths occurred in adults ages 65 years and older in Vilas County during 2002-04. The majority of these deaths were caused by falls.
- There were 372 injury-related inpatient hospitalizations and 861 injury-related emergency department visits in adults ages 65 years and older in Vilas County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WALWORTH COUNTY


Population 97,953

## Injury Deaths (2002-04)




	Wisconsin		Walworth	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	48	17
Suicide	1,924	12	42	14
Falls	2,288	14	27	9
Poisoning	877	5	16	6*
Nontraffic Trans	264	2	5	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Walworth	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,092	376
MVC	14,221	86	296	102
Self-harm	14,539	88	161	55
Nontraffic Trans	4,181	25	107	37
Poisoning	5,671	34	99	34

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Walworth	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	6,345	2,187
Struck (by/against)	196,729	1,192	3,372	1,162
Cut/pierce	149,690	907	2,617	902
Overexertion	146,656	889	2,443	842
MVC	131,948	800	2,291	790



### Costs:

- The average charge per injury-related emergency department visit in Walworth County during 2002-04 was \$611.01.
- The average charge per injury-related inpatient hospitalization in Walworth County during 2002-04 was \$19,694.67.
- The average length of injury-related inpatient hospitalization in Walworth County during 2002-04 was 5.39 days, with an average charge of \$3,656.98 per day.

# WALWORTH COUNTY

Population 97,953

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	45	65
MVC	43	62
Nontraffic Trans	35	51
Struck (by/against)	27	39
Self-harm	21	31

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,224	3,230
Struck (by/against)	1,446	2,100
Overexertion	535	777
Cut/pierce	516	749
Nontraffic Trans	478	694

### Descriptive Notes:

- Fourteen injury-related deaths occurred in children in Walworth County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 269 injury-related inpatient hospitalizations and 7,037 injury-related emergency department visits in children in Walworth County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	234	127
MVC	207	113
Self-harm	136	74
Poisoning	57	31
Nontraffic Trans	50	27

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,793	1,521
Cut/pierce	1,935	1,054
Overexertion	1,813	988
Struck (by/against)	1,804	983
MVC	1,679	915

### Descriptive Notes:

- Ninety-four injury-related deaths occurred in adults ages 18-64 years in Walworth County during 2002-04. The majority of these deaths were caused by poisoning.
- There were 1,145 injury-related inpatient hospitalizations and 14,101 injury-related emergency department visits in adults ages 18-64 years in Walworth County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	813	2,155
MVC	46	122
Poisoning	27	72
Overexertion	25	66
Nontraffic Trans	22	58

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,328	3,519
Cut/pierce	166	440
MVC	128	339
Struck (by/against)	122	323
Overexertion	95	252

### Descriptive Notes:

- Fifty-four injury-related deaths occurred in adults ages 65 years and older in Walworth County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,193 injury-related inpatient hospitalizations and 2,223 injury-related emergency department visits in adults ages 65 years and older in Walworth County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WASHBURN COUNTY


Population 16,781

## Injury Deaths (2002-04)




	Wisconsin		Washburn	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	9	18*
Suicide	1,924	12	8	16*
Falls	2,288	14	6	12*
Poisoning	877	5	<5	–
Nontraffic Trans	264	2	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Washburn	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	246	493
MVC	14,221	86	40	80
Self-harm	14,539	88	22	44
Nontraffic Trans	4,181	25	20	40*
Poisoning	5,671	34	12	24*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Washburn	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,138	2,282
Cut/pierce	149,690	907	727	1,458
Struck (by/against)	196,729	1,192	613	1,229
Overexertion	146,656	889	543	1,089
MVC	131,948	800	360	722



### Costs:

- The average charge per injury-related emergency department visit in Washburn County during 2002-04 was \$463.38.
- The average charge per injury-related inpatient hospitalization in Washburn County during 2002-04 was \$9,279.14.
- The average length of injury-related inpatient hospitalization in Washburn County during 2002-04 was 4.39 days, with an average charge of \$2,112.25 per day.



# WASHBURN COUNTY

Population 16,781

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Nontraffic Trans	5	47*
Falls	<5	–
Self-harm	<5	–
MVC	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	306	2,896
Struck (by/against)	265	2,508
Cut/pierce	187	1,770
Overexertion	130	1,230
Nat/Env Factors	108	1,022

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Washburn County during 2002-04.
- There were 24 injury-related inpatient hospitalizations and 1,404 injury-related emergency department visits in children in Washburn County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	62	206
MVC	26	86
Self-harm	19	63*
Nontraffic Trans	14	46*
Struck (by/against)	10	33*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	496	1,646
Cut/pierce	471	1,563
Overexertion	375	1,245
Struck (by/against)	312	1,036
MVC	235	780

### Descriptive Notes:

- Nineteen injury-related deaths occurred in adults ages 18-64 years in Washburn County during 2002-04. The majority of these deaths were suicides caused by firearms.
- There were 189 injury-related inpatient hospitalizations and 2,688 injury-related emergency department visits in adults ages 18-64 years in Washburn County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	181	1,973
MVC	11	120*
Overexertion	6	65*
Nat/Env Factors	5	55*
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	336	3,663
Cut/pierce	69	752
Nat/Env Factors	60	654
Overexertion	38	414
Struck (by/against)	36	392

### Descriptive Notes:

- Twelve injury-related deaths occurred in adults ages 65 years and older in Washburn County during 2002-04. The majority of these deaths were caused by falls.
- There were 245 injury-related inpatient hospitalizations and 612 injury-related emergency department visits in adults ages 65 years and older in Washburn County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WASHINGTON COUNTY


Population 124,441

## Injury Deaths (2002-04)




	Wisconsin		Washington	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	64	17
MVC	2,365	14	43	12
Suicide	1,924	12	34	9
Poisoning	877	5	19	5*
Suffocation	275	2	8	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Washington	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,021	278
MVC	14,221	86	253	69
Self-harm	14,539	88	149	40
Nontraffic Trans	4,181	25	82	22
Overexertion	3,443	21	77	21

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Washington	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	3,399	924
Struck (by/against)	196,729	1,192	2,116	575
Cut/pierce	149,690	907	1,935	526
Overexertion	146,656	889	1,781	484
MVC	131,948	800	1,461	397



### Costs:

- The average charge per injury-related emergency department visit in Washington County during 2002-04 was \$712.87.
- The average charge per injury-related inpatient hospitalization in Washington County during 2002-04 was \$19,016.55.
- The average length of injury-related inpatient hospitalization in Washington County during 2002-04 was 5.33 days, with an average charge of \$3,564.64 per day.

# WASHINGTON COUNTY

Population 124,441

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	53	58
Nontraffic Trans	35	38
MVC	27	29
Self-harm	26	28
Struck (by/against)	15	16*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,303	1,423
Struck (by/against)	908	992
Cut/pierce	442	483
Overexertion	368	402
Nontraffic Trans	297	324

### Descriptive Notes:

- Seven injury-related deaths occurred in children in Washington County during 2002-04.
- There were 224 injury-related inpatient hospitalizations and 4,728 injury-related emergency department visits in children in Washington County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	252	108
MVC	186	80
Self-harm	120	51
Poisoning	48	21
Nontraffic Trans	43	18

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,489	637
Cut/pierce	1,401	599
Overexertion	1,328	568
Struck (by/against)	1,135	485
MVC	1,116	477

### Descriptive Notes:

- One hundred seven injury-related deaths occurred in adults ages 18-64 years in Washington County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,098 injury-related inpatient hospitalizations and 9,579 injury-related emergency department visits in adults ages 18-64 years in Washington County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	716	1,685
MVC	40	94
Overexertion	31	73
Poisoning	23	54
Struck (by/against)	12	28*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	607	1,428
MVC	100	235
Cut/pierce	92	216
Overexertion	85	200
Nat/Env Factors	82	193

### Descriptive Notes:

- Eighty-seven injury-related deaths occurred in adults ages 65 years and older in Washington County during 2002-04. The majority of these deaths were caused by falls.
- There were 987 injury-related inpatient hospitalizations and 1,231 injury-related emergency department visits in adults ages 65 years and older in Washington County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WAUKESHA COUNTY


Population 375,331

## Injury Deaths (2002-04)




	Wisconsin		Waukesha	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	2,288	14	241	22
MVC	2,365	14	96	9
Suicide	1,924	12	88	8
Poisoning	877	5	38	3
Suffocation	275	2	13	1*

## Injury Hospitalizations (2002-04)



	Wisconsin		Waukesha	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	4,406	394
MVC	14,221	86	714	64
Self-harm	14,539	88	644	58
Poisoning	5,671	34	257	23
Nontraffic Trans	4,181	25	242	22

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Waukesha	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	20,289	1,815
Struck (by/against)	196,729	1,192	12,891	1,153
Cut/pierce	149,690	907	8,739	782
Overexertion	146,656	889	7,685	687
MVC	131,948	800	7,216	645

### Costs:

- The average charge per injury-related emergency department visit in Waukesha County during 2002-04 was \$630.27.
- The average charge per injury-related inpatient hospitalization in Waukesha County during 2002-04 was \$17,530.04.
- The average length of injury-related inpatient hospitalization in Waukesha County during 2002-04 was 5.36 days, with an average charge of \$3,270.99 per day.



# WAUKESHA COUNTY

Population 375,331

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	143	52
Self-harm	109	39
MVC	95	34
Struck (by/against)	60	22
Nontraffic Trans	45	16

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	8,258	2,985
Struck (by/against)	6,454	2,333
Overexertion	2,078	751
Cut/pierce	1,807	653
Nontraffic Trans	1,353	489

### Descriptive Notes:

- Thirteen injury-related deaths occurred in children in Waukesha County during 2002-04.
- There were 715 injury-related inpatient hospitalizations and 26,089 injury-related emergency department visits in children in Waukesha County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	902	128
Self-harm	511	73
MVC	456	65
Nontraffic Trans	154	22
Poisoning	140	20

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	7,559	1,076
Cut/pierce	6,397	910
Struck (by/against)	5,893	839
MVC	5,329	758
Overexertion	5,197	740

### Descriptive Notes:

- Two hundred twenty-two injury-related deaths occurred in adults ages 18-64 years in Waukesha County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 3,481 injury-related inpatient hospitalizations and 42,364 injury-related emergency department visits in adults ages 18-64 years in Waukesha County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	3,361	2,421
MVC	163	117
Poisoning	84	60
Overexertion	73	53
Nat/Env Factors	56	40

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	4,472	3,221
MVC	548	395
Struck (by/against)	544	392
Cut/pierce	535	385
Overexertion	410	295

### Descriptive Notes:

- Three hundred eleven injury-related deaths occurred in adults ages 65 years and older in Waukesha County during 2002-04. The majority of these deaths were caused by falls.
- There were 4,589 injury-related inpatient hospitalizations and 8,061 injury-related emergency department visits in adults ages 65 years and older in Waukesha County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WAUPACA COUNTY


Population 53,113

## Injury Deaths (2002-04)




	Wisconsin		Waupaca	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	52	33
Falls	2,288	14	40	25
Suicide	1,924	12	14	9*
Poisoning	877	5	<5	–
Suffocation	275	2	<5	–

## Injury Hospitalizations (2002-04)



	Wisconsin		Waupaca	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	643	405
MVC	14,221	86	187	118
Self-harm	14,539	88	84	53
Struck (by/against)	3,628	22	47	30
Nontraffic Trans	4,181	25	35	22

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Waupaca	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	4,185	2,639
Struck (by/against)	196,729	1,192	2,373	1,496
Cut/pierce	149,690	907	2,225	1,403
Overexertion	146,656	889	1,815	1,145
MVC	131,948	800	1,339	844



### Costs:

- The average charge per injury-related emergency department visit in Waupaca County during 2002-04 was \$410.41.
- The average charge per injury-related inpatient hospitalization in Waupaca County during 2002-04 was \$15,060.63.
- The average length of injury-related inpatient hospitalization in Waupaca County during 2002-04 was 5.16 days, with an average charge of \$2,916.94 per day.

# WAUPACA COUNTY

Population 53,113

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
MVC	31	83
Self-harm	25	67
Falls	17	46*
Struck (by/against)	12	32*
Nontraffic Trans	10	27*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,456	3,910
Struck (by/against)	1,072	2,879
Cut/pierce	500	1,343
Nat/Env Factors	417	1,120
Overexertion	406	1,090

### Descriptive Notes:

- Eleven injury-related deaths occurred in children in Waupaca County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 142 injury-related inpatient hospitalizations and 5,135 injury-related emergency department visits in children in Waupaca County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	121	127
MVC	121	127
Self-harm	54	57
Struck (by/against)	25	26
Poisoning	21	22

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Cut/pierce	1,581	1,663
Falls	1,560	1,641
Overexertion	1,318	1,386
Struck (by/against)	1,203	1,265
MVC	977	1,028

### Descriptive Notes:

- Fifty-four injury-related deaths occurred in adults ages 18-64 years in Waupaca County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 569 injury-related inpatient hospitalizations and 9,636 injury-related emergency department visits in adults ages 18-64 years in Waupaca County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	505	1,922
MVC	35	133
Poisoning	10	38*
Struck (by/against)	10	38*
Overexertion	10	38*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,169	4,450
Cut/pierce	144	548
Nat/Env Factors	142	541
MVC	105	400
Struck (by/against)	98	373

### Descriptive Notes:

- Sixty injury-related deaths occurred in adults ages 65 years and older in Waupaca County during 2002-04. The majority of these deaths were caused by falls.
- There were 668 injury-related inpatient hospitalizations and 1,879 injury-related emergency department visits in adults ages 65 years and older in Waupaca County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WAUSHARA COUNTY


Population 24,529

## Injury Deaths (2002-04)




	Wisconsin		Waushara	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	20	27*
Suicide	1,924	12	9	12*
Poisoning	877	5	<5	-
Falls	2,288	14	<5	-
Nontraffic Trans	264	2	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Waushara	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	279	382
MVC	14,221	86	92	126
Self-harm	14,539	88	81	111
Nontraffic Trans	4,181	25	23	31
Overexertion	3,443	21	19	26*

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Waushara	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	1,872	2,562
Struck (by/against)	196,729	1,192	1,165	1,595
Overexertion	146,656	889	930	1,273
Cut/pierce	149,690	907	855	1,170
MVC	131,948	800	630	862



### Costs:

- The average charge per injury-related emergency department visit in Waushara County during 2002-04 was \$401.11.
- The average charge per injury-related inpatient hospitalization in Waushara County during 2002-04 was \$14,592.57.
- The average length of injury-related inpatient hospitalization in Waushara County during 2002-04 was 5.03 days, with an average charge of \$2,900.44 per day.



# WAUSHARA COUNTY

Population 24,529

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	12	79*
MVC	10	66*
Falls	9	59*
Poisoning	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	518	3,423
Struck (by/against)	512	3,383
Cut/pierce	199	1,315
Overexertion	177	1,169
Nat/Env Factors	140	925

### Descriptive Notes:

- Less than five injury-related deaths occurred in children in Waushara County during 2002-04.
- There were 63 injury-related inpatient hospitalizations and 2,070 injury-related emergency department visits in children in Waushara County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	70	158
Self-harm	69	156
MVC	66	149
Nontraffic Trans	18	41*
Struck (by/against)	10	23*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	864	1,951
Overexertion	691	1,560
Struck (by/against)	599	1,352
Cut/pierce	590	1,332
MVC	450	1,016

### Descriptive Notes:

- Thirty-two injury-related deaths occurred in adults ages 18-64 years in Waushara County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 337 injury-related inpatient hospitalizations and 4,406 injury-related emergency department visits in adults ages 18-64 years in Waushara County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	200	1,467
MVC	16	117*
Overexertion	12	88*
Nontraffic Trans	<5	–
Nat/Env Factors	<5	–

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	490	3,595
Nat/Env Factors	83	609
Cut/pierce	66	484
Overexertion	62	455
MVC	55	403

### Descriptive Notes:

- Thirteen injury-related deaths occurred in adults ages 65 years and older in Waushara County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 274 injury-related inpatient hospitalizations and 886 injury-related emergency department visits in adults ages 65 years and older in Waushara County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WINNEBAGO COUNTY


Population 161,469

## Injury Deaths (2002-04)




	Wisconsin		Winnebago	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Suicide	1,924	12	62	13
MVC	2,365	14	58	12
Falls	2,288	14	50	10
Poisoning	877	5	24	5
Nontraffic Trans	264	2	8	2*

## Injury Hospitalizations (2002-04)



	Wisconsin		Winnebago	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	1,585	330
Self-harm	14,539	88	634	132
MVC	14,221	86	281	58
Nontraffic Trans	4,181	25	105	22
Poisoning	5,671	34	94	20

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Winnebago	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	9,915	2,062
Struck (by/against)	196,729	1,192	6,193	1,288
Cut/pierce	149,690	907	5,154	1,072
Overexertion	146,656	889	4,969	1,033
MVC	131,948	800	3,306	687

### Costs:

- The average charge per injury-related emergency department visit in Winnebago County during 2002-04 was \$415.34.
- The average charge per injury-related inpatient hospitalization in Winnebago County during 2002-04 was \$12,857.07.
- The average length of injury-related inpatient hospitalization in Winnebago County during 2002-04 was 5.23 days, with an average charge of \$2,459.81 per day.



# WINNEBAGO COUNTY

Population 161,469

## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	122	109
Falls	36	32
MVC	34	31
Struck (by/against)	27	24
Nontraffic Trans	23	21

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	3,190	2,863
Struck (by/against)	2,442	2,192
Cut/pierce	953	855
Overexertion	816	732
Nontraffic Trans	719	645

### Descriptive Notes:

- Fourteen injury-related deaths occurred in children in Winnebago County during 2002-04.
- There were 329 injury-related inpatient hospitalizations and 10,931 injury-related emergency department visits in children in Winnebago County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Self-harm	496	160
Falls	373	120
MVC	206	67
Nontraffic Trans	62	20
Poisoning	56	18

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	4,516	1,459
Cut/pierce	3,933	1,270
Overexertion	3,925	1,268
Struck (by/against)	3,510	1,134
MVC	2,499	807

### Descriptive Notes:

- One hundred fifty-seven injury-related deaths occurred in adults ages 18-64 years in Winnebago County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 1,688 injury-related inpatient hospitalizations and 26,274 injury-related emergency department visits in adults ages 18-64 years in Winnebago County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,176	1,965
MVC	41	68
Poisoning	29	48
Overexertion	22	37
Nontraffic Trans	20	33*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	2,209	3,690
Cut/pierce	268	448
Struck (by/against)	241	403
Overexertion	228	381
MVC	225	376

### Descriptive Notes:

- Seventy-three injury-related deaths occurred in adults ages 65 years and older in Winnebago County during 2002-04. The majority of these deaths were caused by falls.
- There were 1,505 injury-related inpatient hospitalizations and 3,894 injury-related emergency department visits in adults ages 65 years and older in Winnebago County during 2002-04.

### Technical Notes:


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



# WOOD COUNTY


Population 75,979

## Injury Deaths (2002-04)




	Wisconsin		Wood	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
MVC	2,365	14	31	14
Suicide	1,924	12	29	13
Falls	2,288	14	25	11
Suffocation	275	2	5	2*
Poisoning	877	5	<5	-

## Injury Hospitalizations (2002-04)



	Wisconsin		Wood	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	62,040	376	936	411
MVC	14,221	86	282	124
Self-harm	14,539	88	195	86
Nontraffic Trans	4,181	25	67	29
Struck (by/against)	3,628	22	65	29

## Injury Emergency Department Visits (2002-04)



	Wisconsin		Wood	
	Number (2002-04)	Annual Rate Per 100,000	Number (2002-04)	Annual Rate Per 100,000
Falls	336,823	2,041	3,637	1,598
Struck (by/against)	196,729	1,192	1,895	833
Cut/pierce	149,690	907	1,448	636
MVC	131,948	800	1,270	558
Overexertion	146,656	889	1,255	552

### Costs:

- The average charge per injury-related emergency department visit in Wood County during 2002-04 was \$496.15.
- The average charge per injury-related inpatient hospitalization in Wood County during 2002-04 was \$14,338.39.
- The average length of injury-related inpatient hospitalization in Wood County during 2002-04 was 4.60 days, with an average charge of \$3,119.06 per day.



## Child (0-17 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	46	86
Self-harm	29	54
Struck (by/against)	25	47
MVC	23	43
Nontraffic Trans	19	36*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,075	2,018
Struck (by/against)	792	1,487
Cut/pierce	309	580
MVC	278	522
Nat/Env Factors	247	464

### Descriptive Notes:

- Eight injury-related deaths occurred in children in Wood County during 2002-04.
- There were 191 injury-related inpatient hospitalizations and 3,864 injury-related emergency department visits in children in Wood County during 2002-04.

## Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	228	164
MVC	215	155
Self-harm	163	118
Nontraffic Trans	40	29
Overexertion	37	27

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,514	1,092
Cut/pierce	1,061	765
Struck (by/against)	1,041	751
Overexertion	933	673
MVC	904	652

### Descriptive Notes:

- Fifty-seven injury-related deaths occurred in adults ages 18-64 years in Wood County during 2002-04. The majority of these deaths were caused by motor vehicle crashes.
- There were 964 injury-related inpatient hospitalizations and 8,358 injury-related emergency department visits in adults ages 18-64 years in Wood County during 2002-04.

## Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2002-04)	Annual Rate Per 100,000
Falls	662	1,857
MVC	44	123
Overexertion	27	76
Poisoning	19	53*
Nat/Env Factors	13	36*

	Injury Emergency Department visits	
	Number (2002-04)	Annual Rate Per 100,000
Falls	1,048	2,941
Overexertion	88	247
MVC	88	247
Nat/Env Factors	88	247
Cut/pierce	78	219

### Descriptive Notes:

- Forty-four injury-related deaths occurred in adults ages 65 years and older in Wood County during 2002-04. The majority of these deaths were caused by falls.
- There were 932 injury-related inpatient hospitalizations and 1,632 injury-related emergency department visits in adults ages 65 years and older in Wood County during 2002-04.

### Technical Notes:

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*).
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- More detailed technical notes, including category descriptions and rate calculation methods, may be found on page 153.



*“I take every opportunity to remind people that seat belts save lives.”*

*– Joan German, State Trooper, Wisconsin State Patrol*

*“The use of a proper child safety restraint system would have greatly minimized or perhaps eliminated Dylan’s injuries. Who wouldn’t want that?”*

*– Dale J. Jorgenson, Grandfather, River Falls, Wisconsin*



## TECHNICAL NOTES

## GLOSSARY



## Case definition

Injury events were identified from death records, hospital discharges and emergency department visits. The Wisconsin Bureau of Health Information and Policy reports vital statistics data according to the decedent's residence regardless of where the death occurs. Hospital discharges are also classified based on patient's county of residence, rather than location of injury or location of hospital.

Cause and manner of death was identified according to the International Classification of Diseases, Tenth Revision (ICD-10) codes on death certificates (Table 1). Cause and manner of hospital admission and emergency department visit was identified according to External Cause of Injury groupings (E codes) within the International Classification of Diseases, Ninth Revision (ICD-9) (Table 2).

Individuals who sustain injuries but do not seek medical attention are not included in records. Likewise, if hospital or death records are not properly coded to reflect the injuries sustained, these individuals will not be included.

The figures in this document only represent information on injury-related events that: 1) occurred in Wisconsin residents; and 2) are among those who died or were treated in Wisconsin. In particular, the counts of injury-related events in border counties may appear lower if residents who sustain injuries are seen at health facilities in bordering states.

Both unintentional and intentional injuries are included in this report. For the purposes of this report, unintentional injuries are presented by mechanism [i.e. motor vehicle crash (MVC), fall, poisoning, etc], whereas intentional injuries are only presented by manner (i.e. suicide, homicide, etc).

For a further description of the cause or mechanism by which intentional injuries were sustained, please visit the following:

### **Wisconsin Interactive Statistics on Health (WISH)**

<http://www.dhfs.wisconsin.gov/wish/>

### **Wisconsin Violent Death Reporting System, Annual Report 2004**

<http://www.dhfs.wisconsin.gov/health/injuryprevention>





## Fatal injury intent categories

**Suicide:** Intentionally self-inflicted injury that results in death.

**Homicide:** Injuries inflicted by another person with intent to injure or kill, by any means.

**Unintentional:** Injury that is not inflicted by deliberate means (i.e., not on purpose). This category includes those injuries described as unintended or "accidental" regardless of whether the injury was inflicted by one's self or by another person.

**Legal Intervention:** Injuries inflicted by the police or other law-enforcing agents, including military on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order, and other legal actions. Excludes injuries caused by civil insurrections.

**Operation of War:** Injuries to military personnel or civilians caused by war or civil insurrection, including those occurring during the time of war or insurrection and after cessation of hostilities.

## Non-fatal injury intent categories

**Assault, confirmed or suspected:** Injury from an act of violence where physical force by one or more persons is used with the intent of causing harm, injury, or death to another person; or an intentional poisoning by another person. This category includes perpetrators as well as intended and unintended victims of violent acts (e.g., innocent bystanders). For this report, sexual assault cases are included in this category.

**Self-harm, confirmed or suspected:** Injury or poisoning resulting from a deliberate violent act inflicted on one's self with the intent to take one's own life or with the intent to harm one's self. This category includes suicide attempt and other intentional self-harm.

**Unintentional:** Injury or poisoning that is not inflicted by deliberate means (i.e., not on purpose). This category includes those injuries and poisonings described as unintended or "accidental" regardless of whether the injury was inflicted by one's self or by another person.

**Legal intervention:** Injury or poisoning caused by police or other legal authorities (including security guards) during law enforcement activities. Includes injuries and poisonings (mace, pepper spray) inflicted during legal action or execution, or while attempting to enforce the law such as arrest or restraint of arrested persons.



## Rate calculations

All rates calculated in this document are considered crude rates. Rates in tables were rounded to the nearest whole number. Graphic representations of rates in bar charts utilize non-rounded numbers and therefore, slight variations between the number in the table and the corresponding bar may be visible. Rates were calculated using the following formula:

$$(\text{Number of injury events} / \text{At-risk population}) \times 100,000$$

For example, in Brown County during 2002-04, there were 5,043 emergency department visits due to fall-related injuries in children ages 0-17 years. To determine the rate of fall-related emergency department visits:

Number of fall-related injury events from 2002-04 = 5,043

Brown County population ages 0-17 years from 2002-04 = 176,627

$$(5,043 / 176,627) \times 100,000 = 2,855 \text{ per } 100,000$$

This means that if we randomly selected 100,000 individuals from Brown County who were 17 years old and younger between 2002-04, we would expect there to be 2,855 fall-related emergency department visits in that group of 100,000.

Rates based on numbers of 20 or less are considered unstable due to random chance factors and should be interpreted with caution. When rates are based on events of 20 or less, apparent changes may be attributed to the small numerator rather than actual change in injury occurrence. Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (\*). Populations listed in headings are for 2004 only and are not the figures used for rate calculations.

For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.



# TECHNICAL NOTES

## Detailed causes of death from injury, Wisconsin, 2002-04.

**Injury Cause** **Number**

---

<b>Motor Vehicle, Total</b> .....	<b>2,365</b>
• Occupant .....	1,807
• Motorcycle .....	253
• Pedestrian .....	166
• Pedal Cyclist.....	32
• Other .....	107
<b>Falls</b> .....	<b>2,288</b>
<b>Suicide*</b> .....	<b>1,924</b>
<b>Poisoning</b> .....	<b>877</b>
<b>Homicide*</b> .....	<b>532</b>
<b>Suffocation</b> .....	<b>275</b>
<b>Nontraffic Transportation, Total</b> .....	<b>264</b>
• Land Transportation .....	156
• Transportation .....	61
• Pedestrian .....	42
• Pedal Cyclist.....	5
<b>Drowning</b> .....	<b>157</b>
<b>Fire, Heat, Chemical Burns</b> .....	<b>155</b>
<b>Natural or Environmental Factors</b> .....	<b>77</b>
<b>Machinery</b> .....	<b>54</b>
<b>Hot Object or Scalding</b> .....	<b>6</b>

---

**Total Injury Deaths** .....

---

**8,974**

\*Intentional cause of injury



# TECHNICAL NOTES

## Detailed causes of injury hospitalizations, Wisconsin, 2002-04.

**Injury Cause** **Number**

---

Falls .....	62,040
Self-harm* .....	14,539
<b>Motor Vehicle, Total</b> .....	<b>14,221</b>
• Occupant .....	10,280
• Motorcycle .....	1,839
• Pedestrian .....	1,063
• Pedal Cyclist.....	272
• Unspecified .....	767
Poisoning .....	5,671
<b>Nontraffic Transportation, Total</b> .....	<b>4,181</b>
• Transportation.....	2,961
• Pedal Cyclist .....	1,055
• Pedestrian .....	165
Assault* .....	3,920
Struck by or against object or person .....	3,628
Overexertion .....	3,443
Natural or Environmental Factors .....	2,806
Fire, Heat, Chemical Burns .....	1,777
Cut and Pierce .....	1,610
Machinery .....	1,105
Suffocation .....	999

---

**Total Injury Hospitalizations** ..... **119,940**

\*Intentional cause of injury



# TECHNICAL NOTES

## Detailed causes of injury emergency department visits, Wisconsin, 2002-04.

**Injury Cause** **Number**

---

Falls .....	336,823
Struck by or against object or person .....	196,729
Cut and Pierce .....	149,690
Overexertion .....	146,656
<b>Motor Vehicle, Total</b> .....	<b>131,948</b>
• Occupant .....	111,716
• Motorcycle .....	6,044
• Pedestrian .....	4,761
• Pedal Cyclist .....	2,142
• Unspecified .....	7,285
Natural or Environmental Factors .....	62,053
Assault* .....	51,293
<b>Nontraffic Transportation, Total</b> .....	<b>42,777</b>
• Pedal Cyclist .....	21,675
• Transportation .....	19,891
• Pedestrian .....	1,211
Fire, Heat, Chemical Burns .....	25,308
Machinery .....	16,603
Poisoning .....	15,234
Self-harm* .....	14,582
Suffocation .....	1,735

---

<b>Total Injury Emergency Department Visits</b> .....	<b>1,191,431</b>
---	------------------

\*Intentional cause of injury



# TECHNICAL NOTES

Table 1: External cause of injury mortality (ICD-10)

Mechanism/ Cause of Injury	Unintentional	Suicide	Homicide
All causes	V01-X59, Y85-Y86	X60-X84, Y87.0 U03	X85-Y09, Y87.1 U01-U02
<b>Motor vehicle traffic crash</b>			
Occupant	V30-V39(.4-.9)		
	V40-V49(.4-.9)		
	V50-V59(.4-.9)		
	V60-V69(.4-.9)		
	V70-V79(.4-.9)		
	V83-V86(.0-.3)		
Motorcycle	V20-V28(.3-.9)		
	V29(.4-.9)		
Pedestrian	V02-V04(.1,.9)		
	V09.2		
Pedal cyclist	V12-V14(.3-.9)		
	V19(.4-.6)		
Unspecified	V87(.0-.8), V89.2		
Poisoning	X40-X49	X60-X69	X85-X90 U01.6-.7
Falls	W00-W19	X80	Y01
Suffocation	W75-W84	X70	X91
Drowning	W65-W74	X71	X92
Fire, heat, chemical burns	X00-X19	X76-X77	X97-X98, U01.3
Cut and pierce	W25-W29, W45	X78	X99
Struck by/against	W20-W22 W50-W52	X79	Y00, Y04
Machinery	W24, W30-W31		
<b>Non-traffic transportation</b>			
Transportation	V90-V99		U01.1
Pedal cyclist	V10-V11		
	V12-V14(.0-.2)		
	V15-V18		
	V19(.0-.3,.8,.9)		
Pedestrian	V01, V02-V04(.0)		
	V05, V06		
	V09(.0,.1,.3,.9)		
<b>Natural or environmental factors</b>			
	W42, W43		
	W53-W64		
	W92-W99		
	X20-X39		
	X51-X57		
Overexertion	X50		



# TECHNICAL NOTES

Table 2: Causes of injury hospitalization, framework of E code groupings (ICD-9-CM)

Mechanism/ Cause of Injury	Unintentional	Self-inflicted	Assault
All causes.....	E800-E869 E880-E929	E950-E959	E960-E969 E979
<b>Motor vehicle traffic crash</b>			
Occupant .....	E810-E819(.0,.1)		
Motorcycle .....	E810-E819(.2,.3)		
Pedestrian .....	E810-E819(.7)		
Pedal cyclist .....	E810-E819(.6)		
Unspecified .....	E810-E819(.9)		
Poisoning .....	E850.0-E869.9	E950.0-E952.9	E962(.0-.9)
Falls .....	E880.0-E886.9 E888	E957(.0-.9)	E968.1
Suffocation .....	E911-E913.9	E953.0-.9	E963
Drowning .....	E830(.0-.9) E832(.0-.9) E910(.0-.9)	E954	E964
Fire, heat, chemical burns.....	E890.0-E899 E924(.0-.9)	E958(.1,.2,.7)	E961 E979.3 E968(.0,.3)
Cut and pierce.....	E920(.0-.9)	E956	E966
Struck by/against .....	E916-E917.9		E960.0 E968.2
Machinery .....	E919(.0-.9)		
<b>Non-traffic transportation</b>			
Transportation .....	E800-E807(.0,.1,.8,.9) E820-E825(.0-.5,.8,.9) E826(.2-.8) E827-E829(.2-.9) E831(.0-.9) E833-E845(.0-.9)	E958.6	E988.6
Pedal cyclist .....	E800-E807(.3) E820-E825(.6) E826(.1,.9) E827-E829(.1)		
Pedestrian .....	E800-E807(.2) E820-E825(.7) E826-E829(.0)		
Natural or environmental factors	E900.0-E909 E928(.0-.2)	E958.3	
Overexertion .....	E927		



# GLOSSARY

**Assault:** Intentional infliction of bodily harm by another person.

**Cause (Mechanism) of injury:** The cause, or mechanism of injury, is the way in which the person sustained the injury; how the person was injured; or the process by which the injury occurred.

**Cut/Pierce:** This category includes injuries caused by cutting and piercing instruments, such as knives, swords, and daggers; power lawn mowers, power hand tools, and household appliances; and other specified and unspecified sharp objects.

**Drowning:** This category includes deaths from drowning and submersion with and without involvement of watercraft.

**Falls:** This category includes injuries from falls associated with various mechanisms.

**Fire:** This category includes injuries from fire and flames and from hot objects and substances.

**Homicide:** Death resulting from the intentional use of force or power, threatened or actual, against another person, group, or community.

**Hospitalization:** An inpatient stay at a hospital, with live discharge.

**Intent (Manner) of injury:** Intent of injury is whether an injury was caused by an act carried out on purpose by one's self or by another person(s), with the goal of injuring or killing.

**Machinery:** This category includes injuries associated with machinery used in various industrial and occupational activities.

**Morbidity:** Illness, disease, or disability; for the purposes of this report, non-fatal injury.

**Mortality:** Death; for the purposes of this report, fatal injury.

**Motor Vehicle Crash (MVC):** This category includes injuries resulting from motor-vehicle-traffic crashes involving automobiles, vans, trucks, motorcycles, and other motorized cycles known or assumed to be traveling on public roads or highways. Five major subcategories identifying the deceased's involvement in the traffic-related incidents are recommended for inclusion in the minimum reporting framework. These subcategories are specified using the





fourth digit of the E code, including a) occupant: vehicle occupant as driver or passenger; b) motorcyclist as driver or passenger; c) pedal cyclist: whose death resulted from a collision between a pedal cycle (e.g., bicycle) and motor vehicle in traffic; d) pedestrian: whose death resulted from being hit by a motor vehicle on a public road or highway; and e) unspecified: a death where the deceased was coded as "unspecified person."

**Non-traffic Transportation:** This category includes injuries resulting from crashes involving pedal cyclists, pedestrians, and other modes of transportation, or crashes between the aforementioned and motor vehicles in a non-traffic situation (i.e., private driveway or road).

**Natural/Environmental Factors:** This category combines several distinct factors, including exposure to the elements (weather), lack of food or water (without the intent to harm), and venomous animals and toxic plants.

**Overexertion:** This category includes injuries sustained from excessive physical exercise, overexertion from lifting, pulling, or pushing, and strenuous movements in recreational and other activities.

**Poisoning:** This category includes unintentional poisoning by drugs, medicinal substances, biologicals, solid and liquid substances, and gases and vapors. Unintentional drug or alcohol overdoses are included in this category.

**Rate:** The number of people experiencing some event, such as death or hospitalization due to injury, divided by the number of people at risk for the event, for a specified period of time. Rates are expressed in terms of a unit of population. In this report, rates are always expressed per 100,000.

**Self-harm:** Intentional infliction of bodily harm to one's self.

**Struck By/Against:** This category includes injuries resulting from being struck by or striking against objects or persons.

**Suffocation:** This category represents two major ways in which suffocation causes deaths: a) by the inhalation or ingestion of food or other objects that block respiration and b) by other mechanical means that hinder breathing.

**Suicide:** Intentionally self-inflicted injury that results in death.





*A partnership of:*

**Injury Research Center - Medical College of Wisconsin  
Children's Health Alliance of Wisconsin  
Wisconsin Department of Health and Family Services**



*Questions and/or comments:*

**Wisconsin Department of Health and Family Services  
Injury Prevention Program  
Brianna Kopp, MPH**

**(608) 267-6716**

[koppbc@dhfs.state.wi.us](mailto:koppbc@dhfs.state.wi.us)

<http://www.dhfs.wisconsin.gov/health/injuryprevention/>

*Request additional copies:*

**Children's Health Alliance of Wisconsin**

**(414) 390-2191**

<http://www.chawisconsin.org>