

The
Burden of Injury
in Wisconsin

Homicide

Cut/pierce

Nontraffic Transportation

Assault Overexertion

Motor Vehicle Crash

Poisoning

Falls

Drowning

Struck by/against

Suicide

Self-harm

Fall, **2011**

Burden of Injury in Wisconsin

Released Fall, 2011

A partnership of:

This report was developed through a partnership between the Injury Research Center at the Medical College of Wisconsin, Children's Health Alliance of Wisconsin and The Wisconsin Department of Health Services' Injury and Violence Prevention Program. This effort was funded in part by U.S. Centers for Disease Control and Prevention grant R49/CE001175 and Cooperative Agreement Award Number U17/CE524815.




Wisconsin Department of Health Services
Division of Public Health
P-00283 (10/11)

The partners would like to acknowledge the special efforts of:

Amy Schlotthauer, MPH, Evaluation Specialist, Injury Research Center, Medical College of Wisconsin
Tara Goris, MS, Graphic Design and Communications Specialist, Children's Health Alliance of Wisconsin
Rebecca Turpin, MA, Injury and Violence Prevention Coordinator, Wisconsin Injury and Violence Prevention Program


Table of Contents

Executive Summary	1
The Burden of Injury in Wisconsin	4
• Wisconsin - All Ages	5
• Wisconsin - Children	6
• Wisconsin - Adults	7
Wisconsin Counties	8
• Adams County	8
• Ashland County.....	10
• Barron County.....	12
• Bayfield County	14
• Brown County.....	16
• Buffalo County	18
• Burnett County	20
• Calumet County	22
• Chippewa County	24
• Clark County.....	26
• Columbia County	28
• Crawford County	30
• Dane County.....	32
• Dodge County.....	34
• Door County	36
• Douglas County	38
• Dunn County.....	40
• Eau Claire County.....	42
• Florence County	44
• Fond du Lac County	46
• Forest County	48
• Grant County	50




Wisconsin Counties Continued

• Green County	52
• Green Lake County	54
• Iowa County	56
• Iron County	58
• Jackson County	60
• Jefferson County	62
• Juneau County	64
• Kenosha County	66
• Kewaunee County	68
• La Crosse County	70
• Lafayette County	72
• Langlade County	74
• Lincoln County	76
• Manitowoc County	78
• Marathon County	80
• Marinette County	82
• Marquette County	84
• Menominee County	86
• Milwaukee County	88
• Monroe County	90
• Oconto County	92
• Oneida County	94
• Outagamie County	96
• Ozaukee County	98
• Pepin County	100
• Pierce County	102
• Polk County	104
• Portage County	106
• Price County	108



Wisconsin Counties Continued

• Racine County.....	110
• Richland County	112
• Rock County	114
• Rusk County	116
• St. Croix County	118
• Sauk County	120
• Sawyer County	122
• Shawano County.....	124
• Sheboygan County	126
• Taylor County	128
• Trempealeau County	130
• Vernon County	132
• Vilas County	134
• Walworth County	136
• Washburn County	138
• Washington County.....	140
• Waukesha County	142
• Waupaca County.....	144
• Waushara County	146
• Winnebago County	148
• Wood County	150
Technical Notes	152
WISH Tutorial	156
Glossary	165



EXECUTIVE SUMMARY


Purpose of the report

The disease burden of injuries among children and adults in Wisconsin remains significant. Injuries are the leading cause of death in Wisconsin residents ages 1-44 years and a significant cause of morbidity and mortality in all ages. Injuries result in over almost 2 billion dollars in unnecessary medical costs each year in Wisconsin. In addition to economic loss, injuries result in loss of productivity and stress to the victim, family and other caregivers. Even injuries that do not result in loss of life may have significant physical, emotional and financial effects.

The **Burden of Injury in Wisconsin** was first released five years ago in an effort to heighten awareness of the significant problem injury presents to Wisconsin residents and to provide critical information to community members and leaders, health and safety professionals so they could successfully initiate and support injury prevention efforts. This updated report gives updated data using data from the Wisconsin Interactive Statistics on Health (WISH) system. WISH is publicly accessible via the Internet and allows the user to query injury mortality, hospitalization and emergency department data tailored to their needs. We encourage you to use this report as a stepping stone to using WISH to build data driven efforts occurring at the local level. A tutorial for using WISH in this capacity can be found on page 156. The first release of the Burden of Injury in Wisconsin did not use data from WISH and thus comparisons cannot be made between the two reports. If you wish to make comparisons between the data reported here and previous years, you can use the included tutorial to find comparable data for earlier years.

What you will find in this report

Wisconsin is comprised of 72 counties, each with unique needs and concerns. This report is intended to capture the impact of injury within the State and for each county, as well as create a statewide picture of the challenges we face. This report provides an excellent starting point for the development and enhancement of injury prevention efforts; however, certain aspects of the injury burden could not be captured at the county level. Dedicated efforts to conduct surveillance on injury-related deaths, hospitalizations and emergency department visits allows for a clearer picture of the injury burden.



EXECUTIVE SUMMARY

Key findings 2007-09

- Over 10,000 Wisconsin residents died from an injury, resulting in a rate of 61 deaths per 100,000. This is a 7% increase from 2002-04.
- Injuries resulted in over 1.3 million visits to Wisconsin emergency departments, resulting in a rate of 7,733 visits per 100,000. This is a rate decrease of 10% from 2002-04.
- More than 167,000 admissions to Wisconsin hospitals were injury-related, resulting in a rate of 984 visits per 100,000. This is a rate increase of 8% from 2002-04.
- Compared to all other racial and ethnic groups, American Indians had the highest rate of all injury-related fatalities.*
- The rate of death from homicide in Wisconsin was 3.02 homicides per 100,000 people, down from 3.22 for 2002-04. When compared by race, Blacks had a rate of 22.3 homicides per 100,000 as compared to a rate of 1.7 homicides per 100,000 for Whites, American Indians, and Asians combined.*
- Hispanics had lower rates of death from all injuries; however, their rate of death from homicide was 1.5 times that of non-Hispanics.*
- Violent deaths, those resulting from suicide or homicide, totaled 2,699 for a rate of 16 per 100,000. This is a 7% rate increase from 2002-04.
- Of those violent deaths, there were more than four suicides for every one homicide.
- Firearms were the leading cause of injury for these violent deaths.
- In 2007, Wisconsin had the fourth highest rate in the nation of death from injury caused by unintentional falls.


*Information on race and ethnicity is not provided for each county. For further information, please refer to the contact information on the back cover of this report.

How you can use this report

The ultimate goal of this report is to help drive local and state injury prevention programming, initiatives and evaluation and to serve as a catalyst for injury-related policy development. Additional information on injury-related evidence based programs and policies can be found at <http://www.cdc.gov/injury>.


The following usages may be most helpful:

- Raise awareness among the public and media about the burden of injuries in Wisconsin and within the state's 72 counties;
- Educate your legislators at the local, state and national level;
- Use as a guide when planning injury prevention efforts and allocating resources;
- Collaborate with surrounding counties, counties with similar challenges or the state to maximize injury prevention strategies and resources;
- Gather data from WISH for your program's specific needs.



THE BURDEN OF INJURY


STATE & COUNTY



THE BURDEN OF INJURY

The following three pages present the burden of injury to all Wisconsin residents from 2007-09, first across the lifespan and then more detailed by age category for children and adults. The subsequent pages provide a snapshot of the injury burden for each county in Wisconsin for the same time period. The first county page shows ranked injury counts and rates in the county compared to Wisconsin. The second county page provides more specific ranked injury causes for three age categories--child, adult and older adult.

In both the state and county pages, there are brief descriptions of the economic costs associated with injury, as described through emergency department visit and inpatient hospitalization charges. However, this description does not include other costs, including loss of productivity (economic loss to the individual, family, and work force) or years of potential life lost (YPLL) due to injury mortality. These costs represent a substantial segment of the injury cost burden and should not be ignored when considering the impact that reduction in injury events could provide. Brief technical notes may also be found on both the state and county pages, with a reference to the more detailed technical notes beginning on page 153.



WISCONSIN - ALL AGES

Population 5,679,639

Injury Deaths (2007-09)

Rank	Injury Deaths	Number (2007-09)	Annual Rate Per 100,000
1	Falls	2,763	16
2	Suicide	2,185	13
3	MVC	1,840	11
4	Poisoning	1,525	9
5	Homicide	514	3

Descriptive Notes:

- There were 10,404 injury-related deaths in Wisconsin during 2007-09 (7% increase from 2002-04).
- Ranked causes of death vary by age; however, falls resulted in the greatest number of injury deaths among Wisconsin residents.
- In 2009 alone, injury deaths to Wisconsin residents result in 77,503 years of potential life lost (YPLL) before age 75.

Injury Hospitalizations (2007-09)

Rank	Injury Hospitalizations	Number (2007-09)	Annual Rate Per 100,000
1	Falls	75,056	441
2	Self-harm	16,640	98
3	MVC	13,219	78
4	Poisoning	8,020	47
5	Nontraffic Trans	4,587	27

Descriptive Notes:

- During 2007-09, there were 167,223 injury-related inpatient hospitalizations in Wisconsin (8% increase from 2002-04).
- While the greatest number of fall-related hospitalizations occurred among Wisconsin residents between ages 65 and 84, those age 85 and older had the highest rate of fall-related hospitalizations at 6,299 per 100,000 people.

Injury Emergency Department Visits (2007-09)

Rank	Injury Emergency Department Visits	Number (2007-09)	Annual Rate Per 100,000
1	Falls	379,254	2,232
2	Struck (by/against)	175,276	1,031
3	Cut/pierce	122,657	722
4	Overexertion	121,424	715
5	MVC	115,728	681

Descriptive Notes:

- During 2007-09, there were 1,314,093 injury-related emergency-department visits in Wisconsin (10% decrease from 2002-04).
- Falls resulted in the greatest number of injury-related emergency department visits. Those ages 80 to 84 and age 85 and older had the highest rates of fall-related emergency department visits, at 5,384 and 8,891 per 100,000, respectively. Children ages 1 to 4 followed with a rate of 4,325 per 100,000.

Costs:

- The average charge per injury-related emergency department visit in Wisconsin during 2007-09 was \$1,047.60 (78.1% increase from 2002-04).
- The average charge per injury-related inpatient hospitalization in Wisconsin during 2007-09 was \$26,322.88 (49.7% increase from 2002-04).
- The average length of injury-related inpatient hospitalization in Wisconsin during 2007-09 was 5.18 days (2.3% decrease from 2002-04), with an average charge of \$5,082.64 per day (53.2% increase from 2002-04).



WISCONSIN - CHILDREN

Ages 0-17 Years

Number of Injury Deaths (2007-09)

Rank	<1 Year	1 – 4 Years	5 – 9 Years	10 – 14 Years	15 – 17 Years
1	Suffocation 76	Drowning 15	MVC 21	MVC 30	MVC 103
2	Homicide 33	Homicide 15	Fire 12	Suicide 12	Suicide 47
3	MVC 7	Suffocation 11	Drowning 6	Poisoning 8	Homicide 24
4	Nat/Env Factors <5	Nontraffic Trans 11	Nontraffic Trans 6	Homicide 7	Nontraffic Trans 16
5	Falls <5	MVC 9	Homicide <5	Drowning 6	Poisoning 15

Number of Injury Hospitalizations (2007-09)


Rank	<1 Year	1 – 4 Years	5 – 9 Years	10 – 14 Years	15 – 17 Years
1	Falls 227	Falls 496	Falls 545	Self-harm 626	Self-harm 1,767
2	Assault 218	Poisoning 454	MVC 191	Falls 587	MVC 728
3	Suffocation 75	Fire 311	Nontraffic Trans 183	Nontraffic Trans 349	Falls 362
4	Poisoning 73	Nat/Env Factors 161	Struck (by/against) 135	MVC 287	Struck (by/against) 278
5	Fire 58	MVC 116	Nat/Env Factors 107	Struck (by/against) 254	Nontraffic Trans 249

Number of Injury Emergency Department Visits (2007-09)

Rank	<1 Year	1 – 4 Years	5 – 9 Years	10 – 14 Years	15 – 17 Years
1	Falls 5,884	Falls 37,730	Falls 25,547	Falls 25,428	Struck (by/against) 18,916
2	Struck (by/against) 1,315	Struck (by/against) 15,329	Struck (by/against) 16,199	Struck (by/against) 24,024	Falls 13,893
3	Poisoning 974	Nat/Env Factors 6,371	Cut/pierce 6,146	Overexertion 8,159	MVC 8,922
4	MVC 542	Cut/pierce 4,609	Nat/Env Factors 5,472	Cut/pierce 7,663	Overexertion 8,031
5	Fire 438	Poisoning 4,571	Nontraffic Trans 4,976	Nontraffic Trans 7,108	Cut/pierce 6,198

Technical Notes (detailed notes can be found on page 153):

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WISCONSIN - ADULTS

Ages 18-85+ Years

Number of Injury Deaths (2007-09)

Rank	18 – 24 Years	25 – 44 Years	45 – 64 Years	65 – 84 Years	85+ Years
1	MVC 357	Suicide 754	Suicide 852	Falls 970	Falls 1,433
2	Suicide 232	Poisoning 658	Poisoning 639	MVC 267	Suffocation 56
3	Poisoning 136	MVC 509	MVC 483	Suicide 248	MVC 54
4	Homicide 115	Homicide 209	Falls 266	Suffocation 67	Suicide 40
5	Nontraffic Trans 29	Nontraffic Trans 70	Homicide 82	Poisoning 50	Poisoning 15

Number of Injury Hospitalizations (2007-09)


Rank	18 – 24 Years	25 – 44 Years	45 – 64 Years	65 – 84 Years	85+ Years
1	Self-harm 3,301	Self-harm 6,867	Falls 14,026	Falls 30,812	Falls 22,014
2	MVC 2,228	Falls 4,837	MVC 3,779	MVC 1,725	Poisoning 359
3	Falls 1,120	MVC 3,814	Self-harm 3,626	Poisoning 1,516	MVC 341
4	Assault 873	Poisoning 1,949	Poisoning 2,757	Overexertion 938	Struck (by/against) 338
5	Poisoning 621	Assault 1,656	Nontraffic Trans 1,410	Struck (by/against) 773	Overexertion 320

Number of Injury Emergency Department Visits (2007-09)

Rank	18 – 24 Years	25 – 44 Years	45 – 64 Years	65 – 84 Years	85+ Years
1	Falls 31,889	Falls 76,370	Falls 72,993	Falls 58,447	Falls 31,073
2	Struck (by/against) 26,475	Overexertion 49,247	Cut/pierce 26,310	Cut/pierce 7,028	Struck (by/against) 1,651
3	MVC 25,708	Struck (by/against) 43,680	MVC 23,568	Struck (by/against) 6,236	Overexertion 970
4	Cut/pierce 21,324	Cut/pierce 42,277	Overexertion 23,189	MVC 6,177	Cut/pierce 768
5	Overexertion 19,720	MVC 40,699	Struck (by/against) 21,451	Nat/Env Factors 5,808	MVC 726

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



ADAMS COUNTY


Population 21,470

Injury Deaths (2007-09)




	Wisconsin		Adams	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	13	20*
MVC	1,840	11	10	16*
Falls	2,763	16	9	14*
Poisoning	1,525	9	6	9*
Nontraffic Trans	251	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Adams	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	189	293
MVC	13,219	78	45	70
Self-harm	16,640	98	40	62
Poisoning	8,020	47	20	31*
Struck (by/against)	3,868	23	14	22*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Adams	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,338	2,076
Struck (by/against)	175,276	1,031	576	894
Overexertion	121,424	715	404	627
Cut/pierce	122,657	722	402	624
Nat/Env Factors	58,702	345	386	599

Costs:

- The average charge per injury-related emergency department visit in Adams County during 2007-09 was \$908.95.
- The average charge per injury-related inpatient hospitalization in Adams County during 2007-09 was \$27,833.69.
- The average length of injury-related inpatient hospitalization in Adams County during 2007-09 was 5.99 days, with an average charge of \$4,646.69 per day.



ADAMS COUNTY

Population 21,470

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	9	89*
Fire	5	49*
Struck (by/against)	5	49*
Falls	3	30*
Nontraffic Trans	3	30*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	263	2,593
Struck (by/against)	263	2,593
Nat/Env Factors	120	1,183
Cut/pierce	95	937
Overexertion	78	769

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Adams County during 2007-09.
- There were 37 injury-related hospitalizations and 1,094 injury-related emergency department visits in children in Adams County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	56	136
MVC	34	83
Self-harm	29	70
Poisoning	11	27*
Nat/Env Factors	5	12*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	655	1,591
Overexertion	293	712
Cut/pierce	270	656
Struck (by/against)	263	639
Nat/Env Factors	207	503

Descriptive Notes:

- Twenty nine injury-related deaths occurred in adults in Adams County during 2007-09. The majority of these deaths were caused by motor vehicle crashes.
- There were 238 injury-related inpatient hospitalizations and 2,530 injury-related emergency department visits in adults in Adams County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	130	989
MVC	9	68*
Poisoning	7	53*
Struck (by/against)	5	38*
Nat/Env Factors	<5	-


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	420	3,194
Nat/Env Factors	59	449
Struck (by/against)	50	380
Cut/pierce	37	281
Overexertion	33	251

Descriptive Notes:

- Fourteen injury-related deaths occurred in older adults in Adams County during 2007-09. The majority of these deaths were caused by falls.
- There were 212 injury-related hospitalizations and 731 injury-related emergency department visits in older adults in Adams County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



ASHLAND COUNTY


Population 16,769

Injury Deaths (2007-09)




	Wisconsin		Ashland	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	12	24*
Poisoning	1,525	9	5	10*
MVC	1,840	11	<5	–
Suicide	2,185	13	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Ashland	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	233	463
Self-harm	16,640	98	116	231
MVC	13,219	78	18	36*
Poisoning	8,020	47	16	32*
Nontraffic Trans	4,587	27	16	32*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Ashland	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,048	2,083
Struck (by/against)	175,276	1,031	381	757
Cut/pierce	122,657	722	343	682
Overexertion	121,424	715	239	475
Nat/Env Factors	58,702	345	202	401

Costs:

- The average charge per injury-related emergency department visit in Ashland County during 2007-09 was \$1,148.17.
- The average charge per injury-related inpatient hospitalization in Ashland County during 2007-09 was \$13,693.36.
- The average length of injury-related inpatient hospitalization in Ashland County during 2007-09 was 4.24 days, with an average charge of \$3,229.57 per day.



ASHLAND COUNTY

Population 16,769

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	21	184
Nontraffic Trans	8	70*
Falls	<5	–
Struck (by/against)	<5	–
MVC	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	250	2,187
Struck (by/against)	159	1,391
Cut/pierce	63	551
Nat/Env Factors	61	534
Overexertion	39	341

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Ashland County during 2007-09.
- There were 50 injury-related hospitalizations and 853 injury-related emergency department visits in children in Ashland County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	92	296
Falls	67	215
Poisoning	11	35*
MVC	9	29*
Nontraffic Trans	7	22*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	496	1,593
Cut/pierce	250	803
Struck (by/against)	195	626
Overexertion	178	572
MVC	130	418

Descriptive Notes:

- Eleven injury-related deaths occurred in adults in Ashland County during 2007-09. The majority of these deaths were caused by poisoning.
- There were 251 injury-related inpatient hospitalizations and 2,041 injury-related emergency department visits in adults in Ashland County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	162	2,090
MVC	7	90*
Overexertion	6	77*
Struck (by/against)	<5	–
Nat/Env Factors	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	302	3,895
Cut/pierce	30	387
Nat/Env Factors	29	374
Struck (by/against)	27	348
Overexertion	22	284

Descriptive Notes:

- Fifteen injury-related deaths occurred in older adults in Ashland County during 2007-09. The majority of these deaths were caused by falls.
- There were 224 injury-related hospitalizations and 519 injury-related emergency department visits in older adults in Ashland County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



BARRON COUNTY


Population 47,397

Injury Deaths (2007-09)




	Wisconsin		Barron	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	21	15
Suicide	2,185	13	19	13*
Falls	2,763	16	18	13*
Poisoning	1,525	9	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)




	Wisconsin		Barron	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	634	447
Self-harm	16,640	98	119	84
MVC	13,219	78	82	58
Struck (by/against)	3,868	23	35	25
Poisoning	8,020	47	34	24

Injury Emergency Department Visits (2007-09)



	Wisconsin		Barron	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	3,289	2,319
Struck (by/against)	175,276	1,031	1,594	1,124
Cut/pierce	122,657	722	1,134	799
Overexertion	121,424	715	1,049	740
Nat/Env Factors	58,702	345	878	619



Costs:

- The average charge per injury-related emergency department visit in Barron County during 2007-09 was \$703.26.
- The average charge per injury-related inpatient hospitalization in Barron County during 2007-09 was \$17,532.72.
- The average length of injury-related inpatient hospitalization in Barron County during 2007-09 was 4.38 days, with an average charge of \$4,002.90 per day.

BARRON COUNTY

Population 47,397

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	19	64*
Falls	13	44*
Struck (by/against)	10	34*
Nat/Env Factors	7	24*
MVC	6	20*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	944	3,187
Struck (by/against)	769	2,596
Nat/Env Factors	255	861
Overexertion	233	787
Cut/pierce	230	776

Descriptive Notes:

- Five injury-related deaths occurred in children in Barron County during 2007-09. The majority of these deaths were caused by motor vehicle crashes.
- There were 73 injury-related hospitalizations and 3,437 injury-related emergency department visits in children in Barron County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	124	141
Self-harm	96	109
MVC	63	72
Poisoning	22	25
Assault	19	22*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,430	1,625
Cut/pierce	828	941
Overexertion	753	855
Struck (by/against)	736	836
MVC	588	668

Descriptive Notes:

- Forty injury-related deaths occurred in adults in Barron County during 2007-09. The majority of these deaths were suicides.
- There were 509 injury-related inpatient hospitalizations and 6,740 injury-related emergency department visits in adults in Barron County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	497	2,054
Overexertion	14	58*
MVC	13	54*
Poisoning	11	45*
Nat/Env Factors	10	41*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	915	3,781
Nat/Env Factors	132	545
Struck (by/against)	89	368
Cut/pierce	76	314
MVC	75	310

Descriptive Notes:

- Twenty five injury-related deaths occurred in older adults in Barron County during 2007-09. The majority of these deaths were caused by falls.
- There were 632 injury-related hospitalizations and 1,587 injury-related emergency department visits in older adults in Barron County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



BAYFIELD COUNTY


Population 15,963

Injury Deaths (2007-09)




	Wisconsin		Bayfield	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	10	21*
Suicide	2,185	13	7	15*
Falls	2,763	16	7	15*
Poisoning	1,525	9	<5	–
Nat/Env Factors	84	<1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Bayfield	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	149	313
Self-harm	16,640	98	39	82
MVC	13,219	78	24	50
Poisoning	8,020	47	17	36*
Nontraffic Trans	4,587	27	13	28*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Bayfield	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	753	1,580
Struck (by/against)	175,276	1,031	268	562
Cut/pierce	122,657	722	243	510
Overexertion	121,424	715	208	437
Nat/Env Factors	58,702	345	197	413

Costs:

- The average charge per injury-related emergency department visit in Bayfield County during 2007-09 was \$117.85.
- The average charge per injury-related inpatient hospitalization in Bayfield County during 2007-09 was \$13,672.62.
- The average length of injury-related inpatient hospitalization in Bayfield County during 2007-09 was 4.04 days, with an average charge of \$3,384.31 per day.



BAYFIELD COUNTY

Population 15,963

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	9	93*
Falls	<5	–
Nontraffic Trans	<5	–
Poisoning	<5	–
MVC	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	145	1,500
Struck (by/against)	111	1,149
Cut/pierce	41	424
Overexertion	41	424
Nat/Env Factors	40	414

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Bayfield County during 2007-09.
- There were 23 injury-related hospitalizations and 544 injury-related emergency department visits in children in Bayfield County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	30	101
Self-harm	29	98
MVC	17	57*
Poisoning	13	44*
Nontraffic Trans	11	37*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	341	1,147
Cut/pierce	171	375
Overexertion	151	508
Struck (by/against)	137	461
MVC	114	383

Descriptive Notes:

- Twenty three injury-related deaths occurred in adults in Bayfield County during 2007-09. The majority of these deaths were suicides.
- There were 149 injury-related inpatient hospitalizations and 1,477 injury-related emergency department visits in adults in Bayfield County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	115	1,395
MVC	6	73*
Poisoning	<5	–
Struck (by/against)	<5	–
Nat/Env Factors	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	267	3,240
Nat/Env Factors	47	570
Cut/pierce	31	376
Struck (by/against)	20	243*
MVC	19	231*

Descriptive Notes:

- Seventeen injury-related deaths occurred in older adults in Bayfield County during 2007-09. The majority of these deaths were caused by motor vehicle crashes.
- There were 155 injury-related hospitalizations and 491 injury-related emergency department visits in older adults in Bayfield County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



BROWN COUNTY


Population 246,466

Injury Deaths (2007-09)




	Wisconsin		Brown	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	106	14
Falls	2,763	16	102	14
MVC	1,840	11	69	9
Poisoning	1,525	9	36	5
Homicide	514	3	15	2*

Injury Hospitalizations (2007-09)




	Wisconsin		Brown	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	2,643	359
Self-harm	16,640	98	713	97
MVC	13,219	78	512	70
Poisoning	8,020	47	308	42
Struck (by/against)	3,868	23	149	20

Injury Emergency Department Visits (2007-09)



	Wisconsin		Brown	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	16,844	2,288
Struck (by/against)	175,276	1,031	8,738	1,187
Overexertion	121,424	715	6,666	905
Cut/pierce	122,657	722	6,358	864
MVC	115,728	681	4,708	640



Costs:

- The average charge per injury-related emergency department visit in Brown County during 2007-09 was \$977.94.
- The average charge per injury-related inpatient hospitalization in Brown County during 2007-09 was \$24,352.44.
- The average length of injury-related inpatient hospitalization in Brown County during 2007-09 was 4.88 days, with an average charge of \$4,990.25 per day.

BROWN COUNTY

Population 246,466

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	137	76
Falls	81	45
MVC	57	32
Poisoning	36	20
Struck (by/against)	35	19

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	4,725	2,632
Struck (by/against)	3,742	2,084
Cut/pierce	1,247	695
Overexertion	974	543
MVC	717	399

Descriptive Notes:

- Nineteen injury-related deaths occurred in children in Brown County during 2007-09. The majority of these deaths were caused by suffocation.
- There were 581 injury-related hospitalizations and 15,659 injury-related emergency department visits in children in Brown County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	755	159
Self-harm	553	116
MVC	402	85
Poisoning	189	40
Assault	131	28

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	8,456	1,780
Overexertion	5,324	1,120
Cut/pierce	4,763	1,002
Struck (by/against)	4,617	972
MVC	3,760	791

Descriptive Notes:

- Two hundred fifty five injury-related deaths occurred in adults in Brown County during 2007-09. The majority of these deaths were suicides.
- There were 3,268 injury-related inpatient hospitalizations and 40,541 injury-related emergency department visits in adults in Brown County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,807	2,217
Poisoning	83	102
Overexertion	60	74
MVC	53	65
Nat/Env Factors	40	49


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,663	4,495
Struck (by/against)	379	465
Overexertion	368	452
Cut/pierce	348	427
MVC	231	283

Descriptive Notes:

- One hundred eleven injury-related deaths occurred in older adults in Brown County during 2007-09. The majority of these deaths were caused by falls.
- There were 2,630 injury-related hospitalizations and 6,205 injury-related emergency department visits in older adults in Brown County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



BUFFALO COUNTY


Population 14,004

Injury Deaths (2007-09)




	Wisconsin		Buffalo	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	7	17*
MVC	1,840	11	6	14*
Suicide	2,185	13	<5	-
Poisoning	1,525	9	<5	-
N/A	N/A	N/A	N/A	N/A

Injury Hospitalizations (2007-09)



	Wisconsin		Buffalo	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	117	277
Self-harm	16,640	98	39	92
MVC	13,219	78	33	78
Nontraffic Trans	4,587	27	9	21*
Poisoning	8,020	47	7	17*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Buffalo	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	424	1,005
Struck (by/against)	175,276	1,031	192	455
Cut/pierce	122,657	722	167	396
Overexertion	121,424	715	136	322
MVC	115,728	681	122	289

Costs:

- The average charge per injury-related emergency department visit in Buffalo County during 2007-09 was \$1,021.32.
- The average charge per injury-related inpatient hospitalization in Buffalo County during 2007-09 was \$26,030.41.
- The average length of injury-related inpatient hospitalization in Buffalo County during 2007-09 was 4.93 days, with an average charge of \$5,280.00 per day.



BUFFALO COUNTY

Population 14,004

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5	54*
MVC	<5	–
Self-harm	<5	–
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	125	1,339
Struck (by/against)	88	943
MVC	41	439
Nat/Env Factors	30	321
Cut/pierce	26	279

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Buffalo County during 2007-09.
- There were 13 injury-related hospitalizations and 408 injury-related emergency department visits in children in Buffalo County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	35	136
Self-harm	35	136
MVC	26	101
Nontraffic Trans	9	35*
Poisoning	5	19*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	192	746
Cut/pierce	131	509
Overexertion	102	396
Struck (by/against)	95	369
MVC	75	291

Descriptive Notes:

- Thirteen injury-related deaths occurred in adults in Buffalo County during 2007-09. The majority of these deaths were suicides.
- There were 145 injury-related inpatient hospitalizations and 916 injury-related emergency department visits in adults in Buffalo County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	77	1,080
MVC	<5	–
Poisoning	<5	–
Suffocation	<5	–
Overexertion	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	107	1,500
Overexertion	13	182*
Cut/pierce	10	140*
Struck (by/against)	9	126*
Nat/Env Factors	8	112*

Descriptive Notes:

- Five injury-related deaths occurred in older adults in Buffalo County during 2007-09. The majority of these deaths were caused by falls.
- There were 107 injury-related hospitalizations and 190 injury-related emergency department visits in older adults in Buffalo County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



BURNETT COUNTY


Population 16,600

Injury Deaths (2007-09)




	Wisconsin		Burnett	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	11	22*
Suicide	2,185	13	8	16*
Poisoning	1,525	9	7	14*
MVC	1,840	11	<5	-
Nontraffic Trans	251	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Burnett	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,056	441	134	268
Self-harm	16,640	98	12	24*
Nat/Env Factors	3,417	20	7	14*
Overexertion	3,276	19	7	14*
Nontraffic Trans	4,587	27	6	12*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Burnett	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,089	2,181
Struck (by/against)	175,276	1,031	508	1,017
Cut/pierce	122,657	722	383	767
Overexertion	121,424	715	344	689
Nat/Env Factors	58,702	345	321	643

Costs:

- The average charge per injury-related emergency department visit in Burnett County during 2007-09 was \$752.76.
- The average charge per injury-related inpatient hospitalization in Burnett County during 2007-09 was \$11,128.98.
- The average length of injury-related inpatient hospitalization in Burnett County during 2007-09 was 3.76 days, with an average charge of \$2,959.84 per day.



BURNETT COUNTY

Population 16,600

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	<5	–
Poisoning	<5	–
Self-harm	<5	–
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	314	3,563
Struck (by/against)	234	2,655
Cut/pierce	103	1,169
Nat/Env Factors	78	885
Overexertion	60	681

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Burnett County during 2007-09.
- There were less than 5 injury-related hospitalizations and 1,046 injury-related emergency department visits in children in Burnett County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	21	69
Self-harm	11	36*
Nontraffic Trans	5	17*
MVC	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	455	1,505
Overexertion	248	820
Cut/pierce	244	807
Struck (by/against)	239	791
Nat/Env Factors	144	476

Descriptive Notes:

- Twenty five injury-related deaths occurred in adults in Burnett County during 2007-09.
- There were 69 injury-related inpatient hospitalizations and 2,018 injury-related emergency department visits in adults in Burnett County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	112	1,029
Nat/Env Factors	<5	–
Overexertion	<5	–
Poisoning	<5	–
MVC	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	320	2,939
Nat/Env Factors	99	909
Cut/pierce	36	331
Overexertion	36	331
Struck (by/against)	35	321

Descriptive Notes:

- Eleven injury-related deaths occurred in older adults in Burnett County during 2007-09. The majority of these deaths were caused by falls.
- There were 132 injury-related hospitalizations and 617 injury-related emergency department visits in older adults in Burnett County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



CALUMET COUNTY


Population 46,116

Injury Deaths (2007-09)




	Wisconsin		Calumet	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	25	18
MVC	1,840	11	18	13*
Falls	2,763	16	15	11*
Poisoning	1,525	9	6	4*
Homicide	514	3	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Calumet	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	277	201
MVC	13,219	78	51	37
Self-harm	16,640	98	36	26
Nontraffic Trans	4,587	27	21	15
Poisoning	1,525	9	18	13*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Calumet	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,616	1,173
Struck (by/against)	175,276	1,031	1,208	877
Overexertion	121,424	715	649	471
Cut/pierce	122,657	722	580	421
MVC	115,728	681	388	282

Costs:

- The average charge per injury-related emergency department visit in Calumet County during 2007-09 was \$739.22.
- The average charge per injury-related inpatient hospitalization in Calumet County during 2007-09 was \$20,118.02.
- The average length of injury-related inpatient hospitalization in Calumet County during 2007-09 was 4.64 days, with an average charge of \$4,335.78 per day.



CALUMET COUNTY

Population 46,116

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	7	19*
Self-harm	7	19*
MVC	5	14*
Fire	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Struck (by/against)	587	1,621
Falls	420	1,160
Cut/pierce	113	312
Overexertion	112	309
MVC	81	224

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Calumet County during 2007-09.
- There were 37 injury-related hospitalizations and 1,764 injury-related emergency department visits in children in Calumet County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	56	65
MVC	36	42
Self-harm	28	32
Nontraffic Trans	18	21*
Poisoning	13	15*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	738	851
Struck (by/against)	557	642
Overexertion	485	559
Cut/pierce	422	487
MVC	283	326

Descriptive Notes:

- Forty five injury-related deaths occurred in adults in Calumet County during 2007-09. The majority of these were suicides.
- There were 225 injury-related inpatient hospitalizations and 3,591 injury-related emergency department visits in adults in Calumet County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	214	1,441
MVC	10	67*
Suffocation	<5	–
Struck (by/against)	<5	–
Overexertion	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	458	3,085
Struck (by/against)	64	431
Cut/pierce	45	303
Nat/Env Factors	28	189
MVC	24	162

Descriptive Notes:

- Twenty three injury-related deaths occurred in older adults in Calumet County during 2007-09. The majority of these deaths were caused by falls.
- There were 276 injury-related hospitalizations and 778 injury-related emergency department visits in older adults in Calumet County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



CHIPPEWA COUNTY


Population 61,828

Injury Deaths (2007-09)




	Wisconsin		Chippewa	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	44	24
Suicide	2,185	13	20	11*
MVC	1,840	11	18	10*
Nontraffic Trans	251	1	10	5*
Poisoning	1,525	9	7	4*

Injury Hospitalizations (2007-09)



	Wisconsin		Chippewa	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	806	436
Self-harm	16,640	98	192	104
MVC	13,219	78	139	75
Nontraffic Trans	4,587	27	88	48
Poisoning	8,020	47	68	37


Injury Emergency Department Visits (2007-09)



	Wisconsin		Chippewa	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	4,262	2,305
Struck (by/against)	175,276	1,031	1,984	1,073
Overexertion	121,424	715	1,891	1,023
Cut/pierce	122,657	722	1,827	988
MVC	115,728	681	872	472

Costs:

- The average charge per injury-related emergency department visit in Chippewa County during 2007-09 was \$964.70.
- The average charge per injury-related inpatient hospitalization in Chippewa County during 2007-09 was \$22,990.83.
- The average length of injury-related inpatient hospitalization in Chippewa County during 2007-09 was 4.73 days, with an average charge of \$4,860.64 per day.



CHIPPEWA COUNTY

Population 61,828

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	30	70
Self-harm	28	65
Nontraffic Trans	22	51
Poisoning	18	42*
MVC	15	35*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,212	2,829
Struck (by/against)	854	1,994
Cut/pierce	397	927
Overexertion	339	791
Nat/Env Factors	313	731

Descriptive Notes:

- Eleven injury-related deaths occurred in children in Chippewa County during 2007-09.
- There were 161 injury-related hospitalizations and 4,213 injury-related emergency department visits in children in Chippewa County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	215	187
Self-harm	161	140
MVC	101	88
Nontraffic Trans	58	50
Poisoning	34	30

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,938	1,684
Overexertion	1,447	1,257
Cut/pierce	1,312	1,140
Struck (by/against)	1,046	909
MVC	639	555

Descriptive Notes:

- Fifty two injury-related deaths occurred in adults in Chippewa County during 2007-09.
- There were 861 injury-related inpatient hospitalizations and 9,256 injury-related emergency department visits in adults in Chippewa County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	561	2,078
MVC	23	85
Poisoning	16	59*
Nat/Env Factors	15	56*
Overexertion	14	52*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,112	4,120
Cut/pierce	118	437
Overexertion	105	389
Nat/Env Factors	97	359
Struck (by/against)	84	311

Descriptive Notes:

- Fifty seven injury-related deaths occurred in older adults in Chippewa County during 2007-09. The majority of these were falls.
- There were 755 injury-related hospitalizations and 1,831 injury-related emergency department visits in older adults in Chippewa County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



CLARK COUNTY


Population 34,417

Injury Deaths (2007-09)




	Wisconsin		Clark	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	19	18*
Falls	2,763	16	13	13*
Suicide	2,185	13	13	13*
Fire	154	1	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Clark	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	516	500
MVC	13,219	78	217	210
Nontraffic Trans	4,587	27	86	83
Self-harm	16,640	98	73	71
Poisoning	8,020	47	43	42


Injury Emergency Department Visits (2007-09)



	Wisconsin		Clark	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,660	1,609
Struck (by/against)	175,276	1,031	892	865
Cut/pierce	122,657	722	718	696
Overexertion	121,424	715	530	514
Nat/Env Factors	58,702	345	452	438

Costs:

- The average charge per injury-related emergency department visit in Clark County during 2007-09 was \$954.27.
- The average charge per injury-related inpatient hospitalization in Clark County during 2007-09 was \$24,238.40.
- The average length of injury-related inpatient hospitalization in Clark County during 2007-09 was 5.12 days, with an average charge of \$4,734.06 per day.



CLARK COUNTY

Population 34,417

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	37	128
Falls	31	107
Nontraffic Trans	25	87
Self-harm	14	48*
Struck (by/against)	14	48*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	498	1,724
Struck (by/against)	407	1,409
Cut/pierce	158	547
Nat/Env Factors	134	464
Nontraffic Trans	124	429

Descriptive Notes:

- Seven injury-related deaths occurred in children in Clark County during 2007-09.
- There were 165 injury-related hospitalizations and 1,839 injury-related emergency department visits in children in Clark County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	144	243
Falls	113	191
Self-harm	57	96
Nontraffic Trans	52	88
Poisoning	24	41

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	679	1,148
Cut/pierce	503	851
Struck (by/against)	430	727
Overexertion	383	648
MVC	286	484

Descriptive Notes:

- Thirty four injury-related deaths occurred in adults in Clark County during 2007-09.
- There were 576 injury-related inpatient hospitalizations and 3,540 injury-related emergency department visits in adults in Clark County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	372	2,461
MVC	36	238
Nat/Env Factors	14	93*
Poisoning	11	73*
Nontraffic Trans	9	60*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	483	3,196
Cut/pierce	57	377
Nat/Env Factors	57	377
Struck (by/against)	55	364
Overexertion	47	311

Descriptive Notes:

- Nineteen injury-related deaths occurred in older adults in Clark County during 2007-09. The majority of these were falls.
- There were 543 injury-related hospitalizations and 870 injury-related emergency department visits in older adults in Clark County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



COLUMBIA COUNTY


Population 56,046

Injury Deaths (2007-09)




	Wisconsin		Columbia	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	29	17
Suicide	2,185	13	24	14
Falls	2,763	16	23	14
Poisoning	1,525	9	17	10*
Nontraffic Trans	251	1	8	5*

Injury Hospitalizations (2007-09)



	Wisconsin		Columbia	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	854	509
Self-harm	16,640	98	200	119
MVC	13,219	78	162	97
Nontraffic Trans	4,587	27	74	44
Poisoning	8,020	47	70	42


Injury Emergency Department Visits (2007-09)



	Wisconsin		Columbia	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	3,288	1,959
Struck (by/against)	175,276	1,031	1,447	862
Overexertion	121,424	715	1,025	611
Cut/pierce	122,657	722	973	580
MVC	115,728	681	948	565

Costs:

- The average charge per injury-related emergency department visit in Columbia County during 2007-09 was \$1,044.22.
- The average charge per injury-related inpatient hospitalization in Columbia County during 2007-09 was \$27,147.29.
- The average length of injury-related inpatient hospitalization in Columbia County during 2007-09 was 5.37 days, with an average charge of \$5,055.36 per day.



COLUMBIA COUNTY

Population 56,046

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	42	114
Falls	20	54*
Nontraffic Trans	13	35*
MVC	12	33*
Poisoning	10	27*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	714	1,943
Struck (by/against)	583	1,586
Nat/Env Factors	168	457
MVC	165	449
Cut/pierce	163	444

Descriptive Notes:

- Five injury-related deaths occurred in children in Columbia County during 2007-09.
- There were 149 injury-related hospitalizations and 2,487 injury-related emergency department visits in children in Columbia County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	248	231
Self-harm	149	139
MVC	120	112
Nontraffic Trans	55	51
Poisoning	42	39

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,656	1,542
Overexertion	798	743
Struck (by/against)	783	729
Cut/pierce	741	690
MVC	739	688

Descriptive Notes:

- Seventy three injury-related deaths occurred in adults in Columbia County during 2007-09.
- There were 1,000 injury-related inpatient hospitalizations and 6,876 injury-related emergency department visits in adults in Columbia County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	586	2,471
MVC	30	127
Poisoning	18	76*
Struck (by/against)	15	63*
Overexertion	15	63*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	918	3,871
Struck (by/against)	81	342
Nat/Env Factors	72	304
Overexertion	70	295
Cut/pierce	69	291

Descriptive Notes:

- Forty one injury-related deaths occurred in older adults in Columbia County during 2007-09. The majority of these were falls.
- There were 851 injury-related hospitalizations and 1,427 injury-related emergency department visits in older adults in Columbia County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



CRAWFORD COUNTY


Population 17,385

Injury Deaths (2007-09)




	Wisconsin		Crawford	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	15	29*
Suicide	2,185	13	9	17*
Falls	2,763	16	6	11*
Poisoning	1,525	9	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Crawford	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	266	510
Self-harm	16,640	98	56	107
MVC	13,219	78	45	86
Nontraffic Trans	4,587	27	22	42
Struck (by/against)	3,868	23	17	33*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Crawford	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,236	2,368
Struck (by/against)	175,276	1,031	481	921
Cut/pierce	122,657	722	457	876
Overexertion	121,424	715	326	625
MVC	115,728	681	322	617

Costs:

- The average charge per injury-related emergency department visit in Crawford County during 2007-09 was \$979.93.
- The average charge per injury-related inpatient hospitalization in Crawford County during 2007-09 was \$21,241.69.
- The average length of injury-related inpatient hospitalization in Crawford County during 2007-09 was 4.13 days, with an average charge of \$5,143.27 per day.



CRAWFORD COUNTY

Population 17,385

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	13	113*
Self-harm	8	69*
Cut/pierce	<5	–
Struck (by/against)	<5	–
MVC	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	246	2,130
Struck (by/against)	185	1,602
Cut/pierce	89	770
Overexertion	77	667
Nontraffic Trans	64	554

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Crawford County during 2007-09.
- There were 37 injury-related hospitalizations and 881 injury-related emergency department visits in children in Crawford County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	55	171
Self-harm	45	140
MVC	32	99
Nontraffic Trans	15	47*
Struck (by/against)	12	37*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	555	1,722
Cut/pierce	330	1,024
Struck (by/against)	266	825
MVC	233	723
Overexertion	224	695

Descriptive Notes:

- Twenty eight injury-related deaths occurred in adults in Crawford County during 2007-09.
- There were 243 injury-related inpatient hospitalizations and 2,259 injury-related emergency department visits in adults in Crawford County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	198	2,352
MVC	11	131*
Nontraffic Trans	6	71*
Poisoning	5	59*
Overexertion	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	435	5,167
Cut/pierce	38	451
MVC	34	404
Struck (by/against)	30	356
Nat/Env Factors	25	297

Descriptive Notes:

- Eleven injury-related deaths occurred in older adults in Crawford County during 2007-09.
- There were 247 injury-related hospitalizations and 669 injury-related emergency department visits in older adults in Crawford County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



DANE COUNTY


Population 479,942

Injury Deaths (2007-09)




	Wisconsin		Dane	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	161	11
Poisoning	1,525	9	130	9
MVC	1,840	11	116	8
Falls	2,763	16	103	7
Homicide	514	3	25	2

Injury Hospitalizations (2007-09)



	Wisconsin		Dane	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	5,503	385
Self-harm	16,640	98	1,468	103
MVC	13,219	78	924	65
Poisoning	8,020	47	600	42
Nontraffic Trans	4,587	27	354	25


Injury Emergency Department Visits (2007-09)



	Wisconsin		Dane	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	19,906	1,392
Struck (by/against)	175,276	1,031	8,616	603
MVC	115,728	681	5,955	417
Overexertion	121,424	715	5,517	386
Cut/pierce	122,657	722	5,404	378

Costs:

- The average charge per injury-related emergency department visit in Dane County during 2007-09 was \$1,283.57.
- The average charge per injury-related inpatient hospitalization in Dane County during 2007-09 was \$27,145.66
- The average length of injury-related inpatient hospitalization in Dane County during 2007-09 was 4.99 days, with an average charge of \$5,440.01 per day.



DANE COUNTY

Population 479,942

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	246	78
Self-harm	169	53
MVC	81	26
Struck (by/against)	58	18
Poisoning	55	17

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5,006	1,585
Struck (by/against)	3,350	1,060
MVC	829	262
Overexertion	760	241
Cut/pierce	737	233

Descriptive Notes:

- Thirty four injury-related deaths occurred in children in Dane County during 2007-09.
- There were 974 injury-related hospitalizations and 14,932 injury-related emergency department visits in children in Dane County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,777	183
Self-harm	1,261	130
MVC	728	75
Poisoning	424	44
Nontraffic Trans	251	26

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	10,510	1,082
Struck (by/against)	4,990	514
MVC	4,849	499
Overexertion	4,559	470
Cut/pierce	4,428	456

Descriptive Notes:

- Four hundred forty injury-related deaths occurred in adults in Dane County during 2007-09.
- There were 6,817 injury-related inpatient hospitalizations and 44,172 injury-related emergency department visits in adults in Dane County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,480	2,439
Poisoning	121	85
MVC	115	81
Suffocation	100	70
Overexertion	73	51


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	4,390	3,077
MVC	277	194
Struck (by/against)	276	193
Cut/pierce	239	168
Overexertion	198	139

Descriptive Notes:

- One hundred forty five injury-related deaths occurred in older adults in Dane County during 2007-09. The majority of these were falls.
- There were 4,909 injury-related hospitalizations and 6,550 injury-related emergency department visits in older adults in Dane County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



DODGE COUNTY


Population 89,104

Injury Deaths (2007-09)




	Wisconsin		Dodge	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	72	27
Suicide	2,185	13	48	18
MVC	1,840	11	36	13
Poisoning	1,525	9	32	12
Homicide	514	3	5	2*

Injury Hospitalizations (2007-09)



	Wisconsin		Dodge	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,163	435
Self-harm	16,640	98	310	116
MVC	13,219	78	222	83
Poisoning	8,020	47	88	33
Struck (by/against)	3,868	23	76	28


Injury Emergency Department Visits (2007-09)



	Wisconsin		Dodge	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	5,649	2,112
Struck (by/against)	175,276	1,031	2,991	1,118
Overexertion	121,424	715	1,986	743
Cut/pierce	122,657	722	1,705	638
MVC	115,728	681	1,532	573

Costs:

- The average charge per injury-related emergency department visit in Dodge County during 2007-09 was \$1,158.70.
- The average charge per injury-related inpatient hospitalization in Dodge County during 2007-09 was \$26,174.08.
- The average length of injury-related inpatient hospitalization in Dodge County during 2007-09 was 5.19 days, with an average charge of \$5,043.18 per day.



DODGE COUNTY

Population 89,104

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	68	117
Falls	22	38
MVC	20	34*
Nontraffic Trans	16	27*
Assault	12	21*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,403	2,406
Struck (by/against)	1,231	2,111
Overexertion	333	571
Cut/pierce	308	528
MVC	266	456

Descriptive Notes:

- Eleven injury-related deaths occurred in children in Dodge County during 2007-09. The majority of these were MVC.
- There were 215 injury-related hospitalizations and 5,055 injury-related emergency department visits in children in Dodge County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	284	165
Self-harm	235	137
MVC	160	93
Poisoning	50	29
Struck (by/against)	38	22

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,678	1,559
Struck (by/against)	1,580	920
Overexertion	1,515	882
Cut/pierce	1,239	721
MVC	1,156	673

Descriptive Notes:

- One hundred sixteen injury-related deaths occurred in adults in Dodge County during 2007-09.
- There were 1,235 injury-related inpatient hospitalizations and 12,169 injury-related emergency department visits in adults in Dodge County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	857	2,297
MVC	42	113
Poisoning	30	80
Overexertion	28	75
Struck (by/against)	27	72


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,568	4,202
Struck (by/against)	180	482
Cut/pierce	158	423
Overexertion	138	370
MVC	110	295

Descriptive Notes:

- Eighty eight injury-related deaths occurred in older adults in Dodge County during 2007-09. The majority of these were falls.
- There were 1,183 injury-related hospitalizations and 2,686 injury-related emergency department visits in older adults in Dodge County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



DOOR COUNTY


Population 29,647

Injury Deaths (2007-09)




	Wisconsin		Door	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	17	19*
Suicide	2,185	13	12	14*
MVC	1,840	11	11	12*
Nontraffic Trans	251	1	<5	–
Poisoning	1,525	9	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Door	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	514	579
MVC	16,640	98	70	79
Self-harm	13,219	78	46	52
Nontraffic Trans	4,587	27	29	33
Poisoning	8,020	47	26	29


Injury Emergency Department Visits (2007-09)



	Wisconsin		Door	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,058	2,320
Struck (by/against)	175,276	1,031	730	823
Cut/pierce	122,657	722	625	704
Overexertion	121,424	715	580	654
MVC	115,728	681	379	427

Costs:

- The average charge per injury-related emergency department visit in Door County during 2007-09 was \$1,034.02.
- The average charge per injury-related inpatient hospitalization in Door County during 2007-09 was \$22,663.45.
- The average length of injury-related inpatient hospitalization in Door County during 2007-09 was 4.70 days, with an average charge of \$4,822.01 per day.



DOOR COUNTY

Population 29,647

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	10	65*
Falls	9	59*
MVC	8	52*
Nontraffic Trans	7	46*
Struck (by/against)	5	33*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	403	2,634
Struck (by/against)	302	1,974
Nontraffic Trans	98	641
Overexertion	94	614
Nat/Env Factors	92	601

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Door County during 2007-09.
- There were 56 injury-related hospitalizations and 1,368 injury-related emergency department visits in children in Door County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	104	191
MVC	51	94
Self-harm	33	61
Poisoning	17	31*
Nontraffic Trans	14	26*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	796	1,460
Cut/pierce	445	816
Overexertion	415	761
Struck (by/against)	367	673
MVC	276	506

Descriptive Notes:

- Twenty eight injury-related deaths occurred in adults in Door County during 2007-09.
- There were 368 injury-related inpatient hospitalizations and 3,580 injury-related emergency department visits in adults in Door County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	401	2,121
MVC	11	58*
Nat/Env Factors	10	53*
Overexertion	10	53*
Nontraffic Trans	8	42*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	859	4,544
Cut/pierce	89	471
Overexertion	71	376
Nat/Env Factors	62	328
Struck (by/against)	61	323

Descriptive Notes:

- Twenty five injury-related deaths occurred in older adults in Door County during 2007-09. The majority of these were falls.
- There were 580 injury-related hospitalizations and 1,459 injury-related emergency department visits in older adults in Door County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



DOUGLAS COUNTY


Population 44,477

Injury Deaths (2007-09)




	Wisconsin		Douglas	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	25	19
Suicide	2,185	13	22	17
Poisoning	1,525	9	17	13*
MVC	1,840	11	14	11*
Nontraffic Trans	251	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Douglas	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	56	42
Poisoning	8,020	47	5	4*
Self-harm	16,640	98	<5	-
Overexertion	3,276	19	<5	-
MVC	13,219	78	<5	-


Injury Emergency Department Visits (2007-09)



	Wisconsin		Douglas	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,413	1,817
Struck (by/against)	175,276	1,031	1,216	916
Overexertion	121,424	715	1,073	808
Cut/pierce	122,657	722	966	727
Nat/Env Factors	58,702	345	495	373

Costs:

- The average charge per injury-related emergency department visit in Douglas County during 2007-09 was \$661.62.
- The average charge per injury-related inpatient hospitalization in Douglas County during 2007-09 was \$11,219.90.
- The average length of injury-related inpatient hospitalization in Douglas County during 2007-09 was 4.21 days, with an average charge of \$2,665.06 per day.



DOUGLAS COUNTY

Population 44,477

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Unspecified	<5	–
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	632	2,218
Struck (by/against)	497	1,744
Cut/pierce	196	688
Overexertion	192	674
Nat/Env Factors	153	537

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Douglas County during 2007-09.
- There were less than five injury-related hospitalizations and 2,176 injury-related emergency department visits in children in Douglas County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	11	13*
Poisoning	5	6*
Self-harm	<5	–
Overexertion	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,320	1,546
Overexertion	843	988
Cut/pierce	707	828
Struck (by/against)	665	779
MVC	328	384

Descriptive Notes:

- Sixty one injury-related deaths occurred in adults in Douglas County during 2007-09.
- There were 31 injury-related inpatient hospitalizations and 5,338 injury-related emergency department visits in adults in Douglas County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	45	238
MVC	<5	–
Cut/pierce	<5	–
Overexertion	<5	–
N/A	N/A	N/A


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	461	2,434
Nat/Env Factors	79	417
Cut/pierce	63	333
Struck (by/against)	54	285
Overexertion	38	201

Descriptive Notes:

- Thirty two injury-related deaths occurred in older adults in Douglas County during 2007-09. The majority of these were falls.
- There were 53 injury-related hospitalizations and 794 injury-related emergency department visits in older adults in Douglas County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



DUNN COUNTY


Population 43,549

Injury Deaths (2007-09)




	Wisconsin		Dunn	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	19	15*
MVC	1,840	11	17	13*
Suicide	2,185	13	15	12*
Poisoning	1,525	9	10	8*
Homicide	514	3	5	4*

Injury Hospitalizations (2007-09)



	Wisconsin		Dunn	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	440	339
Self-harm	16,640	98	124	95
MVC	13,219	78	67	52
Nontraffic Trans	4,587	27	35	27
Struck (by/against)	3,868	23	31	24


Injury Emergency Department Visits (2007-09)



	Wisconsin		Dunn	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,079	1,600
Struck (by/against)	175,276	1,031	1,134	873
Overexertion	121,424	715	811	624
Cut/pierce	122,657	722	780	600
MVC	115,728	681	518	399

Costs:

- The average charge per injury-related emergency department visit in Dunn County during 2007-09 was \$904.32.
- The average charge per injury-related inpatient hospitalization in Dunn County during 2007-09 was \$17,764.38.
- The average length of injury-related inpatient hospitalization in Dunn County during 2007-09 was 4.51 days, with an average charge of \$3,938.89 per day.



DUNN COUNTY

Population 43,549

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	20	66*
Struck (by/against)	5	17*
MVC	<5	–
Falls	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	575	1,900
Struck (by/against)	444	1,467
Overexertion	165	545
Cut/pierce	160	529
Nat/Env Factors	159	525

Descriptive Notes:

- Five injury-related deaths occurred in children in Dunn County during 2007-09.
- There were 39 injury-related hospitalizations and 2,131 injury-related emergency department visits in children in Dunn County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	103	122
Falls	84	99
MVC	58	68
Nontraffic Trans	28	33
Poisoning	17	20*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	914	1,079
Struck (by/against)	630	744
Overexertion	615	726
Cut/pierce	592	699
MVC	395	466

Descriptive Notes:

- Fifty injury-related deaths occurred in adults in Dunn County during 2007-09.
- There were 466 injury-related inpatient hospitalizations and 4,865 injury-related emergency department visits in adults in Dunn County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	353	2,360
Struck (by/against)	11	74*
Nat/Env Factors	11	74*
Poisoning	10	67*
Overexertion	7	47*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	590	3,945
Struck (by/against)	60	401
Nat/Env Factors	34	227
Overexertion	31	207
MVC	29	194

Descriptive Notes:

- Twenty three injury-related deaths occurred in older adults in Dunn County during 2007-09. The majority of these were falls.
- There were 472 injury-related hospitalizations and 915 injury-related emergency department visits in older adults in Dunn County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



EAU CLAIRE COUNTY


Population 99,237

Injury Deaths (2007-09)




	Wisconsin		Eau Claire	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	38	13
MVC	1,840	11	31	10
Falls	2,763	16	28	9
Poisoning	1,525	9	20	7*
Nat/Env Factors	84	<1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Eau Claire	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,267	428
Self-harm	16,640	98	537	181
MVC	13,219	78	172	58
Poisoning	8,020	47	119	40
Nontraffic Trans	4,587	27	68	23


Injury Emergency Department Visits (2007-09)



	Wisconsin		Eau Claire	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	6,531	2,205
Struck (by/against)	175,276	1,031	2,924	987
Overexertion	121,424	715	2,424	818
Cut/pierce	122,657	722	2,316	782
MVC	115,728	681	1,365	461

Costs:

- The average charge per injury-related emergency department visit in Eau Claire County during 2007-09 was \$943.66.
- The average charge per injury-related inpatient hospitalization in Eau Claire County during 2007-09 was \$20,045.06.
- The average length of injury-related inpatient hospitalization in Eau Claire County during 2007-09 was 4.75 days, with an average charge of \$4,220.01 per day.



EAU CLAIRE COUNTY

Population 99,237

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	60	87
Falls	30	43
MVC	18	26*
Nontraffic Trans	17	25*
Poisoning	11	16*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,675	2,418
Struck (by/against)	1,073	1,549
Cut/pierce	389	562
Overexertion	327	472
Nat/Env Factors	300	433

Descriptive Notes:

- Nine injury-related deaths occurred in children in Eau Claire County during 2007-09.
- There were 176 injury-related hospitalizations and 5,229 injury-related emergency department visits in children in Eau Claire County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	466	245
Falls	321	169
MVC	130	68
Poisoning	77	41
Assault	50	26

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,308	1,742
Overexertion	1,980	1,043
Cut/pierce	1,790	942
Struck (by/against)	1,725	908
MVC	1,061	559

Descriptive Notes:

- Eighty eight injury-related deaths occurred in adults in Eau Claire County during 2007-09.
- There were 1,525 injury-related inpatient hospitalizations and 14,187 injury-related emergency department visits in adults in Eau Claire County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	916	2,478
Poisoning	31	84
MVC	24	65
Overexertion	17	46*
Struck (by/against)	16	43*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,548	4,187
Cut/pierce	137	371
Struck (by/against)	126	341
Overexertion	117	316
Nat/Env Factors	97	262

Descriptive Notes:

- Thirty eight injury-related deaths occurred in older adults in Eau Claire County during 2007-09. The majority of these were falls.
- There were 1,184 injury-related hospitalizations and 2,480 injury-related emergency department visits in older adults in Eau Claire County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



FLORENCE COUNTY


Population 5,107

Injury Deaths (2007-09)




	Wisconsin		Florence	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	<5	–
Suicide	2,185	13	<5	–
Poisoning	1,525	9	<5	–
Suffocation	289	2	<5	–
N/A	N/A	N/A	N/A	N/A

Injury Hospitalizations (2007-09)



	Wisconsin		Florence	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	11	72*
Self-harm	16,640	98	5	33*
Nontraffic Trans	4,587	27	<5	–
MVC	13,219	78	<5	–
Struck (by/against)	3,868	23	<5	–


Injury Emergency Department Visits (2007-09)



	Wisconsin		Florence	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	10	65*
Overexertion	121,424	715	6	39*
Cut/pierce	122,657	722	<5	–
Struck (by/against)	175,276	1,031	<5	–
Nontraffic Trans	39,481	232	<5	–

Costs:

- The average charge per injury-related emergency department visit in Florence County during 2007-09 was \$1,106.59.
- The average charge per injury-related inpatient hospitalization in Florence County during 2007-09 was \$35,021.90.
- The average length of injury-related inpatient hospitalization in Florence County during 2007-09 was 6.18 days, with an average charge of \$5,666.97 per day.



FLORENCE COUNTY

Population 5,107

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	<5	–
Undetermined	<5	–
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	<5	–
Struck (by/against)	<5	–
Nontraffic Trans	<5	–
Overexertion	<5	–
N/A	N/A	N/A

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Florence County during 2007-09.
- There were less than 5 injury-related hospitalizations and 7 injury-related emergency department visits in children in Florence County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	6	63*
Nontraffic Trans	<5	–
MVC	<5	–
Struck (by/against)	<5	–
Self-harm	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5	52*
Overexertion	5	52*
Cut/pierce	<5	–
Nat/Env Factors	<5	–
MVC	<5	–

Descriptive Notes:

- Five injury-related deaths occurred in adults in Florence County during 2007-09.
- There were 28 injury-related inpatient hospitalizations and 22 injury-related emergency department visits in adults in Florence County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5	163*
Unspecified	<5	–
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	<5	–
Cut/pierce	<5	–
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Descriptive Notes:

- Less than 5 injury-related deaths occurred in older adults in Florence County during 2007-09.
- There were 7 injury-related hospitalizations and less than five injury-related emergency department visits in older adults in Florence County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



FOND DU LAC COUNTY


Population 101,531

Injury Deaths (2007-09)




	Wisconsin		Fond du Lac	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	70	23
Suicide	2,185	13	47	15
MVC	1,840	11	40	13
Poisoning	1,525	9	14	5*
Drowning	149	1	6	2*

Injury Hospitalizations (2007-09)



	Wisconsin		Fond du Lac	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,037	342
Self-harm	16,640	98	231	76
MVC	13,219	78	196	65
Nontraffic Trans	4,587	27	70	23
Struck (by/against)	3,868	23	54	18


Injury Emergency Department Visits (2007-09)



	Wisconsin		Fond du Lac	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	5,813	1,915
Struck (by/against)	175,276	1,031	2,691	886
Overexertion	121,424	715	1,940	639
Cut/pierce	122,657	722	1,690	557
MVC	115,728	681	1,565	515

Costs:

- The average charge per injury-related emergency department visit in Fond du Lac County during 2007-09 was \$1,109.53.
- The average charge per injury-related inpatient hospitalization in Fond du Lac County during 2007-09 was \$26,256.76.
- The average length of injury-related inpatient hospitalization in Fond du Lac County during 2007-09 was 5.41 days, with an average charge of \$4,853.38 per day.



FOND DU LAC COUNTY

Population 101,531

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	70	102
Falls	25	37
MVC	22	32
Nontraffic Trans	14	20*
Struck (by/against)	11	16*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,500	2,193
Struck (by/against)	1,196	1,749
Cut/pierce	369	539
Nontraffic Trans	313	458
Overexertion	311	455

Descriptive Notes:

- Twelve injury-related deaths occurred in children in Fond du Lac County during 2007-09. Half of these deaths were due to MVC.
- There were 189 injury-related hospitalizations and 5,127 injury-related emergency department visits in children in Fond du Lac County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	248	130
Self-harm	156	82
MVC	146	76
Nontraffic Trans	48	25
Poisoning	28	15

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,759	1,443
Overexertion	1,515	792
Struck (by/against)	1,349	705
Cut/pierce	1,217	636
MVC	1,209	632

Descriptive Notes:

- One hundred two injury-related deaths occurred in adults in Fond du Lac County during 2007-09.
- There were 946 injury-related inpatient hospitalizations and 11,654 injury-related emergency department visits in adults in Fond du Lac County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	764	1,738
MVC	28	64
Struck (by/against)	19	43*
Poisoning	18	41*
Overexertion	17	39*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,554	3,535
Struck (by/against)	146	332
Overexertion	114	259
Cut/pierce	104	237
MVC	86	196

Descriptive Notes:

- Eighty six injury-related deaths occurred in older adults in Fond du Lac County during 2007-09. The majority of these were falls.
- There were 1,021 injury-related hospitalizations and 2,473 injury-related emergency department visits in older adults in Fond du Lac County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



FOREST COUNTY


Population 10,212

Injury Deaths (2007-09)




	Wisconsin		Forest	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	7	23*
Homicide	514	3	7	23*
Poisoning	1,525	9	6	20*
Falls	2,763	16	5	16*
Suicide	2,185	13	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Forest	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	166	541
MVC	13,219	78	62	202
Self-harm	16,640	98	58	189
Nontraffic Trans	4,587	27	23	75
Assault	4,233	25	14	46*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Forest	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	523	1,704
Struck (by/against)	175,276	1,031	243	792
MVC	115,728	681	154	502
Overexertion	121,424	715	138	450
Cut/pierce	122,657	722	130	424

Costs:

- The average charge per injury-related emergency department visit in Forest County during 2007-09 was \$1,513.25.
- The average charge per injury-related inpatient hospitalization in Forest County during 2007-09 was \$24,686.32.
- The average length of injury-related inpatient hospitalization in Forest County during 2007-09 was 4.63 days, with an average charge of \$5,331.82 per day.



FOREST COUNTY

Population 10,212

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	17	263*
Falls	6	93*
Nontraffic Trans	6	93*
MVC	6	93*
Assault	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	150	2,322
Struck (by/against)	113	1,749
Nontraffic Trans	58	898
Cut/pierce	36	557
Nat/Env Factors	35	542

Descriptive Notes:

- Five injury-related deaths occurred in children in Forest County during 2007-09.
- There were 51 injury-related hospitalizations and 562 injury-related emergency department visits in children in Forest County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	47	262
Falls	45	251
Self-harm	41	229
Nontraffic Trans	15	84*
Assault	11	61*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	238	1,326
Struck (by/against)	120	669
MVC	111	619
Overexertion	100	557
Cut/pierce	88	490

Descriptive Notes:

- Sixteen injury-related deaths occurred in adults in Forest County during 2007-09.
- There were 215 injury-related inpatient hospitalizations and 1,026 injury-related emergency department visits in adults in Forest County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	115	1,828
MVC	9	143*
Overexertion	7	111*
Poisoning	<5	–
Nontraffic Trans	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	135	2,146
MVC	11	175*
Struck (by/against)	10	159*
Cut/pierce	6	95*
Overexertion	5	79*

Descriptive Notes:

- Eleven injury-related deaths occurred in older adults in Forest County during 2007-09.
- There were 161 injury-related hospitalizations and 203 injury-related emergency department visits in older adults in Forest County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



GRANT COUNTY


Population 50,813

Injury Deaths (2007-09)




	Wisconsin		Grant	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	27	18
MVC	1,840	11	26	17
Falls	2,763	16	13	9*
Nontraffic Trans	251	1	5	3*
Poisoning	1,525	9	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Grant	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	491	323
MVC	13,219	78	132	87
Self-harm	16,640	98	102	67
Nontraffic Trans	4,587	27	44	29
Poisoning	8,020	47	37	24


Injury Emergency Department Visits (2007-09)



	Wisconsin		Grant	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,779	1,826
Struck (by/against)	175,276	1,031	1,534	1,008
Cut/pierce	122,657	722	1,038	682
Overexertion	121,424	715	857	563
MVC	115,728	681	727	478

Costs:

- The average charge per injury-related emergency department visit in Grant County during 2007-09 was \$884.52.
- The average charge per injury-related inpatient hospitalization in Grant County during 2007-09 was \$25,052.37.
- The average length of injury-related inpatient hospitalization in Grant County during 2007-09 was 4.75 days, with an average charge of \$5,274.18 per day.



GRANT COUNTY

Population 50,813

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	20	60*
MVC	17	51*
Falls	11	33*
Struck (by/against)	11	33*
Nontraffic Trans	10	30*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	707	2,115
Struck (by/against)	630	1,885
Cut/pierce	187	559
Overexertion	171	512
MVC	166	497

Descriptive Notes:

- Seven injury-related deaths occurred in children in Grant County during 2007-09.
- There were 105 injury-related hospitalizations and 2,589 injury-related emergency department visits in children in Grant County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	121	128
MVC	98	104
Self-harm	81	86
Nontraffic Trans	26	28
Poisoning	20	21*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,239	1,315
Struck (by/against)	835	886
Cut/pierce	788	836
Overexertion	626	664
MVC	517	549

Descriptive Notes:

- Fifty eight injury-related deaths occurred in adults in Grant County during 2007-09.
- There were 537 injury-related inpatient hospitalizations and 5,822 injury-related emergency department visits in adults in Grant County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	359	1,464
MVC	17	69*
Poisoning	11	45*
Nat/Env Factors	10	41*
Nontraffic Trans	8	33*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	833	3,397
Struck (by/against)	69	281
Cut/pierce	63	257
Overexertion	60	245
Nat/Env Factors	54	220

Descriptive Notes:

- Thirty injury-related deaths occurred in older adults in Grant County during 2007-09.
- There were 482 injury-related hospitalizations and 1,321 injury-related emergency department visits in older adults in Grant County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



GREEN COUNTY


Population 36,448

Injury Deaths (2007-09)




	Wisconsin		Green	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	19	17*
MVC	1,840	11	15	14*
Suicide	2,185	13	9	8*
Machinery	68	<1	<5	–
Nat/Env Factors	84	<1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Green	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	472	433
Self-harm	16,640	98	83	76
MVC	13,219	78	82	75
Poisoning	8,020	47	32	29
Nat/Env Factors	3,417	20	31	28


Injury Emergency Department Visits (2007-09)



	Wisconsin		Green	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,523	2,313
Struck (by/against)	175,276	1,031	1,166	1,069
Cut/pierce	122,657	722	930	853
Overexertion	121,424	715	904	829
MVC	115,728	681	639	586

Costs:

- The average charge per injury-related emergency department visit in Green County during 2007-09 was \$913.71.
- The average charge per injury-related inpatient hospitalization in Green County during 2007-09 was \$33,419.17.
- The average length of injury-related inpatient hospitalization in Green County during 2007-09 was 5.58 days, with an average charge of \$5,989.10 per day.



GREEN COUNTY

Population 36,448

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	19	73*
Self-harm	14	53*
Poisoning	6	23*
MVC	6	23*
Struck (by/against)	5	19*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	692	2,644
Struck (by/against)	500	1,910
Overexertion	198	756
Cut/pierce	170	649
Nontraffic Trans	137	523

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Green County during 2007-09.
- There were 84 injury-related hospitalizations and 2,282 injury-related emergency department visits in children in Green County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	115	171
Self-harm	67	100
MVC	67	100
Poisoning	23	34
Nontraffic Trans	17	25*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,141	1,701
Cut/pierce	697	1,039
Overexertion	660	984
Struck (by/against)	597	890
MVC	487	726

Descriptive Notes:

- Thirty seven injury-related deaths occurred in adults in Green County during 2007-09.
- There were 437 injury-related inpatient hospitalizations and 5,208 injury-related emergency department visits in adults in Green County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	338	2,135
Nat/Env Factors	12	76*
Suffocation	11	69*
Struck (by/against)	9	57*
MVC	9	57*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	690	4,359
Struck (by/against)	69	436
Cut/pierce	63	398
Nat/Env Factors	49	310
Overexertion	46	291

Descriptive Notes:

- Twenty two injury-related deaths occurred in older adults in Green County during 2007-09.
- There were 468 injury-related hospitalizations and 1,111 injury-related emergency department visits in older adults in Green County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



GREEN LAKE COUNTY


Population 19,323

Injury Deaths (2007-09)




	Wisconsin		Green Lake	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	14	24*
Suicide	2,185	13	11	19*
MVC	1,840	11	9	16*
Fire	154	1	<5	–
Poisoning	1,525	9	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Green Lake	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	307	529
MVC	13,219	78	40	69
Self-harm	16,640	98	36	62
Poisoning	8,020	47	19	33*
Nontraffic Trans	4,587	27	17	29*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Green Lake	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,599	2,757
Struck (by/against)	175,276	1,031	647	1,116
Overexertion	121,424	715	521	898
Cut/pierce	122,657	722	509	878
MVC	115,728	681	346	597

Costs:

- The average charge per injury-related emergency department visit in Green Lake County during 2007-09 was \$959.31.
- The average charge per injury-related inpatient hospitalization in Green Lake County during 2007-09 was \$21,052.80.
- The average length of injury-related inpatient hospitalization in Green Lake County during 2007-09 was 4.74 days, with an average charge of \$4,441.52 per day.



GREEN LAKE COUNTY

Population 19,323

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	5	41*
Suffocation	<5	–
MVC	<5	–
Poisoning	<5	–
Falls	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	384	3,138
Struck (by/against)	280	2,288
Cut/pierce	105	858
Overexertion	101	825
Nat/Env Factors	97	793

Descriptive Notes:

- Five injury-related deaths occurred in children in Green Lake County during 2007-09.
- There were 28 injury-related hospitalizations and 1,389 injury-related emergency department visits in children in Green Lake County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	61	174
MVC	31	88
Self-harm	30	85
Nontraffic Trans	13	37*
Poisoning	12	34*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	676	1,925
Overexertion	384	1,093
Cut/pierce	355	1,011
Struck (by/against)	330	940
MVC	245	698

Descriptive Notes:

- Twenty five injury-related deaths occurred in adults in Green Lake County during 2007-09.
- There were 209 injury-related inpatient hospitalizations and 3,034 injury-related emergency department visits in adults in Green Lake County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	244	2,292
Overexertion	9	85*
Struck (by/against)	6	56*
MVC	5	47*
Poisoning	5	47*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	539	5,063
Cut/pierce	49	460
Struck (by/against)	37	348
Overexertion	36	338
Nat/Env Factors	33	310

Descriptive Notes:

- Nineteen injury-related deaths occurred in older adults in Green Lake County during 2007-09. The majority of these were falls.
- There were 335 injury-related hospitalizations and 826 injury-related emergency department visits in older adults in Green Lake County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



IOWA COUNTY


Population 24,054

Injury Deaths (2007-09)




	Wisconsin		Iowa	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	15	21*
Suicide	2,185	13	11	15*
Falls	2,763	16	8	11*
Poisoning	1,525	9	<5	-
Nontraffic Trans	251	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Iowa	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	267	370
MVC	13,219	78	59	82
Self-harm	16,640	98	43	60
Nontraffic Trans	4,587	27	22	30
Poisoning	8,020	47	21	29


Injury Emergency Department Visits (2007-09)



	Wisconsin		Iowa	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,250	1,732
Struck (by/against)	175,276	1,031	516	715
Overexertion	121,424	715	423	586
MVC	115,728	681	391	542
Cut/pierce	122,657	722	355	492

Costs:

- The average charge per injury-related emergency department visit in Iowa County during 2007-09 was \$1,199.21.
- The average charge per injury-related inpatient hospitalization in Iowa County during 2007-09 was \$30,149.32.
- The average length of injury-related inpatient hospitalization in Iowa County during 2007-09 was 5.76 days, with an average charge of \$5,234.26 per day.



IOWA COUNTY

Population 24,054

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	11	64*
Falls	8	47*
MVC	6	35*
Nontraffic Trans	5	29*
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	267	1,561
Struck (by/against)	206	1,205
Overexertion	71	415
MVC	69	403
Cut/pierce	63	368

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Iowa County during 2007-09.
- There were 54 injury-related hospitalizations and 934 injury-related emergency department visits in children in Iowa County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	81	176
MVC	46	100
Self-harm	31	68
Nontraffic Trans	17	37*
Struck (by/against)	11	24*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	622	1,355
Overexertion	335	730
MVC	290	632
Struck (by/against)	287	625
Cut/pierce	276	601

Descriptive Notes:

- Twenty eight injury-related deaths occurred in adults in Iowa County during 2007-09.
- There were 318 injury-related inpatient hospitalizations and 2,665 injury-related emergency department visits in adults in Iowa County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	178	1,940
Poisoning	9	98*
Overexertion	7	76*
MVC	7	76*
Suffocation	6	65*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	361	3,935
MVC	32	349
Struck (by/against)	23	251
Nat/Env Factors	18	196
Overexertion	17	185

Descriptive Notes:

- Fourteen injury-related deaths occurred in older adults in Iowa County during 2007-09. The majority of these were falls.
- There were 253 injury-related hospitalizations and 524 injury-related emergency department visits in older adults in Iowa County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



IRON COUNTY


Population 6,757

Injury Deaths (2007-09)




	Wisconsin		Iron	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	8	39*
Suffocation	289	2	<5	–
Poisoning	1,525	9	<5	–
Falls	2,763	16	<5	–
MVC	1,840	11	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Iron	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	52	255
Poisoning	8,020	47	9	44*
MVC	13,219	78	8	39*
Self-harm	16,640	98	6	29*
Nat/Env Factors	3,417	20	<5	–


Injury Emergency Department Visits (2007-09)



	Wisconsin		Iron	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	123	604
Struck (by/against)	175,276	1,031	41	201
Cut/pierce	122,657	722	38	187
Overexertion	121,424	715	30	147
MVC	115,728	681	24	118

Costs:

- The average charge per injury-related emergency department visit in Iron County during 2007-09 was \$1,291.26.
- The average charge per injury-related inpatient hospitalization in Iron County during 2007-09 was \$21,101.67.
- The average length of injury-related inpatient hospitalization in Iron County during 2007-09 was 4.70 days, with an average charge of \$4,489.72 per day.



IRON COUNTY

Population 6,757

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	<5	–
Poisoning	<5	–
Self-harm	<5	–
N/A	N/A	N/A
N/A	N/A	N/A

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	30	1,019
Struck (by/against)	14	475*
Nontraffic Trans	10	340*
Overexertion	8	272*
Cut/pierce	7	238*

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Iron County during 2007-09.
- There were 7 injury-related hospitalizations and 95 injury-related emergency department visits in children in Iron County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	12	95*
Poisoning	7	55*
Self-harm	5	40*
MVC	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	59	467
Cut/pierce	27	214
Struck (by/against)	22	174
Overexertion	18	142
MVC	17	135

Descriptive Notes:

- Nine injury-related deaths occurred in adults in Iron County during 2007-09. The majority of these were suicides.
- There were 53 injury-related inpatient hospitalizations and 204 injury-related emergency department visits in adults in Iron County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	36	754
MVC	<5	–
Nat/Env Factors	<5	–
Poisoning	<5	–
Nontraffic Trans	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	34	712
Struck (by/against)	5	105*
Cut/pierce	<5	–
Overexertion	<5	–
MVC	<5	–

Descriptive Notes:

- Eight injury-related deaths occurred in older adults in Iron County during 2007-09.
- There were 52 injury-related hospitalizations and 64 injury-related emergency department visits in older adults in Iron County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



JACKSON COUNTY


Population 20,186

Injury Deaths (2007-09)




	Wisconsin		Jackson	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	10	17*
MVC	1,840	11	8	13*
Suicide	2,185	13	8	13*
Poisoning	1,525	9	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Jackson	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	268	443
Self-harm	16,640	98	79	131
MVC	13,219	78	67	111
Poisoning	8,020	47	27	45
Nontraffic Trans	4,587	27	24	40


Injury Emergency Department Visits (2007-09)



	Wisconsin		Jackson	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,301	2,152
Struck (by/against)	175,276	1,031	646	1,069
Cut/pierce	122,657	722	520	860
Overexertion	121,424	715	407	673
Nat/Env Factors	58,702	345	369	610

Costs:

- The average charge per injury-related emergency department visit in Jackson County during 2007-09 was \$878.80.
- The average charge per injury-related inpatient hospitalization in Jackson County during 2007-09 was \$22,315.52.
- The average length of injury-related inpatient hospitalization in Jackson County during 2007-09 was 4.62 days, with an average charge of \$4,830.20 per day.



JACKSON COUNTY

Population 20,186

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	11	85*
Falls	10	77*
Poisoning	<5	–
Nontraffic Trans	<5	–
MVC	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	375	2,884
Struck (by/against)	228	1,753
Nat/Env Factors	102	784
Cut/pierce	96	738
Nontraffic Trans	81	623

Descriptive Notes:

- Five injury-related deaths occurred in children in Jackson County during 2007-09.
- There were 38 injury-related hospitalizations and 1,193 injury-related emergency department visits in children in Jackson County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	65	168
Falls	62	160
MVC	54	140
Poisoning	20	52*
Nontraffic Trans	17	44*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	598	1,545
Cut/pierce	391	1,010
Struck (by/against)	389	1,005
Overexertion	318	822
MVC	255	659

Descriptive Notes:

- Twenty two injury-related deaths occurred in adults in Jackson County during 2007-09.
- There were 320 injury-related inpatient hospitalizations and 3,008 injury-related emergency department visits in adults in Jackson County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	196	2,244
MVC	11	126*
Poisoning	<5	–
Nontraffic Trans	<5	–
Overexertion	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	328	3,755
Nat/Env Factors	51	584
Cut/pierce	33	378
MVC	32	366
Struck (by/against)	29	332

Descriptive Notes:

- Eleven injury-related deaths occurred in older adults in Jackson County during 2007-09. The majority of these were falls.
- There were 254 injury-related hospitalizations and 584 injury-related emergency department visits in older adults in Jackson County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



JEFFERSON COUNTY


Population 81,168

Injury Deaths (2007-09)




	Wisconsin		Jefferson	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	41	17
Falls	2,763	16	33	14
Suicide	2,185	13	24	10
Poisoning	1,525	9	19	8*
Suffocation	289	2	9	4*

Injury Hospitalizations (2007-09)



	Wisconsin		Jefferson	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	984	405
Self-harm	16,640	98	215	89
MVC	13,219	78	183	75
Poisoning	8,020	47	71	29
Nontraffic Trans	4,587	27	68	28


Injury Emergency Department Visits (2007-09)



	Wisconsin		Jefferson	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	5,893	2,426
Struck (by/against)	175,276	1,031	2,687	1,106
Overexertion	121,424	715	2,227	917
Cut/pierce	122,657	722	1,778	732
MVC	115,728	681	1,316	542

Costs:

- The average charge per injury-related emergency department visit in Jefferson County during 2007-09 was \$961.10.
- The average charge per injury-related inpatient hospitalization in Jefferson County during 2007-09 was \$24,510.09.
- The average length of injury-related inpatient hospitalization in Jefferson County during 2007-09 was 5.18 days, with an average charge of \$4,731.68 per day.



JEFFERSON COUNTY

Population 81,168

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	40	71
Self-harm	29	51
MVC	15	27*
Struck (by/against)	15	27*
Nontraffic Trans	13	23*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,555	2,750
Struck (by/against)	1,058	1,871
Overexertion	366	647
Cut/pierce	295	522
Nontraffic Trans	260	460

Descriptive Notes:

- Eleven injury-related deaths occurred in children in Jefferson County during 2007-09.
- There were 173 injury-related hospitalizations and 4,783 injury-related emergency department visits in children in Jefferson County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	260	167
Self-harm	185	119
MVC	143	92
Nontraffic Trans	50	32
Poisoning	37	24

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,946	1,893
Overexertion	1,756	1,128
Struck (by/against)	1,514	973
Cut/pierce	1,364	877
MVC	1,042	670

Descriptive Notes:

- One hundred one injury-related deaths occurred in adults in Jefferson County during 2007-09.
- There were 1,039 injury-related inpatient hospitalizations and 12,420 injury-related emergency department visits in adults in Jefferson County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	684	2,221
MVC	25	81
Poisoning	22	71
Overexertion	22	71
Nat/Env Factors	20	65*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,392	4,519
Cut/pierce	119	386
Struck (by/against)	115	373
Overexertion	105	341
MVC	67	218

Descriptive Notes:

- Forty one injury-related deaths occurred in older adults in Jefferson County during 2007-09.
- There were 1,018 injury-related hospitalizations and 2,214 injury-related emergency department visits in older adults in Jefferson County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



JUNEAU COUNTY


Population 27,334

Injury Deaths (2007-09)




	Wisconsin		Juneau	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	22	27
Suicide	2,185	13	12	15*
MVC	1,840	11	11	13*
Poisoning	1,525	9	9	11*
Nontraffic Trans	251	1	5	6*

Injury Hospitalizations (2007-09)



	Wisconsin		Juneau	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	494	603
Self-harm	16,640	98	103	126
MVC	13,219	78	95	116
Poisoning	8,020	47	48	59
Nontraffic Trans	4,587	27	36	44


Injury Emergency Department Visits (2007-09)



	Wisconsin		Juneau	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,468	1,793
Struck (by/against)	175,276	1,031	656	801
MVC	115,728	681	555	678
Cut/pierce	122,657	722	554	676
Nat/Env Factors	58,702	345	471	575

Costs:

- The average charge per injury-related emergency department visit in Juneau County during 2007-09 was \$1,219.00.
- The average charge per injury-related inpatient hospitalization in Juneau County during 2007-09 was \$23,016.44.
- The average length of injury-related inpatient hospitalization in Juneau County during 2007-09 was 4.78 days, with an average charge of \$4,815.15 per day.



JUNEAU COUNTY

Population 27,334

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	13	75*
MVC	11	64*
Self-harm	11	64*
Nontraffic Trans	7	41*
Struck (by/against)	5	29*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	340	1,968
Struck (by/against)	249	1,441
Nat/Env Factors	145	839
Cut/pierce	114	660
MVC	98	567

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Juneau County during 2007-09.
- There were 74 injury-related hospitalizations and 1,352 injury-related emergency department visits in children in Juneau County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	114	224
Self-harm	92	181
MVC	73	144
Poisoning	29	57
Nontraffic Trans	24	47

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	711	1,398
MVC	408	802
Cut/pierce	407	800
Struck (by/against)	373	733
Overexertion	305	600

Descriptive Notes:

- Thirty seven injury-related deaths occurred in adults in Juneau County during 2007-09.
- There were 523 injury-related inpatient hospitalizations and 3,535 injury-related emergency department visits in adults in Juneau County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	367	2,666
Poisoning	16	116*
MVC	11	80*
Struck (by/against)	10	73*
Overexertion	8	58*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	417	3,029
Nat/Env Factors	63	458
MVC	49	356
Struck (by/against)	34	247
Cut/pierce	33	240

Descriptive Notes:

- Twenty nine injury-related deaths occurred in older adults in Juneau County during 2007-09. The majority of these were falls.
- There were 535 injury-related hospitalizations and 772 injury-related emergency department visits in older adults in Juneau County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



KENOSHA COUNTY


Population 163,435

Injury Deaths (2007-09)




	Wisconsin		Kenosha	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Poisoning	1,525	9	73	15
Suicide	2,185	13	63	13
Falls	2,763	16	51	10
MVC	1,840	11	50	10
Homicide	514	3	20	4*

Injury Hospitalizations (2007-09)



	Wisconsin		Kenosha	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	2,333	478
Self-harm	16,640	98	499	102
MVC	13,219	78	427	87
Poisoning	8,020	47	252	52
Overexertion	3,276	19	135	28


Injury Emergency Department Visits (2007-09)



	Wisconsin		Kenosha	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	14,800	3,029
Struck (by/against)	175,276	1,031	6,717	1,375
Overexertion	121,424	715	5,164	1,057
MVC	115,728	681	5,087	1,041
Cut/pierce	122,657	722	3,865	791

Costs:

- The average charge per injury-related emergency department visit in Kenosha County during 2007-09 was \$957.02.
- The average charge per injury-related inpatient hospitalization in Kenosha County during 2007-09 was \$25,766.22.
- The average length of injury-related inpatient hospitalization in Kenosha County during 2007-09 was 5.20 days, with an average charge of \$4,955.04 per day.



KENOSHA COUNTY

Population 163,435

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	61	50
Self-harm	43	35
MVC	37	30
Struck (by/against)	26	21
Assault	22	18

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	4,817	3,946
Struck (by/against)	3,258	2,669
Overexertion	1,188	973
Cut/pierce	932	763
MVC	846	693

Descriptive Notes:

- Twenty injury-related deaths occurred in children in Kenosha County during 2007-09.
- There were 319 injury-related hospitalizations and 15,984 injury-related emergency department visits in children in Kenosha County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	666	213
Self-harm	440	141
MVC	325	104
Poisoning	177	57
Assault	95	30

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	7,153	2,286
MVC	4,024	1,286
Overexertion	3,767	1,204
Struck (by/against)	3,200	1,023
Cut/pierce	2,705	864

Descriptive Notes:

- Two hundred twenty one injury-related deaths occurred in adults in Kenosha County during 2007-09.
- There were 2,678 injury-related inpatient hospitalizations and 30,673 injury-related emergency department visits in adults in Kenosha County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,606	2,999
MVC	65	121
Poisoning	58	108
Overexertion	56	105
Struck (by/against)	42	78


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,830	5,284
Struck (by/against)	259	484
Cut/pierce	228	426
MVC	217	405
Overexertion	209	390

Descriptive Notes:

- Sixty five injury-related deaths occurred in older adults in Kenosha County during 2007-09. The majority of these were falls.
- There were 2,303 injury-related hospitalizations and 4,661 injury-related emergency department visits in older adults in Kenosha County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



KEWAUNEE COUNTY


Population 21,115

Injury Deaths (2007-09)




	Wisconsin		Kewaunee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	10	16*
Suicide	2,185	13	<5	–
Falls	2,763	16	<5	–
Suffocation	289	2	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Kewaunee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	224	354
MVC	13,219	78	77	122
Self-harm	16,640	98	45	71
Nontraffic Trans	4,587	27	28	44
Poisoning	8,020	47	20	32*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Kewaunee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	997	1,575
Struck (by/against)	175,276	1,031	585	924
Cut/pierce	122,657	722	413	652
Overexertion	121,424	715	361	570
MVC	115,728	681	315	498

Costs:

- The average charge per injury-related emergency department visit in Kewaunee County during 2007-09 was \$1,014.39.
- The average charge per injury-related inpatient hospitalization in Kewaunee County during 2007-09 was \$27,051.47.
- The average length of injury-related inpatient hospitalization in Kewaunee County during 2007-09 was 5.33 days, with an average charge of \$5,075.32 per day.



KEWAUNEE COUNTY

Population 21,115

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	10	69*
Self-harm	10	69*
Falls	8	55*
Nontraffic Trans	7	48*
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	290	1,991
Struck (by/against)	234	1,607
Cut/pierce	88	604
MVC	72	494
Overexertion	63	433

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Kewaunee County during 2007-09.
- There were 64 injury-related hospitalizations and 1,020 injury-related emergency department visits in children in Kewaunee County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	50	127
Falls	43	110
Self-harm	31	79
Nontraffic Trans	20	51*
Poisoning	9	23*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	437	1,113
Struck (by/against)	317	807
Cut/pierce	303	772
Overexertion	262	667
MVC	223	568

Descriptive Notes:

- Eleven injury-related deaths occurred in adults in Kewaunee during 2007-09.
- There were 235 injury-related inpatient hospitalizations and 2,297 injury-related emergency department visits in adults in Kewaunee County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	173	1,825
MVC	17	179*
Poisoning	10	105*
Overexertion	9	95*
Suffocation	5	53*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	270	2,848
Overexertion	36	380
Struck (by/against)	34	359
Cut/pierce	22	232
MVC	20	211*

Descriptive Notes:

- Eight injury-related deaths occurred in older adults in Kewaunee County during 2007-09.
- There were 285 injury-related hospitalizations and 478 injury-related emergency department visits in older adults in Kewaunee County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



LA CROSSE COUNTY


Population 113,586

Injury Deaths (2007-09)




	Wisconsin		La Crosse	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	53	16
Suicide	2,185	13	41	12
MVC	1,840	11	19	6*
Poisoning	1,525	9	16	5*
Suffocation	289	2	5	1*

Injury Hospitalizations (2007-09)



	Wisconsin		La Crosse	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,167	344
Self-harm	16,640	98	622	184
MVC	13,219	78	166	49
Poisoning	8,020	47	119	35
Nontraffic Trans	4,587	27	79	23


Injury Emergency Department Visits (2007-09)



	Wisconsin		La Crosse	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	5,773	1,704
Struck (by/against)	175,276	1,031	1,942	573
Cut/pierce	122,657	722	1,722	508
MVC	115,728	681	1,497	442
Overexertion	121,424	715	1,049	310

Costs:

- The average charge per injury-related emergency department visit in La Crosse County during 2007-09 was \$838.39.
- The average charge per injury-related inpatient hospitalization in La Crosse County during 2007-09 was \$22,138.14.
- The average length of injury-related inpatient hospitalization in La Crosse County during 2007-09 was 4.84 days, with an average charge of \$4,574.00 per day.



LA CROSSE COUNTY

Population 113,586

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	82	106
Falls	45	58
MVC	14	18*
Nontraffic Trans	13	17*
Nat/Env Factors	12	16*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,328	1,716
Struck (by/against)	736	951
Cut/pierce	357	461
Nontraffic Trans	267	345
Nat/Env Factors	229	296

Descriptive Notes:

- Nine injury-related deaths occurred in children in La Crosse County during 2007-09.
- There were 224 injury-related hospitalizations and 4,124 injury-related emergency department visits in children in La Crosse County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	532	244
Falls	387	178
MVC	124	57
Poisoning	82	38
Nontraffic Trans	58	27

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,688	1,235
Cut/pierce	1,269	583
MVC	1,167	536
Struck (by/against)	1,102	506
Overexertion	807	371

Descriptive Notes:

- Eighty seven injury-related deaths occurred in adults in La Crosse County during 2007-09.
- There were 1,693 injury-related inpatient hospitalizations and 10,717 injury-related emergency department visits in adults in La Crosse County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	735	1,677
MVC	28	64
Poisoning	26	59
Suffocation	12	27*
Nat/Env Factors	12	27*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,757	4,010
MVC	117	267
Struck (by/against)	104	237
Cut/pierce	96	219
Nat/Env Factors	72	164

Descriptive Notes:

- Sixty five injury-related deaths occurred in older adults in La Crosse County during 2007-09. The majority of these were falls.
- There were 956 injury-related hospitalizations and 2,544 injury-related emergency department visits in older adults in La Crosse County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



LAFAYETTE COUNTY


Population 16,298

Injury Deaths (2007-09)




	Wisconsin		Lafayette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	13	27*
Falls	2,763	16	11	22*
Suicide	2,185	13	9	18*
Fire	154	1	5	10*
Poisoning	1,525	9	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Lafayette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	203	415
MVC	13,219	78	41	84
Self-harm	16,640	98	34	70
Nat/Env Factors	3,417	20	18	37*
Nontraffic Trans	4,587	27	18	37*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Lafayette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	919	1,879
Struck (by/against)	175,276	1,031	462	945
Cut/pierce	122,657	722	294	601
MVC	115,728	681	258	528
Overexertion	121,424	715	239	489

Costs:

- The average charge per injury-related emergency department visit in Lafayette County during 2007-09 was \$878.87.
- The average charge per injury-related inpatient hospitalization in Lafayette County during 2007-09 was \$28,293.18.
- The average length of injury-related inpatient hospitalization in Lafayette County during 2007-09 was 5.26 days, with an average charge of \$5,378.93 per day.



LAFAYETTE COUNTY

Population 16,298

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	8	70*
Nontraffic Trans	6	52*
Falls	5	44*
Fire	5	44*
MVC	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	243	2,117
Struck (by/against)	211	1,838
Cut/pierce	64	558
Overexertion	54	470
Nontraffic Trans	47	409

Descriptive Notes:

- Seven injury-related deaths occurred in children in Lafayette County during 2007-09. The majority of these were MVC.
- There were 43 injury-related hospitalizations and 828 injury-related emergency department visits in children in Lafayette County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	53	178
MVC	37	124
Self-harm	26	87
Nat/Env Factors	13	44*
Nontraffic Trans	11	37*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	445	1,496
Struck (by/against)	236	793
Cut/pierce	220	739
MVC	201	676
Overexertion	172	578

Descriptive Notes:

- Twenty five injury-related deaths occurred in adults in Lafayette County during 2007-09.
- There were 235 injury-related inpatient hospitalizations and 1,913 injury-related emergency department visits in adults in Lafayette County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	145	1,890
Suffocation	5	65*
Struck (by/against)	5	65*
Poisoning	<5	–
Fire	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	231	3,011
Struck (by/against)	15	195*
MVC	15	195*
Overexertion	13	169*
Cut/pierce	10	130*

Descriptive Notes:

- Thirteen injury-related deaths occurred in older adults in Lafayette County during 2007-09. The majority of these were falls.
- There were 185 injury-related hospitalizations and 339 injury-related emergency department visits in older adults in Lafayette County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



LANGLADE COUNTY


Population 21,241

Injury Deaths (2007-09)




	Wisconsin		Langlade	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Poisoning	1,525	9	12	19*
MVC	1,840	11	12	19*
Falls	2,763	16	11	17*
Suicide	2,185	13	10	16*
Nat/Env Factors	84	<1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Langlade	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	294	461
MVC	13,219	78	53	83
Self-harm	16,640	98	33	52
Nontraffic Trans	4,587	27	32	50
Struck (by/against)	3,868	23	17	27*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Langlade	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,864	2,924
Struck (by/against)	175,276	1,031	858	1,346
Overexertion	121,424	715	623	977
Cut/pierce	122,657	722	520	816
MVC	115,728	681	450	706

Costs:

- The average charge per injury-related emergency department visit in Langlade County during 2007-09 was \$925.97.
- The average charge per injury-related inpatient hospitalization in Langlade County during 2007-09 was \$24,018.89.
- The average length of injury-related inpatient hospitalization in Langlade County during 2007-09 was 5.48 days, with an average charge of \$4,383.01 per day.



LANGLADE COUNTY

Population 21,241

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	7	54*
Self-harm	6	46*
Nontraffic Trans	6	46*
Falls	<5	-
Struck (by/against)	<5	-

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	479	3,670
Struck (by/against)	359	2,750
Overexertion	117	896
Nat/Env Factors	112	858
Cut/pierce	101	774

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Langlade County during 2007-09.
- There were 39 injury-related hospitalizations and 1,633 injury-related emergency department visits in children in Langlade County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	68	177
MVC	38	99
Self-harm	23	60
Nontraffic Trans	18	47*
Poisoning	10	26*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	817	2,130
Overexertion	465	1,212
Struck (by/against)	452	1,178
Cut/pierce	367	957
MVC	333	868

Descriptive Notes:

- Thirty seven injury-related deaths occurred in adults in Langlade County during 2007-09.
- There were 257 injury-related inpatient hospitalizations and 3,714 injury-related emergency department visits in adults in Langlade County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	223	1,808
Nat/Env Factors	8	65*
MVC	8	65*
Nontraffic Trans	8	65*
Poisoning	5	41*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	568	4,606
Nat/Env Factors	53	430
Cut/pierce	52	422
Struck (by/against)	47	381
Overexertion	41	332

Descriptive Notes:

- Twelve injury-related deaths occurred in older adults in Langlade County during 2007-09. The majority of these were falls.
- There were 304 injury-related hospitalizations and 956 injury-related emergency department visits in older adults in Langlade County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



LINCOLN COUNTY


Population 30,335

Injury Deaths (2007-09)




	Wisconsin		Lincoln	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	22	24
MVC	1,840	11	16	18*
Falls	2,763	16	10	11*
Poisoning	1,525	9	6	7*
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Lincoln	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	511	561
MVC	13,219	78	97	107
Self-harm	16,640	98	56	62
Nontraffic Trans	4,587	27	44	48
Poisoning	8,020	47	42	46


Injury Emergency Department Visits (2007-09)



	Wisconsin		Lincoln	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,080	2,285
Struck (by/against)	175,276	1,031	937	1,029
Overexertion	121,424	715	741	814
Cut/pierce	122,657	722	704	773
Nat/Env Factors	58,702	345	546	600

Costs:

- The average charge per injury-related emergency department visit in Lincoln County during 2007-09 was \$939.65.
- The average charge per injury-related inpatient hospitalization in Lincoln County during 2007-09 was \$23,536.57.
- The average length of injury-related inpatient hospitalization in Lincoln County during 2007-09 was 4.89 days, with an average charge of \$4,813.20 per day.



LINCOLN COUNTY

Population 30,335

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	16	82*
Self-harm	12	61*
MVC	11	56*
Nontraffic Trans	9	46*
Poisoning	6	31*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	553	2,828
Struck (by/against)	394	2,015
Cut/pierce	156	798
Nontraffic Trans	156	798
Nat/Env Factors	146	747

Descriptive Notes:

- Five injury-related deaths occurred in children in Lincoln County during 2007-09.
- There were 75 injury-related hospitalizations and 2,037 injury-related emergency department visits in children in Lincoln County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	114	203
MVC	62	110
Self-harm	43	77
Nontraffic Trans	26	46
Poisoning	23	41

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	916	1,632
Overexertion	549	978
Struck (by/against)	485	864
Cut/pierce	476	848
MVC	380	677

Descriptive Notes:

- Forty three injury-related deaths occurred in adults in Lincoln County during 2007-09.
- There were 397 injury-related inpatient hospitalizations and 4,448 injury-related emergency department visits in adults in Lincoln County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	381	2,486
MVC	24	157
Nat/Env Factors	18	117*
Overexertion	16	104*
Suffocation	14	91*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	611	3,987
Nat/Env Factors	89	581
Cut/pierce	72	470
Overexertion	62	405
Struck (by/against)	58	378

Descriptive Notes:

- Twenty two injury-related deaths occurred in older adults in Lincoln County during 2007-09. Half of these were falls.
- There were 577 injury-related hospitalizations and 1,124 injury-related emergency department visits in older adults in Lincoln County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



MANITOWOC COUNTY


Population 83,572

Injury Deaths (2007-09)




	Wisconsin		Manitowoc	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	84	34
MVC	1,840	11	34	14
Suicide	2,185	13	33	13
Poisoning	1,525	9	22	9
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Manitowoc	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,227	489
Self-harm	16,640	98	228	91
MVC	13,219	78	173	69
Poisoning	8,020	47	92	37
Overexertion	3,276	19	60	24


Injury Emergency Department Visits (2007-09)



	Wisconsin		Manitowoc	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	5,226	2,101
Struck (by/against)	175,276	1,031	2,387	952
Cut/pierce	122,657	722	1,889	753
Overexertion	121,424	715	1,641	655
MVC	115,728	681	1,363	544

Costs:

- The average charge per injury-related emergency department visit in Manitowoc County during 2007-09 was \$907.85.
- The average charge per injury-related inpatient hospitalization in Manitowoc County during 2007-09 was \$25,086.00.
- The average length of injury-related inpatient hospitalization in Manitowoc County during 2007-09 was 4.63 days, with an average charge of \$5,418.14 per day.



MANITOWOC COUNTY

Population 83,572

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	58	103
Falls	32	57
MVC	19	34*
Nontraffic Trans	13	23*
Poisoning	12	21*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,406	2,493
Struck (by/against)	984	1,745
Cut/pierce	369	654
Overexertion	285	505
Nontraffic Trans	241	427

Descriptive Notes:

- Six injury-related deaths occurred in children in Manitowoc County during 2007-09.
- There were 178 injury-related hospitalizations and 4,651 injury-related emergency department visits in children in Manitowoc County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	276	178
Self-harm	160	103
MVC	136	88
Poisoning	49	32
Nontraffic Trans	34	22

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,351	1,515
Cut/pierce	1,396	900
Struck (by/against)	1,289	831
Overexertion	1,269	818
MVC	1,041	671

Descriptive Notes:

- Ninety injury-related deaths occurred in adults in Manitowoc County during 2007-09.
- There were 1,011 injury-related inpatient hospitalizations and 11,042 injury-related emergency department visits in adults in Manitowoc County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	919	2,348
Poisoning	31	79
Overexertion	27	69
MVC	18	46*
Nat/Env Factors	18	46*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,509	3,855
Cut/pierce	124	317
Struck (by/against)	114	291
MVC	91	232
Overexertion	87	222

Descriptive Notes:

- One hundred ten injury-related deaths occurred in older adults in Manitowoc County during 2007-09. The majority of these were falls.
- There were 1,254 injury-related hospitalizations and 2,414 injury-related emergency department visits in older adults in Manitowoc County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



MARATHON COUNTY


Population 134,963

Injury Deaths (2007-09)




	Wisconsin		Marathon	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	64	16
MVC	1,840	11	51	13
Falls	2,763	16	45	11
Poisoning	1,525	9	24	6
Homicide	514	3	9	2*

Injury Hospitalizations (2007-09)



	Wisconsin		Marathon	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,646	408
MVC	13,219	78	303	75
Self-harm	16,640	98	253	63
Poisoning	8,020	47	118	29
Nontraffic Trans	4,587	27	117	29


Injury Emergency Department Visits (2007-09)



	Wisconsin		Marathon	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	7,075	1,755
Struck (by/against)	175,276	1,031	3,615	897
Cut/pierce	122,657	722	2,553	633
Overexertion	121,424	715	2,251	559
MVC	115,728	681	1,853	460

Costs:

- The average charge per injury-related emergency department visit in Marathon County during 2007-09 was \$886.97.
- The average charge per injury-related inpatient hospitalization in Marathon County during 2007-09 was \$25,157.10.
- The average length of injury-related inpatient hospitalization in Marathon County during 2007-09 was 5.90 days, with an average charge of \$4,263.92 per day.



MARATHON COUNTY

Population 134,963

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	59	62
Self-harm	38	40
MVC	33	34
Struck (by/against)	20	21*
Poisoning	19	20*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,149	2,243
Struck (by/against)	1,630	1,702
Poisoning	704	735
Cut/pierce	510	532
Nat/Env Factors	472	493

Descriptive Notes:

- Seventeen injury-related deaths occurred in children in Marathon County during 2007-09.
- There were 272 injury-related hospitalizations and 7,807 injury-related emergency department visits in children in Marathon County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	438	173
MVC	236	93
Self-harm	209	83
Nontraffic Trans	82	32
Poisoning	67	27

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,327	1,316
Cut/pierce	1,922	760
Struck (by/against)	1,827	723
Overexertion	1,692	669
MVC	1,406	556

Descriptive Notes:

- One hundred forty five injury-related deaths occurred in adults in Marathon County during 2007-09.
- There were 1,590 injury-related inpatient hospitalizations and 15,129 injury-related emergency department visits in adults in Marathon County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,149	2,111
MVC	34	62
Poisoning	32	59
Overexertion	27	50
Struck (by/against)	23	42


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,599	2,938
Struck (by/against)	158	290
Nat/Env Factors	125	230
Overexertion	123	226
Cut/pierce	121	222

Descriptive Notes:

- Sixty five injury-related deaths occurred in older adults in Marathon County during 2007-09.
- There were 1,633 injury-related hospitalizations and 2,679 injury-related emergency department visits in older adults in Marathon County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



MARINETTE COUNTY


Population 44,060

Injury Deaths (2007-09)




	Wisconsin		Marinette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	23	17
MVC	1,840	11	21	16
Falls	2,763	16	16	12*
Poisoning	1,525	9	10	8*
Nontraffic Trans	251	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Marinette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	605	457
MVC	13,219	78	122	92
Self-harm	16,640	98	109	82
Poisoning	8,020	47	66	50
Nat/Env Factors	3,417	20	43	33


Injury Emergency Department Visits (2007-09)



	Wisconsin		Marinette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	3,177	2,402
Struck (by/against)	175,276	1,031	1,719	1,300
Overexertion	121,424	715	1,270	960
Cut/pierce	122,657	722	967	731
MVC	115,728	681	681	515

Costs:

- The average charge per injury-related emergency department visit in Marinette County during 2007-09 was \$1,110.73.
- The average charge per injury-related inpatient hospitalization in Marinette County during 2007-09 was \$29,444.46.
- The average length of injury-related inpatient hospitalization in Marinette County during 2007-09 was 5.43 days, with an average charge of \$5,422.55 per day.



MARINETTE COUNTY

Population 44,060

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	26	102
Falls	13	51*
Poisoning	9	35*
Nontraffic Trans	8	31*
MVC	8	31*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Struck (by/against)	827	3,244
Falls	735	2,883
Nat/Env Factors	239	938
Cut/pierce	230	902
Overexertion	207	812

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Marinette County during 2007-09.
- There were 103 injury-related hospitalizations and 3,106 injury-related emergency department visits in children in Marinette County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	147	180
MVC	96	118
Self-harm	82	100
Poisoning	30	37
Nontraffic Trans	28	34

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,474	1,805
Overexertion	977	1,196
Struck (by/against)	787	963
Cut/pierce	652	798
MVC	505	618

Descriptive Notes:

- Sixty three injury-related deaths occurred in adults in Marinette County during 2007-09.
- There were 647 injury-related inpatient hospitalizations and 6,618 injury-related emergency department visits in adults in Marinette County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	445	1,774
Poisoning	27	108
Suffocation	21	84
Nat/Env Factors	18	72*
MVC	18	72*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	968	3,860
Struck (by/against)	105	419
Nat/Env Factors	91	363
Overexertion	86	343
Cut/pierce	85	339

Descriptive Notes:

- Twenty seven injury-related deaths occurred in older adults in Marinette County during 2007-09.
- There were 666 injury-related hospitalizations and 1,631 injury-related emergency department visits in older adults in Marinette County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



MARQUETTE COUNTY


Population 15,263

Injury Deaths (2007-09)




	Wisconsin		Marquette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	10	22*
Falls	2,763	16	8	17*
Suicide	2,185	13	6	13*
Poisoning	1,525	9	6	13*
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Marquette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	254	553
MVC	13,219	78	45	98
Self-harm	16,640	98	34	74
Poisoning	8,020	47	27	59
Nontraffic Trans	4,587	27	21	46


Injury Emergency Department Visits (2007-09)



	Wisconsin		Marquette	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,091	2,377
Struck (by/against)	175,276	1,031	472	1,028
Overexertion	121,424	715	384	837
Cut/pierce	122,657	722	358	780
MVC	115,728	681	292	636

Costs:

- The average charge per injury-related emergency department visit in Marquette County during 2007-09 was \$969.91.
- The average charge per injury-related inpatient hospitalization in Marquette County during 2007-09 was \$32,519.39.
- The average length of injury-related inpatient hospitalization in Marquette County during 2007-09 was 5.78 days, with an average charge of \$5,626.19 per day.



MARQUETTE COUNTY

Population 15,263

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	7	80*
Nontraffic Trans	5	57*
Falls	<5	–
Struck (by/against)	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	229	2,631
Struck (by/against)	163	1,873
Cut/pierce	57	655
Nat/Env Factors	55	632
MVC	51	586

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Marquette County during 2007-09.
- There were 36 injury-related hospitalizations and 787 injury-related emergency department visits in children in Marquette County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	66	232
MVC	37	130
Self-harm	25	88
Overexertion	12	42*
Nontraffic Trans	11	39*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	544	1,915
Overexertion	305	1,074
Struck (by/against)	272	958
Cut/pierce	263	926
MVC	218	768

Descriptive Notes:

- Twenty two injury-related deaths occurred in adults in Marquette County during 2007-09.
- There were 264 injury-related inpatient hospitalizations and 2,374 injury-related emergency department visits in adults in Marquette County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	184	2,091
Poisoning	15	170*
Overexertion	8	91*
MVC	6	68*
Nontraffic Trans	5	57*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	318	3,614
Nat/Env Factors	52	591
Cut/pierce	38	432
Struck (by/against)	37	421
Overexertion	33	375

Descriptive Notes:

- Fourteen injury-related deaths occurred in older adults in Marquette County during 2007-09.
- There were 290 injury-related hospitalizations and 589 injury-related emergency department visits in older adults in Marquette County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



MENOMINEE COUNTY


Population 4,615

Injury Deaths (2007-09)




	Wisconsin		Menominee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	6	43*
MVC	1,840	11	<5	–
Homicide	514	3	<5	–
Fire	154	1	<5	–
Poisoning	1,525	9	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Menominee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	68	490
MVC	13,219	78	35	252
Self-harm	16,640	98	30	216
Assault	4,233	25	27	195
Poisoning	8,020	47	13	94*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Menominee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	409	2,950
Assault	50,289	296	243	1,752
Overexertion	121,424	715	172	1,240
MVC	115,728	681	146	1,053
Struck (by/against)	175,276	1,031	115	829

Costs:

- The average charge per injury-related emergency department visit in Menominee County during 2007-09 was \$1,291.88.
- The average charge per injury-related inpatient hospitalization in Menominee County during 2007-09 was \$20,449.23.
- The average length of injury-related inpatient hospitalization in Menominee County during 2007-09 was 4.19 days, with an average charge of \$4,880.48 per day.



MENOMINEE COUNTY

Population 4,615

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	10	229*
Self-harm	7	160*
Assault	6	137*
Poisoning	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	91	2,083
Struck (by/against)	51	1,168
Assault	47	1,076
MVC	30	687
Overexertion	25	572

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Menominee County during 2007-09.
- There were 41 injury-related hospitalizations and 390 injury-related emergency department visits in children in Menominee County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	30	371
MVC	24	297
Self-harm	23	284
Assault	19	235*
Poisoning	9	111*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	265	3,274
Assault	193	2,384
Overexertion	146	1,804
MVC	109	1,347
Cut/pierce	66	815

Descriptive Notes:

- Fourteen injury-related deaths occurred in adults in Menominee County during 2007-09.
- There were 160 injury-related inpatient hospitalizations and 1,145 injury-related emergency department visits in adults in Menominee County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	37	2,635
Assault	<5	–
Nat/Env Factors	<5	–
MVC	<5	–
Poisoning	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	53	3,775
MVC	7	499*
Assault	<5	–
Nat/Env Factors	<5	–
Poisoning	<5	–

Descriptive Notes:

- There were no injury-related deaths that occurred in older adults in Menominee County during 2007-09.
- There were 54 injury-related hospitalizations and 87 injury-related emergency department visits in older adults in Menominee County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



MILWAUKEE COUNTY


Population 939,935

Injury Deaths (2007-09)




	Wisconsin		Milwaukee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	602	21
Poisoning	1,525	9	512	18
Suicide	2,185	13	316	11
Homicide	514	3	282	10
MVC	1,840	11	177	6

Injury Hospitalizations (2007-09)



	Wisconsin		Milwaukee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	13,642	484
Poisoning	8,020	47	2,594	92
Self-harm	16,640	98	2,152	76
MVC	13,219	78	2,073	74
Assault	4,233	25	1,950	69


Injury Emergency Department Visits (2007-09)



	Wisconsin		Milwaukee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	75,654	2,684
Struck (by/against)	175,276	1,031	32,519	1,154
MVC	115,728	681	32,073	1,138
Overexertion	121,424	715	23,614	838
Cut/pierce	122,657	722	20,994	745

Costs:

- The average charge per injury-related emergency department visit in Milwaukee County during 2007-09 was \$1,218.81.
- The average charge per injury-related inpatient hospitalization in Milwaukee County during 2007-09 was \$32,428.59.
- The average length of injury-related inpatient hospitalization in Milwaukee County during 2007-09 was 5.54 days, with an average charge of \$5,853.54 per day.



MILWAUKEE COUNTY

Population 939,935

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	354	50
MVC	265	38
Assault	255	36
Poisoning	223	32
Fire	187	27

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	22,912	3,255
Struck (by/against)	14,188	2,016
Cut/pierce	4,930	700
MVC	4,810	683
Overexertion	4,736	673

Descriptive Notes:

- One hundred twelve injury-related deaths occurred in children in Milwaukee County during 2007-09.
- There were 2,092 injury-related hospitalizations and 74,449 injury-related emergency department visits in children in Milwaukee County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,991	226
Poisoning	1,967	111
Self-harm	1,907	108
Assault	1,623	92
MVC	1,467	83

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	38,806	2,197
MVC	25,845	1,463
Overexertion	17,958	1,016
Struck (by/against)	17,212	974
Assault	15,849	897

Descriptive Notes:

- One thousand three hundred forty eight injury-related deaths occurred in adults in Milwaukee County during 2007-09.
- There were 16,176 injury-related inpatient hospitalizations and 174,869 injury-related emergency department visits in adults in Milwaukee County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	9,297	2,668
Poisoning	404	116
MVC	341	98
Struck (by/against)	226	65
Overexertion	176	51


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	13,936	4,000
MVC	1,418	407
Struck (by/against)	1,119	321
Cut/pierce	945	271
Overexertion	920	264

Descriptive Notes:

- Six hundred eighty eight injury-related deaths occurred in older adults in Milwaukee County during 2007-09. The majority of these were falls.
- There were 12,858 injury-related hospitalizations and 22,267 injury-related emergency department visits in older adults in Milwaukee County during 2007-09.

Technical Notes (detailed notes can be found on page 153):

- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.




MONROE COUNTY

Population 44,393

Injury Deaths (2007-09)


Injury Deaths (Five Leading Causes)
Rates per 100,000



	Wisconsin		Monroe	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	23	17
MVC	1,840	11	18	14*
Poisoning	1,525	9	15	11*
Falls	2,763	16	12	9*
Fire	154	1	<5	-

Injury Hospitalizations (2007-09)


Injury Hospitalizations (Five Leading Causes)
Rates per 100,000



	Wisconsin		Monroe	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	503	380
Self-harm	16,640	98	184	139
MVC	13,219	78	127	96
Nontraffic Trans	4,587	27	40	30
Poisoning	8,020	47	32	24

Injury Emergency Department Visits (2007-09)


Injury Emergency Department Visits (Five Leading Causes)
Rates per 100,000



	Wisconsin		Monroe	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,726	2,058
Struck (by/against)	175,276	1,031	1,318	995
Cut/pierce	122,657	722	1,255	948
MVC	115,728	681	805	608
Overexertion	121,424	715	738	557

Costs:

- The average charge per injury-related emergency department visit in Monroe County during 2007-09 was \$811.73.
- The average charge per injury-related inpatient hospitalization in Monroe County during 2007-09 was \$21,935.81.
- The average length of injury-related inpatient hospitalization in Monroe County during 2007-09 was 5.44 days, with an average charge of \$4,032.32 per day.



MONROE COUNTY

Population 44,393

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	33	101
Falls	27	82
MVC	13	40*
Poisoning	8	24*
Nontraffic Trans	8	24*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	800	2,444
Struck (by/against)	624	1,906
Cut/pierce	291	889
Nat/Env Factors	219	669
Nontraffic Trans	198	605

Descriptive Notes:

- Six injury-related deaths occurred in children in Monroe County during 2007-09.
- There were 129 injury-related hospitalizations and 3,040 injury-related emergency department visits in children in Monroe County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	147	181
Falls	129	158
MVC	100	123
Nontraffic Trans	28	34
Poisoning	19	23*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,245	1,530
Cut/pierce	884	1,086
Struck (by/against)	635	780
MVC	565	694
Overexertion	548	673

Descriptive Notes:

- Fifty eight injury-related deaths occurred in adults in Monroe County during 2007-09.
- There were 585 injury-related inpatient hospitalizations and 6,019 injury-related emergency department visits in adults in Monroe County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	347	1,895
MVC	14	76*
Nat/Env Factors	9	49*
Struck (by/against)	7	38*
Poisoning	5	27*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	681	3,718
Cut/pierce	80	437
Struck (by/against)	59	332
MVC	54	295
Overexertion	41	224

Descriptive Notes:

- Twenty two injury-related deaths occurred in older adults in Monroe County during 2007-09.
- There were 462 injury-related hospitalizations and 1,151 injury-related emergency department visits in older adults in Monroe County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



OCONTO COUNTY


Population 38,722

Injury Deaths (2007-09)




	Wisconsin		Oconto	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	23	20
Suicide	2,185	13	22	19
Falls	2,763	16	15	13*
Homicide	514	3	<5	–
Poisoning	1,525	9	<5	–

Injury Hospitalizations (2007-09)




	Wisconsin		Oconto	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	370	319
MVC	13,219	78	115	99
Self-harm	16,640	98	106	91
Nontraffic Trans	4,587	27	44	38
Poisoning	8,020	47	38	33

Injury Emergency Department Visits (2007-09)



	Wisconsin		Oconto	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,033	1,750
Struck (by/against)	175,276	1,031	1,050	904
Cut/pierce	122,657	722	812	699
Overexertion	121,424	715	741	638
MVC	115,728	681	626	539



Costs:

- The average charge per injury-related emergency department visit in Oconto County during 2007-09 was \$1,011.53.
- The average charge per injury-related inpatient hospitalization in Oconto County during 2007-09 was \$26,307.48.
- The average length of injury-related inpatient hospitalization in Oconto County during 2007-09 was 6.16 days, with an average charge of \$4,270.69 per day.

OCONTO COUNTY

Population 38,722

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	22	87
MVC	13	52*
Nontraffic Trans	10	40*
Falls	7	28*
Fire	6	24*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	520	2,062
Struck (by/against)	477	1,891
Cut/pierce	159	630
Nontraffic Trans	143	567
Overexertion	141	559

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Oconto County during 2007-09.
- There were 96 injury-related hospitalizations and 2,047 injury-related emergency department visits in children in Oconto County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	105	143
MVC	82	112
Self-harm	80	109
Nontraffic Trans	27	37
Poisoning	18	25*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	974	1,331
Cut/pierce	597	816
Overexertion	555	758
Struck (by/against)	516	705
MVC	468	640

Descriptive Notes:

- Sixty injury-related deaths occurred in adults in Oconto County during 2007-09.
- There were 528 injury-related inpatient hospitalizations and 4,743 injury-related emergency department visits in adults in Oconto County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	258	1,454
Nat/Env Factors	20	113*
MVC	20	113*
Poisoning	15	85*
Struck (by/against)	11	62*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	539	3,037
Nat/Env Factors	63	355
Struck (by/against)	57	321
Cut/pierce	56	316
MVC	47	265

Descriptive Notes:

- Nineteen injury-related deaths occurred in older adults in Oconto County during 2007-09.
- There were 424 injury-related hospitalizations and 986 injury-related emergency department visits in older adults in Oconto County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



ONEIDA COUNTY


Population 38,110

Injury Deaths (2007-09)




	Wisconsin		Oneida	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	21	18
Suicide	2,185	13	15	13*
MVC	1,840	11	11	10*
Poisoning	1,525	9	<5	–
Nontraffic Trans	251	1	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Oneida	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	650	569
Self-harm	16,640	98	136	119
MVC	13,219	78	68	60
Poisoning	8,020	47	43	38
Nontraffic Trans	4,587	27	35	31


Injury Emergency Department Visits (2007-09)



	Wisconsin		Oneida	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,056	1,800
Struck (by/against)	175,276	1,031	882	772
Cut/pierce	122,657	722	644	564
Overexertion	121,424	715	594	520
Nat/Env Factors	58,702	345	497	435

Costs:

- The average charge per injury-related emergency department visit in Oneida County during 2007-09 was \$1,275.42.
- The average charge per injury-related inpatient hospitalization in Oneida County during 2007-09 was \$22,057.86.
- The average length of injury-related inpatient hospitalization in Oneida County during 2007-09 was 4.60 days, with an average charge of \$4,795.19 per day.



ONEIDA COUNTY

Population 38,110

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	17	85*
Falls	10	50*
Nontraffic Trans	7	35*
MVC	6	30*
Struck (by/against)	6	30*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	483	2,408
Struck (by/against)	359	1,790
Nontraffic Trans	128	638
Overexertion	118	588
Nat/Env Factors	108	538

Descriptive Notes:

- Five injury-related deaths occurred in children in Oneida County during 2007-09.
- There were 70 injury-related hospitalizations and 1,689 injury-related emergency department visits in children in Oneida County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	133	186
Self-harm	117	164
MVC	44	62
Poisoning	27	38
Nontraffic Trans	26	36

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	924	1,295
Struck (by/against)	472	661
Cut/pierce	466	653
Overexertion	416	583
MVC	350	490

Descriptive Notes:

- Thirty three injury-related deaths occurred in adults in Oneida during 2007-09.
- There were 477 injury-related inpatient hospitalizations and 4,013 injury-related emergency department visits in adults in Oneida County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	507	2,227
Overexertion	20	88*
MVC	18	79*
Nat/Env Factors	17	75*
Poisoning	11	48*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	649	2,851
Nat/Env Factors	105	461
Cut/pierce	74	325
Overexertion	60	264
Struck (by/against)	51	224

Descriptive Notes:

- Twenty seven injury-related deaths occurred in older adults in Oneida County during 2007-09.
- There were 647 injury-related hospitalizations and 1,157 injury-related emergency department visits in older adults in Oneida County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



OUTAGAMIE COUNTY


Population 176,268

Injury Deaths (2007-09)




	Wisconsin		Outagamie	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	69	13
Falls	2,763	16	63	12
MVC	1,840	11	58	11
Poisoning	1,525	9	15	3*
Suffocation	289	2	9	2*

Injury Hospitalizations (2007-09)




	Wisconsin		Outagamie	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,688	321
Self-harm	16,640	98	628	119
MVC	13,219	78	336	64
Poisoning	8,020	47	166	32
Nontraffic Trans	4,587	27	110	21

Injury Emergency Department Visits (2007-09)



	Wisconsin		Outagamie	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	11,441	2,175
Struck (by/against)	175,276	1,031	6,411	1,219
Cut/pierce	122,657	722	4,584	872
Overexertion	121,424	715	4,117	783
MVC	115,728	681	3,199	608



Costs:

- The average charge per injury-related emergency department visit in Outagamie County during 2007-09 was \$682.85.
- The average charge per injury-related inpatient hospitalization in Outagamie County during 2007-09 was \$18,300.52.
- The average length of injury-related inpatient hospitalization in Outagamie County during 2007-09 was 5.19 days, with an average charge of \$3,526.11 per day.

OUTAGAMIE COUNTY

Population 176,268

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	127	96
MVC	34	26
Falls	25	19
Nontraffic Trans	22	17
Poisoning	15	11*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,754	2,838
Struck (by/against)	3,009	2,275
Cut/pierce	818	618
Overexertion	711	537
MVC	575	435

Descriptive Notes:

- Fourteen injury-related deaths occurred in children in Outagamie County during 2007-09.
- There were 356 injury-related hospitalizations and 11,866 injury-related emergency department visits in children in Outagamie County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	491	146
Falls	455	135
MVC	266	79
Poisoning	106	32
Nontraffic Trans	77	23

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5,466	1,628
Cut/pierce	3,522	1,049
Struck (by/against)	3,211	956
Overexertion	3,199	953
MVC	2,443	728

Descriptive Notes:

- One hundred fifty one injury-related deaths occurred in adults in Outagamie County during 2007-09.
- There were 2,003 injury-related inpatient hospitalizations and 25,343 injury-related emergency department visits in adults in Outagamie County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,208	2,088
Poisoning	45	78
MVC	36	62
Overexertion	32	55
Struck (by/against)	21	36


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,221	3,838
Cut/pierce	244	422
Overexertion	207	358
Struck (by/against)	191	330
MVC	181	313

Descriptive Notes:

- Eighty injury-related deaths occurred in older adults in Outagamie County during 2007-09.
- There were 1,612 injury-related hospitalizations and 3,659 injury-related emergency department visits in older adults in Outagamie County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



OZAUKEE COUNTY


Population 86,978

Injury Deaths (2007-09)




	Wisconsin		Ozaukee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	27	10
Falls	2,763	16	23	9
MVC	1,840	11	20	8*
Poisoning	1,525	9	10	4*
Nontraffic Trans	251	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Ozaukee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,087	418
Self-harm	16,640	98	199	76
MVC	13,219	78	130	50
Poisoning	8,020	47	111	43
Nontraffic Trans	4,587	27	41	16


Injury Emergency Department Visits (2007-09)



	Wisconsin		Ozaukee	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	5,205	2,001
Struck (by/against)	175,276	1,031	2,211	850
Cut/pierce	122,657	722	1,607	618
MVC	115,728	681	1,282	493
Overexertion	121,424	715	1,027	395

Costs:

- The average charge per injury-related emergency department visit in Ozaukee County during 2007-09 was \$1,440.40.
- The average charge per injury-related inpatient hospitalization in Ozaukee County during 2007-09 was \$27,429.08.
- The average length of injury-related inpatient hospitalization in Ozaukee County during 2007-09 was 4.52 days, with an average charge of \$6,068.38 per day.



OZAUKEE COUNTY

Population 86,978

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	24	39
MVC	16	26*
Self-harm	16	26*
Struck (by/against)	11	18*
Nontraffic Trans	8	13*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,717	2,810
Struck (by/against)	1,089	1,782
Cut/pierce	295	483
Overexertion	264	432
Nontraffic Trans	222	363

Descriptive Notes:

- Eight injury-related deaths occurred in children in Ozaukee County during 2007-09.
- There were 111 injury-related hospitalizations and 4,667 injury-related emergency department visits in children in Ozaukee County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	249	153
Self-harm	178	109
MVC	89	55
Poisoning	68	42
Nontraffic Trans	28	17

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,909	1,173
Cut/pierce	1,184	728
Struck (by/against)	988	607
MVC	942	579
Overexertion	680	418

Descriptive Notes:

- Fifty one injury-related deaths occurred in adults in Ozaukee County during 2007-09.
- There were 835 injury-related inpatient hospitalizations and 7,841 injury-related emergency department visits in adults in Ozaukee County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	814	2,238
Poisoning	39	107
MVC	25	69
Overexertion	16	44*
Nat/Env Factors	9	25*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,579	4,342
Struck (by/against)	134	368
MVC	131	360
Cut/pierce	128	352
Nat/Env Factors	95	261

Descriptive Notes:

- Thirty four injury-related deaths occurred in older adults in Ozaukee County during 2007-09.
- There were 1,057 injury-related hospitalizations and 2,418 injury-related emergency department visits in older adults in Ozaukee County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



PEPIN COUNTY


Population 7,607

Injury Deaths (2007-09)




	Wisconsin		Pepin	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	5	22*
MVC	1,840	11	<5	-
Falls	2,763	16	<5	-
N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A

Injury Hospitalizations (2007-09)



	Wisconsin		Pepin	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	118	516
MVC	13,219	78	14	61*
Self-harm	16,640	98	14	61*
Nontraffic Trans	4,587	27	7	31*
Poisoning	8,020	47	<5	-


Injury Emergency Department Visits (2007-09)



	Wisconsin		Pepin	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	366	1,601
Struck (by/against)	175,276	1,031	188	822
Cut/pierce	122,657	722	136	595
Overexertion	121,424	715	105	459
MVC	115,728	681	77	337

Costs:

- The average charge per injury-related emergency department visit in Pepin County during 2007-09 was \$860.49.
- The average charge per injury-related inpatient hospitalization in Pepin County during 2007-09 was \$20,481.13.
- The average length of injury-related inpatient hospitalization in Pepin County during 2007-09 was 6.54 days, with an average charge of \$3,131.67 per day.



PEPIN COUNTY

Population 7,607

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
MVC	<5	–
Poisoning	<5	–
Falls	<5	–
Self-harm	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	125	2,342
Struck (by/against)	77	1,443
Cut/pierce	28	525
Nat/Env Factors	23	431
Nontraffic Trans	20	375*

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Pepin County during 2007-09.
- There were 10 injury-related hospitalizations and 373 injury-related emergency department visits in children in Pepin County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	19	138*
Self-harm	12	87*
MVC	8	58*
Nontraffic Trans	<5	–
Assault	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	153	1,110
Cut/pierce	104	755
Struck (by/against)	96	697
Overexertion	84	610
MVC	63	457

Descriptive Notes:

- Six injury-related deaths occurred in adults in Pepin County during 2007-09.
- There were 64 injury-related inpatient hospitalizations and 744 injury-related emergency department visits in adults in Pepin County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	98	2,614
MVC	<5	–
Nontraffic Trans	<5	–
Overexertion	<5	–
Poisoning	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	88	2,347
Struck (by/against)	15	400*
Nat/Env Factors	9	240*
MVC	5	133*
Machinery	5	133*

Descriptive Notes:

- Less than five injury-related deaths occurred in older adults in Pepin County during 2007-09.
- There were 126 injury-related hospitalizations and 154 injury-related emergency department visits in older adults in Pepin County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



PIERCE COUNTY


Population 40,519

Injury Deaths (2007-09)




	Wisconsin		Pierce	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	25	21
Suicide	2,185	13	14	12*
Falls	2,763	16	14	12*
Poisoning	1,525	9	6	5*
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Pierce	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	257	212
Self-harm	16,640	98	58	48
MVC	13,219	78	27	22
Nontraffic Trans	4,587	27	22	18
Poisoning	8,020	47	19	16*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Pierce	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,442	1,189
Struck (by/against)	175,276	1,031	809	667
Cut/pierce	122,657	722	590	487
MVC	115,728	681	387	319
Overexertion	121,424	715	376	310

Costs:

- The average charge per injury-related emergency department visit in Pierce County during 2007-09 was \$1,047.66.
- The average charge per injury-related inpatient hospitalization in Pierce County during 2007-09 was \$14,235.39.
- The average length of injury-related inpatient hospitalization in Pierce County during 2007-09 was 3.50 days, with an average charge of \$4,067.25 per day.



PIERCE COUNTY

Population 40,519

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	14	49*
Falls	7	24*
Struck (by/against)	6	21*
Nontraffic Trans	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	439	1,524
Struck (by/against)	371	1,288
Nontraffic Trans	107	371
Cut/pierce	102	354
Nat/Env Factors	93	323

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Pierce County during 2007-09.
- There were 37 injury-related hospitalizations and 1,556 injury-related emergency department visits in children in Pierce County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	55	69
Self-harm	44	55
MVC	19	24*
Nontraffic Trans	14	18*
Poisoning	11	14*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	608	762
Cut/pierce	456	572
Struck (by/against)	406	509
Overexertion	279	350
MVC	279	350

Descriptive Notes:

- Fifty four injury-related deaths occurred in adults in Pierce County during 2007-09.
- There were 214 injury-related inpatient hospitalizations and 3,084 injury-related emergency department visits in adults in Pierce County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	195	1,540
MVC	8	63
Poisoning	7	55*
Fire	<5	–
Struck (by/against)	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	395	3,120
MVC	34	269
Cut/pierce	32	253
Struck (by/against)	32	253
Nat/Env Factors	32	253

Descriptive Notes:

- Sixteen injury-related deaths occurred in older adults in Pierce County during 2007-09.
- There were 279 injury-related hospitalizations and 630 injury-related emergency department visits in older adults in Pierce County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



POLK COUNTY


Population 45,552

Injury Deaths (2007-09)




	Wisconsin		Polk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	36	26
Suicide	2,185	13	31	23
Falls	2,763	16	27	20
Poisoning	1,525	9	5	4*
Homicide	514	3	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Polk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	531	389
Self-harm	16,640	98	79	58
Poisoning	8,020	47	66	48
MVC	13,219	78	57	42
Nontraffic Trans	4,587	27	23	17


Injury Emergency Department Visits (2007-09)



	Wisconsin		Polk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,637	1,932
Struck (by/against)	175,276	1,031	1,125	824
Cut/pierce	122,657	722	867	635
MVC	115,728	681	691	506
Nat/Env Factors	58,702	345	671	492

Costs:

- The average charge per injury-related emergency department visit in Polk County during 2007-09 was \$758.44.
- The average charge per injury-related inpatient hospitalization in Polk County during 2007-09 was \$10,785.36.
- The average length of injury-related inpatient hospitalization in Polk County during 2007-09 was 3.44 days, with an average charge of \$3,135.28 per day.



Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	17	56*
Falls	11	36*
Poisoning	11	36*
Struck (by/against)	5	16*
MVC	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	807	2,650
Struck (by/against)	548	1,800
Nat/Env Factors	216	709
Cut/pierce	208	683
Nontraffic Trans	150	493

Descriptive Notes:

- Seven injury-related deaths occurred in children in Polk County during 2007-09.
- There were 55 injury-related hospitalizations and 2,734 injury-related emergency department visits in children in Polk County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	96	114
Self-harm	60	71
MVC	39	46
Poisoning	33	39
Nontraffic Trans	17	20*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,080	1,280
Cut/pierce	595	705
Struck (by/against)	531	629
MVC	494	586
Overexertion	469	556

Descriptive Notes:

- Sixty seven injury-related deaths occurred in adults in Polk County during 2007-09.
- There were 364 injury-related inpatient hospitalizations and 5,070 injury-related emergency department visits in adults in Polk County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	424	1,955
Poisoning	22	101
MVC	14	65*
Nat/Env Factors	6	28*
Overexertion	6	28*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	750	3,459
Nat/Env Factors	84	387
Cut/pierce	64	295
MVC	50	231
Struck (by/against)	46	212

Descriptive Notes:

- Forty injury-related deaths occurred in older adults in Polk County during 2007-09.
- There were 555 injury-related hospitalizations and 1,245 injury-related emergency department visits in older adults in Polk County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



PORTAGE COUNTY


Population 70,404

Injury Deaths (2007-09)




	Wisconsin		Portage	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	34	16
MVC	1,840	11	22	10
Suicide	2,185	13	20	10*
Poisoning	1,525	9	17	8*
Suffocation	289	2	7	3*

Injury Hospitalizations (2007-09)



	Wisconsin		Portage	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	640	305
Self-harm	16,640	98	320	152
MVC	13,219	78	118	56
Poisoning	8,020	47	101	48
Struck (by/against)	3,868	23	41	20


Injury Emergency Department Visits (2007-09)



	Wisconsin		Portage	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,141	1,019
Struck (by/against)	175,276	1,031	943	449
MVC	115,728	681	609	290
Overexertion	121,424	715	571	272
Cut/pierce	122,657	722	495	236

Costs:

- The average charge per injury-related emergency department visit in Portage County during 2007-09 was \$844.03.
- The average charge per injury-related inpatient hospitalization in Portage County during 2007-09 was \$19,258.40.
- The average length of injury-related inpatient hospitalization in Portage County during 2007-09 was 4.92 days, with an average charge of \$3,914.31 per day.



PORTAGE COUNTY

Population 70,404

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	39	81
Falls	28	58
Poisoning	19	39*
MVC	15	31*
Struck (by/against)	10	21*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	368	761
Struck (by/against)	321	664
Nat/Env Factors	115	238
MVC	88	182
Cut/pierce	80	165

Descriptive Notes:

- Ten injury-related deaths occurred in children in Portage County during 2007-09.
- There were 154 injury-related hospitalizations and 1,410 injury-related emergency department visits in children in Portage County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	274	200
Falls	163	119
MVC	93	68
Poisoning	69	50
Nontraffic Trans	26	19

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	991	724
Struck (by/against)	553	404
MVC	485	354
Overexertion	460	336
Cut/pierce	393	287

Descriptive Notes:

- Sixty five injury-related deaths occurred in adults in Portage County during 2007-09.
- There were 872 injury-related inpatient hospitalizations and 4,391 injury-related emergency department visits in adults in Portage County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	449	1,798
Overexertion	14	56*
Poisoning	13	52*
MVC	10	40*
Struck (by/against)	9	36*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	782	3,132
Struck (by/against)	69	276
Overexertion	56	224
Nat/Env Factors	48	192
MVC	36	144

Descriptive Notes:

- Thirty nine injury-related deaths occurred in older adults in Portage County during 2007-09.
- There were 617 injury-related hospitalizations and 1,175 injury-related emergency department visits in older adults in Portage County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



PRICE COUNTY


Population 15,521

Injury Deaths (2007-09)




	Wisconsin		Price	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	11	24*
Falls	2,763	16	6	13*
Suicide	2,185	13	6	13*
Poisoning	1,525	9	<5	–
Homicide	514	3	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Price	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	211	452
MVC	13,219	78	40	86
Poisoning	8,020	47	24	51
Nat/Env Factors	3,417	20	20	43*
Self-harm	16,640	98	18	39*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Price	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	936	2,007
Struck (by/against)	175,276	1,031	423	907
Cut/pierce	122,657	722	330	708
Overexertion	121,424	715	301	645
Nat/Env Factors	58,702	345	265	568

Costs:

- The average charge per injury-related emergency department visit in Price County during 2007-09 was \$820.76.
- The average charge per injury-related inpatient hospitalization in Price County during 2007-09 was \$22,457.12.
- The average length of injury-related inpatient hospitalization in Price County during 2007-09 was 5.11 days, with an average charge of \$4,394.74 per day.



PRICE COUNTY

Population 15,521

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	12	139*
MVC	5	58*
Struck (by/against)	<5	–
Poisoning	<5	–
Fire	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	249	2,877
Struck (by/against)	173	1,999
Nat/Env Factors	75	867
Overexertion	66	763
Cut/pierce	63	728

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Price County during 2007-09.
- There were 32 injury-related hospitalizations and 855 injury-related emergency department visits in children in Price County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	53	182
MVC	31	107
Self-harm	18	62*
Nontraffic Trans	14	48*
Nat/Env Factors	11	38*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	399	1,373
Cut/pierce	239	822
Overexertion	204	702
Struck (by/against)	203	699
Nat/Env Factors	132	454

Descriptive Notes:

- Nineteen injury-related deaths occurred in adults in Price County during 2007-09.
- There were 204 injury-related inpatient hospitalizations and 1,807 injury-related emergency department visits in adults in Price County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	146	1,637
Poisoning	12	135*
Nat/Env Factors	9	101*
Struck (by/against)	5	56*
MVC	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	288	3,228
Nat/Env Factors	58	650
Struck (by/against)	47	527
Overexertion	31	347
Cut/pierce	28	314

Descriptive Notes:

- Eleven injury-related deaths occurred in older adults in Price County during 2007-09.
- There were 219 injury-related hospitalizations and 545 injury-related emergency department visits in older adults in Price County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



RACINE COUNTY


Population 197,813

Injury Deaths (2007-09)




	Wisconsin		Racine	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	67	11
Falls	2,763	16	66	11
MVC	1,840	11	47	8
Poisoning	1,525	9	50	8
Homicide	514	3	23	4

Injury Hospitalizations (2007-09)



	Wisconsin		Racine	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	2,961	501
Self-harm	16,640	98	872	148
MVC	13,219	78	468	79
Poisoning	8,020	47	310	52
Assault	4,233	25	193	33


Injury Emergency Department Visits (2007-09)



	Wisconsin		Racine	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	15,067	2,550
Struck (by/against)	175,276	1,031	6,547	1,108
MVC	115,728	681	5,674	960
Cut/pierce	122,657	722	4,416	748
Overexertion	121,424	715	4,257	721

Costs:

- The average charge per injury-related emergency department visit in Racine County during 2007-09 was \$1,186.29.
- The average charge per injury-related inpatient hospitalization in Racine County during 2007-09 was \$26,681.69.
- The average length of injury-related inpatient hospitalization in Racine County during 2007-09 was 5.60 days, with an average charge of \$4,764.59 per day.



RACINE COUNTY

Population 197,813

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	114	77
Falls	69	47
MVC	38	26
Poisoning	31	21
Assault	31	21

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	4,830	3,280
Struck (by/against)	2,998	2,036
MVC	1,004	682
Overexertion	958	651
Cut/pierce	947	643

Descriptive Notes:

- Seventeen injury-related deaths occurred in children in Racine County during 2007-09.
- There were 458 injury-related hospitalizations and 15,815 injury-related emergency department visits in children in Racine County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	898	243
Self-harm	736	199
MVC	344	93
Poisoning	216	58
Assault	151	41

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	7,115	1,925
MVC	4,360	1,179
Struck (by/against)	3,307	895
Cut/pierce	3,148	852
Overexertion	3,106	840

Descriptive Notes:

- Two hundred two injury-related deaths occurred in adults in Racine County during 2007-09.
- There were 3,481 injury-related inpatient hospitalizations and 30,586 injury-related emergency department visits in adults in Racine County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,994	2,702
MVC	86	117
Poisoning	63	85
Overexertion	42	57
Struck (by/against)	32	43


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,122	4,230
Cut/pierce	321	435
MVC	310	420
Struck (by/against)	242	328
Overexertion	193	261

Descriptive Notes:

- Seventy four injury-related deaths occurred in older adults in Racine County during 2007-09.
- There were 2,768 injury-related hospitalizations and 5,135 injury-related emergency department visits in older adults in Racine County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



RICHLAND COUNTY


Population 18,186

Injury Deaths (2007-09)




	Wisconsin		Richland	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	14	26*
MVC	1,840	11	9	16*
Suicide	2,185	13	6	11*
Poisoning	1,525	9	<5	–
Suffocation	289	2	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Richland	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	389	712
Self-harm	16,640	98	85	156
MVC	13,219	78	54	99
Poisoning	8,020	47	37	68
Nontraffic Trans	4,587	27	25	46


Injury Emergency Department Visits (2007-09)



	Wisconsin		Richland	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,120	2,050
Struck (by/against)	175,276	1,031	510	933
Overexertion	121,424	715	374	684
Cut/pierce	122,657	722	372	681
MVC	115,728	681	316	578

Costs:

- The average charge per injury-related emergency department visit in Richland County during 2007-09 was \$1,003.88.
- The average charge per injury-related inpatient hospitalization in Richland County during 2007-09 was \$21,892.05.
- The average length of injury-related inpatient hospitalization in Richland County during 2007-09 was 5.28 days, with an average charge of \$4,146.22 per day.



RICHLAND COUNTY

Population 18,186

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	13	107*
Nontraffic Trans	10	83*
MVC	10	83*
Falls	7	58*
Assault	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	252	2,082
Struck (by/against)	195	1,611
Nat/Env Factors	90	744
Cut/pierce	80	661
Nontraffic Trans	67	554

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Richland County during 2007-09.
- There were 64 injury-related hospitalizations and 1,030 injury-related emergency department visits in children in Richland County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	79	238
Self-harm	72	217
MVC	40	121
Poisoning	24	72
Nat/Env Factors	15	45*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	508	1,531
Overexertion	288	868
Struck (by/against)	283	853
Cut/pierce	254	766
MVC	228	687

Descriptive Notes:

- Twenty three injury-related deaths occurred in adults in Richland County during 2007-09.
- There were 339 injury-related inpatient hospitalizations and 2,424 injury-related emergency department visits in adults in Richland County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	303	3,238
Suffocation	13	139*
Poisoning	11	118*
Overexertion	9	96*
Nat/Env Factors	6	64*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	360	3,847
Cut/pierce	38	406
Struck (by/against)	32	342
Nat/Env Factors	26	278
MVC	25	267

Descriptive Notes:

- Fifteen injury-related deaths occurred in older adults in Richland County during 2007-09.
- There were 408 injury-related hospitalizations and 601 injury-related emergency department visits in older adults in Richland County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



ROCK COUNTY


Population 160,544

Injury Deaths (2007-09)




	Wisconsin		Rock	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	81	17
MVC	1,840	11	61	13
Poisoning	1,525	9	56	12
Suicide	2,185	13	55	11
Suffocation	289	2	19	4*

Injury Hospitalizations (2007-09)



	Wisconsin		Rock	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	2,094	435
Self-harm	16,640	98	462	96
MVC	13,219	78	420	87
Poisoning	8,020	47	219	46
Overexertion	3,276	19	159	33


Injury Emergency Department Visits (2007-09)



	Wisconsin		Rock	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	11,204	2,329
Struck (by/against)	175,276	1,031	4,953	1,030
Overexertion	121,424	715	3,683	766
Cut/pierce	122,657	722	3,347	696
MVC	115,728	681	3,100	645

Costs:

- The average charge per injury-related emergency department visit in Rock County during 2007-09 was \$1,089.65.
- The average charge per injury-related inpatient hospitalization in Rock County during 2007-09 was \$29,191.61.
- The average length of injury-related inpatient hospitalization in Rock County during 2007-09 was 5.55 days, with an average charge of \$5,259.75 per day.



ROCK COUNTY

Population 160,544

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	87	74
Self-harm	49	42
MVC	44	37
Nontraffic Trans	29	25
Fire	26	22

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,235	2,748
Struck (by/against)	2,076	1,764
Cut/pierce	704	598
Overexertion	618	525
MVC	562	477

Descriptive Notes:

- Twenty four injury-related deaths occurred in children in Rock County during 2007-09.
- There were 369 injury-related hospitalizations and 10,317 injury-related emergency department visits in children in Rock County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	571	190
Self-harm	395	131
MVC	333	111
Poisoning	137	46
Overexertion	97	32

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5,735	1,908
Overexertion	2,895	963
Struck (by/against)	2,720	905
Cut/pierce	2,478	824
MVC	2,377	791

Descriptive Notes:

- One hundred ninety four injury-related deaths occurred in adults in Rock County during 2007-09.
- There were 2,534 injury-related inpatient hospitalizations and 24,592 injury-related emergency department visits in adults in Rock County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,436	2,292
Poisoning	64	102
Overexertion	59	94
MVC	43	69
Suffocation	33	53


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,234	3,565
Overexertion	170	271
Cut/pierce	165	263
MVC	161	257
Struck (by/against)	157	251

Descriptive Notes:

- One hundred one injury-related deaths occurred in older adults in Rock County during 2007-09. The majority of these were falls.
- There were 2,056 injury-related hospitalizations and 3,555 injury-related emergency department visits in older adults in Rock County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



RUSK COUNTY


Population 15,250

Injury Deaths (2007-09)




	Wisconsin		Rusk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	6	13*
MVC	1,840	11	6	13*
Falls	2,763	16	5	11*
Legal (intervention)	19	<1*	<5	–
Poisoning	1,525	9	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Rusk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	197	430
Self-harm	16,640	98	33	72
MVC	13,219	78	30	65
Nontraffic Trans	4,587	27	21	46
Poisoning	8,020	47	18	39*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Rusk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	950	2,073
Struck (by/against)	175,276	1,031	511	1,115
Cut/pierce	122,657	722	395	862
Nat/Env Factors	58,702	345	355	775
Overexertion	121,424	715	321	700

Costs:

- The average charge per injury-related emergency department visit in Rusk County during 2007-09 was \$541.38.
- The average charge per injury-related inpatient hospitalization in Rusk County during 2007-09 was \$22,063.04.
- The average length of injury-related inpatient hospitalization in Rusk County during 2007-09 was 5.11 days, with an average charge of \$4,317.62 per day.



RUSK COUNTY

Population 15,250

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	9	94*
Falls	9	94*
MVC	<5	–
Nontraffic Trans	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	309	3,237
Struck (by/against)	246	2,577
Nat/Env Factors	118	1,236
Cut/pierce	100	1,048
Overexertion	80	838

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Rusk County during 2007-09.
- There were 41 injury-related hospitalizations and 1,180 injury-related emergency department visits in children in Rusk County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	37	134
MVC	24	87
Self-harm	24	87
Nontraffic Trans	14	51*
Struck (by/against)	10	36*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	384	1,395
Cut/pierce	264	959
Struck (by/against)	239	868
Overexertion	211	767
Nat/Env Factors	179	650

Descriptive Notes:

- Fifteen injury-related deaths occurred in adults in Rusk County during 2007-09.
- There were 176 injury-related inpatient hospitalizations and 2,094 injury-related emergency department visits in adults in Rusk County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	151	1,723
Poisoning	9	103*
Struck (by/against)	5	57*
Nontraffic Trans	<5	–
Nat/Env Factors	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	257	2,933
Nat/Env Factors	58	662
Cut/pierce	31	354
Overexertion	30	342
MVC	27	308

Descriptive Notes:

- Nine injury-related deaths occurred in older adults in Rusk County during 2007-09.
- There were 213 injury-related hospitalizations and 528 injury-related emergency department visits in older adults in Rusk County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



ST. CROIX COUNTY


Population 81,056

Injury Deaths (2007-09)




	Wisconsin		St. Croix	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	29	12
MVC	1,840	11	28	12
Falls	2,763	16	12	5*
Suffocation	289	2	7	3*
Nontraffic Trans	251	1	5	2*

Injury Hospitalizations (2007-09)



	Wisconsin		St. Croix	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	496	205
Self-harm	16,640	98	65	27
Poisoning	8,020	47	41	17
MVC	13,219	78	33	14
Overexertion	3,276	19	28	12


Injury Emergency Department Visits (2007-09)



	Wisconsin		St. Croix	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	3,744	1,548
Struck (by/against)	175,276	1,031	2,151	889
Cut/pierce	122,657	722	1,560	645
Overexertion	121,424	715	1,145	473
Nat/Env Factors	58,702	345	841	348

Costs:

- The average charge per injury-related emergency department visit in St. Croix County during 2007-09 was \$825.66.
- The average charge per injury-related inpatient hospitalization in St. Croix County during 2007-09 was \$11,557.62.
- The average length of injury-related inpatient hospitalization in St. Croix County during 2007-09 was 3.73 days, with an average charge of \$3,098.56 per day.



ST. CROIX COUNTY

Population 81,056

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	20	32*
Falls	16	26*
Struck (by/against)	5	8*
Poisoning	<5	–
Nat/Env Factors	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,371	2,214
Struck (by/against)	1,104	1,783
Cut/pierce	320	517
Overexertion	269	434
Nat/Env Factors	268	433

Descriptive Notes:

- Eleven injury-related deaths occurred in children in St. Croix County during 2007-09.
- There were 53 injury-related hospitalizations and 4,633 injury-related emergency department visits in children in St. Croix County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	96	62
Self-harm	44	28
MVC	25	16
Poisoning	24	15
Nontraffic Trans	17	11*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,484	956
Cut/pierce	1,165	750
Struck (by/against)	980	631
Overexertion	823	530
MVC	633	408

Descriptive Notes:

- Sixty nine injury-related deaths occurred in adults in St. Croix County during 2007-09.
- There were 357 injury-related inpatient hospitalizations and 7,819 injury-related emergency department visits in adults in St. Croix County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	384	1,557
Poisoning	14	57*
Overexertion	11	45*
MVC	7	28*
Struck (by/against)	7	28*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	889	3,604
Cut/pierce	75	304
Nat/Env Factors	71	288
Struck (by/against)	67	272
Overexertion	53	215

Descriptive Notes:

- Twenty seven injury-related deaths occurred in older adults in St. Croix County during 2007-09.
- There were 514 injury-related hospitalizations and 1,439 injury-related emergency department visits in older adults in St. Croix County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



SAUK COUNTY


Population 60,580

Injury Deaths (2007-09)




	Wisconsin		Sauk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	31	17
Falls	2,763	16	30	17
Suicide	2,185	13	26	14
Poisoning	1,525	9	25	14
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Sauk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	940	518
MVC	13,219	78	162	89
Self-harm	16,640	98	157	87
Poisoning	8,020	47	79	44
Struck (by/against)	3,868	23	55	30


Injury Emergency Department Visits (2007-09)



	Wisconsin		Sauk	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	3,529	1,946
Struck (by/against)	175,276	1,031	1,575	869
Cut/pierce	122,657	722	1,270	700
Overexertion	121,424	715	1,165	643
MVC	115,728	681	1,033	570

Costs:

- The average charge per injury-related emergency department visit in Sauk County during 2007-09 was \$967.27.
- The average charge per injury-related inpatient hospitalization in Sauk County during 2007-09 was \$23,834.59.
- The average length of injury-related inpatient hospitalization in Sauk County during 2007-09 was 4.76 days, with an average charge of \$5,007.27 per day.



SAUK COUNTY

Population 60,580

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	25	60
Falls	20	48*
Nontraffic Trans	12	29*
Poisoning	12	29*
Struck (by/against)	9	22*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	859	2,072
Struck (by/against)	661	1,594
Cut/pierce	236	569
Overexertion	197	475
Nontraffic Trans	187	451

Descriptive Notes:

- Nine injury-related deaths occurred in children in Sauk County during 2007-09.
- There were 121 injury-related hospitalizations and 2,994 injury-related emergency department visits in children in Sauk County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	225	197
Self-harm	128	112
MVC	127	111
Poisoning	49	43
Nontraffic Trans	31	27

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,584	1,390
Cut/pierce	948	832
Overexertion	885	777
Struck (by/against)	821	721
MVC	794	697

Descriptive Notes:

- Eighty injury-related deaths occurred in adults in Sauk County during 2007-09.
- There were 909 injury-related inpatient hospitalizations and 7,385 injury-related emergency department visits in adults in Sauk County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	695	2,682
MVC	28	108
Poisoning	18	69*
Struck (by/against)	15	58*
Overexertion	15	58*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,086	4,191
Struck (by/against)	93	359
Cut/pierce	86	332
Overexertion	83	320
MVC	73	282

Descriptive Notes:

- Forty injury-related deaths occurred in older adults in Sauk County during 2007-09.
- There were 976 injury-related hospitalizations and 1,701 injury-related emergency department visits in older adults in Sauk County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



SAWYER COUNTY


Population 17,577

Injury Deaths (2007-09)




	Wisconsin		Sawyer	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	15	28*
Falls	2,763	16	9	17*
Suicide	2,185	13	8	15*
Poisoning	1,525	9	6	11*
Homicide	514	3	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Sawyer	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	209	397
Self-harm	16,640	98	48	91
Poisoning	8,020	47	33	63
MVC	13,219	78	31	59
Nontraffic Trans	4,587	27	13	25*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Sawyer	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,519	2,884
Struck (by/against)	175,276	1,031	571	1,084
Cut/pierce	122,657	722	494	938
Nat/Env Factors	58,702	345	484	919
Overexertion	121,424	715	375	712

Costs:

- The average charge per injury-related emergency department visit in Sawyer County during 2007-09 was \$761.71.
- The average charge per injury-related inpatient hospitalization in Sawyer County during 2007-09 was \$17,034.58.
- The average length of injury-related inpatient hospitalization in Sawyer County during 2007-09 was 6.37 days, with an average charge of \$2,674.19 per day.



SAWYER COUNTY

Population 17,577

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	6	59*
Poisoning	<5	–
Nontraffic Trans	<5	–
Falls	<5	–
Struck (by/against)	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	405	3,982
Struck (by/against)	255	2,507
Nat/Env Factors	149	1,465
Cut/pierce	121	1,190
Overexertion	89	875

Descriptive Notes:

- Less than 5 injury-related deaths occurred in children in Sawyer County during 2007-09.
- There were 22 injury-related hospitalizations and 1,456 injury-related emergency department visits in children in Sawyer County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	56	171
Self-harm	39	119
MVC	27	82
Poisoning	19	58*
Assault	11	34*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	699	2,131
Cut/pierce	321	979
Struck (by/against)	271	826
Overexertion	252	768
Assault	227	692

Descriptive Notes:

- Twenty nine injury-related deaths occurred in adults in Sawyer County during 2007-09.
- There were 219 injury-related inpatient hospitalizations and 3,082 injury-related emergency department visits in adults in Sawyer County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	151	1,557
Poisoning	11	113*
Nat/Env Factors	5	52*
Overexertion	<5	–
MVC	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	415	4,278
Nat/Env Factors	108	1,113
Cut/pierce	52	536
Struck (by/against)	45	464
Overexertion	34	350

Descriptive Notes:

- Sixteen injury-related deaths occurred in older adults in Sawyer County during 2007-09.
- There were 211 injury-related hospitalizations and 807 injury-related emergency department visits in older adults in Sawyer County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



SHAWANO COUNTY


Population 42,234

Injury Deaths (2007-09)




	Wisconsin		Shawano	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	28	22
Suicide	2,185	13	22	17
Falls	2,763	16	19	15*
Poisoning	1,525	9	7	6
Fire	154	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Shawano	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	535	423
MVC	13,219	78	128	101
Self-harm	16,640	98	106	84
Nontraffic Trans	4,587	27	45	36
Poisoning	8,020	47	44	35


Injury Emergency Department Visits (2007-09)



	Wisconsin		Shawano	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,481	1,961
Struck (by/against)	175,276	1,031	1,078	852
Cut/pierce	122,657	722	783	619
MVC	115,728	681	760	601
Overexertion	121,424	715	754	596

Costs:

- The average charge per injury-related emergency department visit in Shawano County during 2007-09 was \$995.04.
- The average charge per injury-related inpatient hospitalization in Shawano County during 2007-09 was \$25,220.21.
- The average length of injury-related inpatient hospitalization in Shawano County during 2007-09 was 5.40 days, with an average charge of \$4,670.41 per day.



SHAWANO COUNTY

Population 42,234

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	25	87
MVC	13	45*
Falls	12	42*
Struck (by/against)	8	28*
Nontraffic Trans	8	28*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	556	1,936
Struck (by/against)	437	1,522
MVC	159	554
Cut/pierce	155	540
Nat/Env Factors	141	491

Descriptive Notes:

- Six injury-related deaths occurred in children in Shawano County during 2007-09.
- There were 104 injury-related hospitalizations and 2,175 injury-related emergency department visits in children in Shawano County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	133	174
MVC	95	124
Self-harm	79	103
Nontraffic Trans	33	43
Nat/Env Factors	25	33

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,128	1,474
Struck (by/against)	587	767
Overexertion	565	738
Cut/pierce	562	734
MVC	554	724

Descriptive Notes:

- Fifty injury-related deaths occurred in adults in Shawano County during 2007-09.
- There were 588 injury-related inpatient hospitalizations and 5,520 injury-related emergency department visits in adults in Shawano County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	390	1,835
MVC	20	94*
Poisoning	16	75*
Nat/Env Factors	9	42*
Overexertion	8	38*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	797	3,750
Cut/pierce	66	311
Overexertion	64	301
Nat/Env Factors	59	278
Struck (by/against)	54	254

Descriptive Notes:

- Thirty-one injury-related deaths occurred in older adults in Shawano County during 2007-09.
- There were 577 injury-related hospitalizations and 1,327 injury-related emergency department visits in older adults in Shawano County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



SHEBOYGAN COUNTY


Population 116,590

Injury Deaths (2007-09)




	Wisconsin		Sheboygan	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	48	14
Falls	2,763	16	47	13
MVC	1,840	11	31	9
Poisoning	1,525	9	13	4*
Nontraffic Trans	251	1	10	3*

Injury Hospitalizations (2007-09)



	Wisconsin		Sheboygan	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,379	395
Self-harm	16,640	98	623	178
MVC	13,219	78	231	66
Poisoning	8,020	47	81	23
Struck (by/against)	3,868	23	70	20


Injury Emergency Department Visits (2007-09)



	Wisconsin		Sheboygan	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	6,903	1,975
Struck (by/against)	175,276	1,031	3,043	871
Overexertion	121,424	715	2,284	653
Cut/pierce	122,657	722	2,214	633
MVC	115,728	681	1,690	484

Costs:

- The average charge per injury-related emergency department visit in Sheboygan County during 2007-09 was \$1,068.70.
- The average charge per injury-related inpatient hospitalization in Sheboygan County during 2007-09 was \$23,571.52.
- The average length of injury-related inpatient hospitalization in Sheboygan County during 2007-09 was 4.77 days, with an average charge of \$4,941.62 per day.



SHEBOYGAN COUNTY

Population 116,590

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	103	124
Falls	30	36
MVC	26	31
Assault	16	19*
Struck (by/against)	14	17*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,985	2,390
Struck (by/against)	1,299	1,564
Cut/pierce	467	562
Overexertion	380	458
Nontraffic Trans	313	377

Descriptive Notes:

- Thirteen injury-related deaths occurred in children in Sheboygan County during 2007-09.
- There were 251 injury-related hospitalizations and 5,923 injury-related emergency department visits in children in Sheboygan County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	505	231
Falls	361	165
MVC	168	77
Poisoning	55	25
Nontraffic Trans	42	19

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,173	1,453
Overexertion	1,787	818
Cut/pierce	1,623	743
Struck (by/against)	1,622	743
MVC	1,303	597

Descriptive Notes:

- One hundred nine injury-related deaths occurred in adults in Sheboygan County during 2007-09.
- There were 1,546 injury-related inpatient hospitalizations and 13,411 injury-related emergency department visits in adults in Sheboygan County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	988	2,052
MVC	37	77
Overexertion	26	54
Struck (by/against)	24	50
Poisoning	20	42*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,745	3,625
Cut/pierce	124	258
Struck (by/against)	122	253
Overexertion	117	243
MVC	111	231

Descriptive Notes:

- Sixty eight injury-related deaths occurred in older adults in Sheboygan County during 2007-09.
- There were 1,345 injury-related hospitalizations and 2,608 injury-related emergency department visits in older adults in Sheboygan County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



TAYLOR COUNTY


Population 19,862

Injury Deaths (2007-09)




	Wisconsin		Taylor	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	10	17*
MVC	1,840	11	7	12*
Suicide	2,185	13	7	12*
Suffocation	289	2	<5	–
Homicide	514	3	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Taylor	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	229	384
MVC	13,219	78	41	69
Nontraffic Trans	4,587	27	34	57
Self-harm	16,640	98	22	37
Struck (by/against)	3,868	23	18	30*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Taylor	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,097	1,841
Overexertion	121,424	715	477	800
Cut/pierce	122,657	722	466	782
Struck (by/against)	175,276	1,031	453	760
MVC	115,728	681	237	398

Costs:

- The average charge per injury-related emergency department visit in Taylor County during 2007-09 was \$956.66.
- The average charge per injury-related inpatient hospitalization in Taylor County during 2007-09 was \$23,112.66.
- The average length of injury-related inpatient hospitalization in Taylor County during 2007-09 was 5.39 days, with an average charge of \$4,288.06 per day.



TAYLOR COUNTY

Population 19,862

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Nontraffic Trans	7	51*
Falls	<5	–
Struck (by/against)	<5	–
MVC	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	286	2,080
Struck (by/against)	204	1,484
Cut/pierce	94	684
Nontraffic Trans	72	524
Overexertion	67	487

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Taylor County during 2007-09.
- There were 28 injury-related hospitalizations and 991 injury-related emergency department visits in children in Taylor County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	46	126
MVC	30	82
Nontraffic Trans	25	68
Self-harm	21	57
Struck (by/against)	10	27*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	419	1,146
Overexertion	359	982
Cut/pierce	337	922
Struck (by/against)	220	602
MVC	174	476

Descriptive Notes:

- Seventeen injury-related deaths occurred in adults in Taylor County during 2007-09.
- There were 202 injury-related inpatient hospitalizations and 2,154 injury-related emergency department visits in adults in Taylor County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	179	1,927
MVC	9	97*
Nat/Env Factors	5	54*
Poisoning	<5	–
Struck (by/against)	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	392	4,220
Overexertion	51	549
Nat/Env Factors	47	506
Cut/pierce	35	377
Struck (by/against)	29	312

Descriptive Notes:

- Fourteen injury-related deaths occurred in older adults in Taylor County during 2007-09.
- There were 252 injury-related hospitalizations and 633 injury-related emergency department visits in older adults in Taylor County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



TREMPEALEAU COUNTY


Population 28,286

Injury Deaths (2007-09)




	Wisconsin		Trempealeau	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	18	21*
Suicide	2,185	13	17	20*
Falls	2,763	16	12	14*
Poisoning	1,525	9	5	6*
Fire	154	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Trempealeau	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	359	424
Self-harm	16,640	98	119	140
MVC	13,219	78	65	77
Nontraffic Trans	4,587	27	30	35
Poisoning	8,020	47	20	24*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Trempealeau	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,540	1,818
Struck (by/against)	175,276	1,031	622	734
Cut/pierce	122,657	722	581	686
MVC	115,728	681	461	544
Overexertion	121,424	715	406	479

Costs:

- The average charge per injury-related emergency department visit in Trempealeau County during 2007-09 was \$955.16.
- The average charge per injury-related inpatient hospitalization in Trempealeau County during 2007-09 was \$19,475.38.
- The average length of injury-related inpatient hospitalization in Trempealeau County during 2007-09 was 4.45 days, with an average charge of \$4,376.49 per day.



TREMPEALEAU COUNTY

Population 28,286

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	22	115
Falls	7	37*
Nontraffic Trans	7	37*
MVC	6	31*
Assault	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	393	2,052
Struck (by/against)	255	1,332
Nontraffic Trans	124	647
Cut/pierce	113	590
MVC	105	548

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Trempealeau County during 2007-09.
- There were 64 injury-related hospitalizations and 1,426 injury-related emergency department visits in children in Trempealeau County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	96	185
Falls	80	154
MVC	49	94
Nontraffic Trans	19	37*
Poisoning	13	25*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	644	1,238
Cut/pierce	438	842
Struck (by/against)	336	646
MVC	321	617
Overexertion	297	571

Descriptive Notes:

- Forty one injury-related deaths occurred in adults in Trempealeau County during 2007-09.
- There were 378 injury-related inpatient hospitalizations and 3,212 injury-related emergency department visits in adults in Trempealeau County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	272	2,008
MVC	10	74*
Poisoning	6	44*
Suffocation	6	44*
Overexertion	6	44*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	503	3,713
MVC	35	258
Nat/Env Factors	32	236
Struck (by/against)	31	229
Cut/pierce	30	221

Descriptive Notes:

- Twenty three injury-related deaths occurred in older adults in Trempealeau County during 2007-09.
- There were 349 injury-related hospitalizations and 771 injury-related emergency department visits in older adults in Trempealeau County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



VERNON COUNTY


Population 29,737

Injury Deaths (2007-09)




	Wisconsin		Vernon	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	16	18*
Suicide	2,185	13	11	12*
Falls	2,763	16	9	10*
Nontraffic Trans	251	1	<5	–
Poisoning	1,525	9	<5	–

Injury Hospitalizations (2007-09)



	Wisconsin		Vernon	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	425	478
MVC	13,219	78	84	95
Self-harm	16,640	98	75	84
Nontraffic Trans	4,587	27	38	43
Poisoning	8,020	47	31	35


Injury Emergency Department Visits (2007-09)



	Wisconsin		Vernon	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,043	2,299
Struck (by/against)	175,276	1,031	674	759
Cut/pierce	122,657	722	646	727
MVC	115,728	681	542	610
Overexertion	121,424	715	479	539

Costs:

- The average charge per injury-related emergency department visit in Vernon County during 2007-09 was \$1,048.69.
- The average charge per injury-related inpatient hospitalization in Vernon County during 2007-09 was \$22,264.28.
- The average length of injury-related inpatient hospitalization in Vernon County during 2007-09 was 5.13 days, with an average charge of \$4,340.02 per day.



VERNON COUNTY

Population 29,737

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	17	76*
Self-harm	7	31*
Nontraffic Trans	<5	–
MVC	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	559	2,487
Struck (by/against)	309	1,375
Cut/pierce	154	685
Nat/Env Factors	112	498
Nontraffic Trans	112	498

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Vernon County during 2007-09.
- There were 60 injury-related hospitalizations and 1,750 injury-related emergency department visits in children in Vernon County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	115	221
MVC	68	131
Self-harm	58	112
Nontraffic Trans	29	56
Poisoning	16	31*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	797	1,534
Cut/pierce	436	839
MVC	403	776
Overexertion	322	620
Struck (by/against)	317	610

Descriptive Notes:

- Twenty four injury-related deaths occurred in adults in Vernon County during 2007-09.
- There were 418 injury-related inpatient hospitalizations and 3,665 injury-related emergency department visits in adults in Vernon County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	293	2,032
Poisoning	12	83*
MVC	12	83*
Overexertion	11	76*
Self-harm	10	69*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	687	4,766
Cut/pierce	56	388
Overexertion	53	368
Struck (by/against)	48	333
MVC	46	319

Descriptive Notes:

- Twenty three injury-related deaths occurred in older adults in Vernon County during 2007-09.
- There were 437 injury-related hospitalizations and 1,182 injury-related emergency department visits in older adults in Vernon County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



VILAS COUNTY


Population 22,767

Injury Deaths (2007-09)




	Wisconsin		Vilas	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	17	25*
MVC	1,840	11	12	18*
Poisoning	1,525	9	10	15*
Suicide	2,185	13	8	12*
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Vilas	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	513	751
Self-harm	16,640	98	114	167
MVC	13,219	78	88	129
Poisoning	8,020	47	53	78
Nontraffic Trans	4,587	27	47	69


Injury Emergency Department Visits (2007-09)



	Wisconsin		Vilas	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	2,324	3,401
Struck (by/against)	175,276	1,031	911	1,333
Cut/pierce	122,657	722	754	1,103
Overexertion	121,424	715	626	916
Nat/Env Factors	58,702	345	494	723

Costs:

- The average charge per injury-related emergency department visit in Vilas County during 2007-09 was \$1,131.38.
- The average charge per injury-related inpatient hospitalization in Vilas County during 2007-09 was \$21,420.01.
- The average length of injury-related inpatient hospitalization in Vilas County during 2007-09 was 4.76 days, with an average charge of \$4,500.00 per day.



Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	15	138*
MVC	10	92*
Falls	10	92*
Poisoning	9	83*
Nontraffic Trans	9	83*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	533	4,915
Struck (by/against)	389	3,587
Cut/pierce	164	1,512
Nat/Env Factors	136	1,254
Nontraffic Trans	112	1,033

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Vilas County during 2007-09.
- There were 71 injury-related hospitalizations and 1,850 injury-related emergency department visits in children in Vilas County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	124	300
Self-harm	96	232
MVC	59	143
Nontraffic Trans	33	80
Poisoning	31	75

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,120	2,711
Cut/pierce	506	1,225
Overexertion	467	1,130
Struck (by/against)	440	1,065
MVC	348	842

Descriptive Notes:

- Thirty eight injury-related deaths occurred in adults in Vilas County during 2007-09.
- There were 542 injury-related inpatient hospitalizations and 4,319 injury-related emergency department visits in adults in Vilas County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	379	2,342
MVC	19	117*
Overexertion	14	87*
Poisoning	13	80*
Struck (by/against)	9	56*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	671	4,147
Nat/Env Factors	99	612
Cut/pierce	84	519
Struck (by/against)	82	507
MVC	53	328

Descriptive Notes:

- Twenty four injury-related deaths occurred in older adults in Vilas County during 2007-09.
- There were 543 injury-related hospitalizations and 1,225 injury-related emergency department visits in older adults in Vilas County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WALWORTH COUNTY


Population 101,476

Injury Deaths (2007-09)




	Wisconsin		Walworth	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
MVC	1,840	11	43	14
Falls	2,763	16	40	13
Suicide	2,185	13	39	13
Poisoning	1,525	9	27	9
Homicide	514	3	7	2*

Injury Hospitalizations (2007-09)



	Wisconsin		Walworth	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,245	410
MVC	13,219	78	238	78
Self-harm	16,640	98	149	49
Poisoning	8,020	47	107	35
Nontraffic Trans	4,587	27	78	26


Injury Emergency Department Visits (2007-09)



	Wisconsin		Walworth	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	7,631	2,510
Struck (by/against)	175,276	1,031	3,892	1,280
Overexertion	121,424	715	2,804	922
Cut/pierce	122,657	722	2,516	828
MVC	115,728	681	1,816	597

Costs:

- The average charge per injury-related emergency department visit in Walworth County during 2007-09 was \$870.79.
- The average charge per injury-related inpatient hospitalization in Walworth County during 2007-09 was \$29,202.95.
- The average length of injury-related inpatient hospitalization in Walworth County during 2007-09 was 5.25 days, with an average charge of \$5,562.47 per day.



WALWORTH COUNTY

Population 101,476

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	40	57
MVC	27	38
Self-harm	21	30
Poisoning	15	21*
Nontraffic Trans	14	20*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,404	3,421
Struck (by/against)	1,646	2,342
Overexertion	577	821
Cut/pierce	500	711
Nat/Env Factors	419	596

Descriptive Notes:

- Fourteen injury-related deaths occurred in children in Walworth County during 2007-09.
- There were 188 injury-related hospitalizations and 7,556 injury-related emergency department visits in children in Walworth County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	284	148
MVC	175	91
Self-harm	128	67
Poisoning	72	37
Nontraffic Trans	54	28

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,594	1,868
Overexertion	2,076	1,079
Struck (by/against)	2,069	1,076
Cut/pierce	1,853	963
MVC	1,427	742

Descriptive Notes:

- One hundred seven injury-related deaths occurred in adults in Walworth County during 2007-09.
- There were 1,188 injury-related inpatient hospitalizations and 16,038 injury-related emergency department visits in adults in Walworth County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	921	2,225
MVC	36	87
Poisoning	20	48*
Overexertion	19	46*
Struck (by/against)	17	41*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,633	3,945
Struck (by/against)	177	428
Cut/pierce	163	394
Overexertion	151	365
Nat/Env Factors	134	324

Descriptive Notes:

- Sixty one injury-related deaths occurred in older adults in Walworth County during 2007-09.
- There were 1,292 injury-related hospitalizations and 2,790 injury-related emergency department visits in older adults in Walworth County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WASHBURN COUNTY


Population 17,436

Injury Deaths (2007-09)




	Wisconsin		Washburn	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	8	15*
Suicide	2,185	13	8	15*
MVC	1,840	11	7	13*
Poisoning	1,525	9	5	10*
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Washburn	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	315	604
Self-harm	16,640	98	22	42
MVC	13,219	78	21	40
Nat/Env Factors	3,417	20	19	36*
Nontraffic Trans	4,587	27	18	35*


Injury Emergency Department Visits (2007-09)



	Wisconsin		Washburn	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,498	2,872
Struck (by/against)	175,276	1,031	622	1,192
Cut/pierce	122,657	722	532	1,020
Overexertion	121,424	715	476	912
Nat/Env Factors	58,702	345	472	905

Costs:

- The average charge per injury-related emergency department visit in Washburn County during 2007-09 was \$779.74.
- The average charge per injury-related inpatient hospitalization in Washburn County during 2007-09 was \$14,622.21.
- The average length of injury-related inpatient hospitalization in Washburn County during 2007-09 was 4.15 days, with an average charge of \$3,523.42 per day.



WASHBURN COUNTY

Population 17,436

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	<5	–
Struck (by/against)	<5	–
Self-harm	<5	–
MVC	<5	–
Nontraffic Trans	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	405	3,981
Struck (by/against)	255	2,506
Cut/pierce	124	1,219
Nat/Env Factors	119	1,170
Overexertion	111	1,091

Descriptive Notes:

- There were no injury-related deaths that occurred in children in Washburn County during 2007-09.
- There were 14 injury-related hospitalizations and 1,397 injury-related emergency department visits in children in Washburn County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	62	194
Self-harm	18	56*
Nontraffic Trans	13	41*
Nat/Env Factors	11	34*
Poisoning	10	31*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	617	1,932
Cut/pierce	352	1,102
Overexertion	332	1,040
Struck (by/against)	320	1,002
Nat/Env Factors	265	830

Descriptive Notes:

- Twenty one injury-related deaths occurred in adults in Washburn County during 2007-09.
- There were 184 injury-related inpatient hospitalizations and 2,881 injury-related emergency department visits in adults in Washburn County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	249	2,474
MVC	11	109*
Nat/Env Factors	7	70*
Suffocation	<5	–
Nontraffic Trans	<5	–


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	476	4,730
Nat/Env Factors	88	874
Cut/pierce	56	556
Struck (by/against)	47	467
Overexertion	33	328

Descriptive Notes:

- Twelve injury-related deaths occurred in older adults in Washburn County during 2007-09.
- There were 316 injury-related hospitalizations and 869 injury-related emergency department visits in older adults in Washburn County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WASHINGTON COUNTY


Population 131,030

Injury Deaths (2007-09)




	Wisconsin		Washington	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	86	22
Suicide	2,185	13	41	10
MVC	1,840	11	34	9
Poisoning	1,525	9	26	7
Suffocation	289	2	9	2*

Injury Hospitalizations (2007-09)



	Wisconsin		Washington	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,488	380
MVC	13,219	78	285	73
Self-harm	16,640	98	278	71
Poisoning	8,020	47	137	35
Struck (by/against)	3,868	23	96	25


Injury Emergency Department Visits (2007-09)



	Wisconsin		Washington	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	6,139	1,570
Struck (by/against)	175,276	1,031	3,498	894
Cut/pierce	122,657	722	2,653	678
MVC	115,728	681	1,993	510
Overexertion	121,424	715	1,769	452

Costs:

- The average charge per injury-related emergency department visit in Washington County during 2007-09 was \$1,097.87.
- The average charge per injury-related inpatient hospitalization in Washington County during 2007-09 was \$26,774.98.
- The average length of injury-related inpatient hospitalization in Washington County during 2007-09 was 5.29 days, with an average charge of \$5,061.43 per day.



WASHINGTON COUNTY

Population 131,030

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	54	58
Falls	30	32
Struck (by/against)	19	20*
Poisoning	16	17*
MVC	16	17*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,122	2,270
Struck (by/against)	1,666	1,783
Cut/pierce	531	568
Nontraffic Trans	400	428
Overexertion	379	406

Descriptive Notes:

- Seventeen injury-related deaths occurred in children in Washington County during 2007-09.
- There were 221 injury-related hospitalizations and 6,739 injury-related emergency department visits in children in Washington County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	369	148
MVC	230	93
Self-harm	216	87
Poisoning	84	34
Nontraffic Trans	52	21

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,627	1,057
Cut/pierce	1,987	799
Struck (by/against)	1,625	654
MVC	1,565	630
Overexertion	1,299	523

Descriptive Notes:

- One hundred fourteen injury-related deaths occurred in adults in Washington County during 2007-09.
- There were 1,423 injury-related inpatient hospitalizations and 12,645 injury-related emergency department visits in adults in Washington County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,089	2,220
Struck (by/against)	48	98
MVC	39	80
Poisoning	37	75
Overexertion	28	57


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,390	2,834
Struck (by/against)	207	422
Cut/pierce	135	275
MVC	129	263
Nat/Env Factors	102	208

Descriptive Notes:

- Eighty nine injury-related deaths occurred in older adults in Washington County during 2007-09. The majority of these were falls.
- There were 1,496 injury-related hospitalizations and 2,349 injury-related emergency department visits in older adults in Washington County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WAUKESHA COUNTY


Population 383,398

Injury Deaths (2007-09)




	Wisconsin		Waukesha	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	282	25
Suicide	2,185	13	120	10
MVC	1,840	11	91	8
Poisoning	1,525	9	71	6
Suffocation	289	2	11	1*

Injury Hospitalizations (2007-09)



	Wisconsin		Waukesha	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	5,680	495
Self-harm	16,640	98	827	72
MVC	13,219	78	697	61
Poisoning	8,020	47	431	38
Nontraffic Trans	4,587	27	268	23


Injury Emergency Department Visits (2007-09)



	Wisconsin		Waukesha	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	21,006	1,831
Struck (by/against)	175,276	1,031	10,178	887
Cut/pierce	122,657	722	6,794	592
MVC	115,728	681	6,173	538
Overexertion	121,424	715	6,147	536

Costs:

- The average charge per injury-related emergency department visit in Waukesha County during 2007-09 was \$1,219.58.
- The average charge per injury-related inpatient hospitalization in Waukesha County during 2007-09 was \$28,059.91.
- The average length of injury-related inpatient hospitalization in Waukesha County during 2007-09 was 5.41 days, with an average charge of \$5,186.67 per day.



WAUKESHA COUNTY

Population 383,398

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	136	49
Self-harm	67	24
MVC	56	20
Struck (by/against)	52	19
Poisoning	37	13

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	6,897	2,502
Struck (by/against)	4,929	1,788
Overexertion	1,549	562
Cut/pierce	1,250	453
MVC	971	352

Descriptive Notes:

- Fifteen injury-related deaths occurred in children in Waukesha County during 2007-09.
- There were 541 injury-related hospitalizations and 20,211 injury-related emergency department visits in children in Waukesha County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,207	169
Self-harm	723	101
MVC	491	69
Poisoning	248	35
Nontraffic Trans	174	24

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	8,310	1,160
Cut/pierce	5,000	698
Struck (by/against)	4,752	664
MVC	4,715	658
Overexertion	4,131	577

Descriptive Notes:

- Two hundred eighty six injury-related deaths occurred in adults in Waukesha County during 2007-09.
- There were 4,377 injury-related inpatient hospitalizations and 37,678 injury-related emergency department visits in adults in Waukesha County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	4,337	2,792
MVC	150	97
Poisoning	146	94
Struck (by/against)	86	55
Overexertion	85	55


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5,799	3,734
Cut/pierce	544	350
Struck (by/against)	497	320
MVC	487	314
Overexertion	467	301

Descriptive Notes:

- Three hundred forty nine injury-related deaths occurred in older adults in Waukesha County during 2007-09.
- There were 6,005 injury-related hospitalizations and 9,512 injury-related emergency department visits in older adults in Waukesha County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WAUPACA COUNTY


Population 53,524

Injury Deaths (2007-09)




	Wisconsin		Waupaca	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	33	21
MVC	1,840	11	22	14
Suicide	2,185	13	21	13
Poisoning	1,525	9	8	5*
Suffocation	289	2	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Waupaca	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	845	527
MVC	13,219	78	142	88
Self-harm	16,640	98	133	83
Poisoning	8,020	47	52	32
Nontraffic Trans	4,587	27	52	32


Injury Emergency Department Visits (2007-09)



	Wisconsin		Waupaca	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	4,248	2,647
Struck (by/against)	175,276	1,031	1,763	1,099
Cut/pierce	122,657	722	1,754	1,093
Overexertion	121,424	715	1,348	840
MVC	115,728	681	1,117	696

Costs:

- The average charge per injury-related emergency department visit in Waupaca County during 2007-09 was \$854.35.
- The average charge per injury-related inpatient hospitalization in Waupaca County during 2007-09 was \$20,798.02.
- The average length of injury-related inpatient hospitalization in Waupaca County during 2007-09 was 4.69 days, with an average charge of \$4,434.55 per day.



WAUPACA COUNTY

Population 53,524

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	20	57*
Falls	18	51*
MVC	18	51*
Assault	8	23*
Nontraffic Trans	7	20*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,088	3,079
Struck (by/against)	772	2,185
Cut/pierce	330	934
Nat/Env Factors	287	812
Nontraffic Trans	230	651

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Waupaca County during 2007-09.
- There were 111 injury-related hospitalizations and 3,729 injury-related emergency department visits in children in Waupaca County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	188	192
Self-harm	108	110
MVC	95	97
Nontraffic Trans	35	36
Poisoning	26	27

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,899	1,936
Cut/pierce	1,290	1,315
Overexertion	1,035	1,055
Struck (by/against)	902	920
MVC	804	820

Descriptive Notes:

- Fifty eight injury-related deaths occurred in adults in Waupaca County during 2007-09.
- There were 691 injury-related inpatient hospitalizations and 8,823 injury-related emergency department visits in adults in Waupaca County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	639	2,359
MVC	29	107
Poisoning	20	74*
Nat/Env Factors	14	52*
Overexertion	12	44*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,261	4,656
Nat/Env Factors	139	513
Cut/pierce	134	495
Overexertion	108	399
MVC	91	336

Descriptive Notes:

- Forty two injury-related deaths occurred in older adults in Waupaca County during 2007-09.
- There were 855 injury-related hospitalizations and 2,071 injury-related emergency department visits in older adults in Waupaca County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WAUSHARA COUNTY


Population 25,196

Injury Deaths (2007-09)




	Wisconsin		Waushara	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Suicide	2,185	13	15	20*
MVC	1,840	11	12	16*
Poisoning	1,525	9	8	11*
Falls	2,763	16	<5	-
Fire	154	1	<5	-

Injury Hospitalizations (2007-09)



	Wisconsin		Waushara	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	269	356
Self-harm	16,640	98	76	101
MVC	13,219	78	69	91
Poisoning	8,020	47	32	42
Nat/Env Factors	3,417	20	25	33


Injury Emergency Department Visits (2007-09)



	Wisconsin		Waushara	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	1,735	2,297
Struck (by/against)	175,276	1,031	782	1,035
Overexertion	121,424	715	597	790
Cut/pierce	122,657	722	576	762
Nat/Env Factors	58,702	345	502	665

Costs:

- The average charge per injury-related emergency department visit in Waushara County during 2007-09 was \$860.48.
- The average charge per injury-related inpatient hospitalization in Waushara County during 2007-09 was \$21,679.92.
- The average length of injury-related inpatient hospitalization in Waushara County during 2007-09 was 4.99 days, with an average charge of \$4,344.67 per day.



WAUSHARA COUNTY

Population 25,196

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	10	73*
MVC	9	66*
Falls	8	58*
Assault	<5	–
Poisoning	<5	–

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	369	2,690
Struck (by/against)	339	2,471
Nat/Env Factors	117	853
Cut/pierce	108	787
Overexertion	96	700

Descriptive Notes:

- Less than five injury-related deaths occurred in children in Waushara County during 2007-09.
- There were 45 injury-related hospitalizations and 1,367 injury-related emergency department visits in children in Waushara County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	73	153
Self-harm	65	137
MVC	51	107
Poisoning	16	34*
Nontraffic Trans	14	29*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	812	1,707
Overexertion	444	933
Cut/pierce	417	877
Struck (by/against)	399	839
MVC	330	694

Descriptive Notes:

- Thirty six injury-related deaths occurred in adults in Waushara County during 2007-09.
- There were 338 injury-related inpatient hospitalizations and 3,558 injury-related emergency department visits in adults in Waushara County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	188	1,319
Poisoning	13	91*
MVC	9	63*
Nat/Env Factors	9	63*
Fire	6	42*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	554	3,886
Nat/Env Factors	101	708
Overexertion	57	400
Cut/pierce	51	358
Struck (by/against)	44	309

Descriptive Notes:

- Nine injury-related deaths occurred in older adults in Waushara County during 2007-09.
- There were 303 injury-related hospitalizations and 965 injury-related emergency department visits in older adults in Waushara County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WINNEBAGO COUNTY


Population 165,180

Injury Deaths (2007-09)




	Wisconsin		Winnebago	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	103	21
Suicide	2,185	13	60	12
Poisoning	1,525	9	50	10
MVC	1,840	11	37	7
Homicide	514	3	9	2*

Injury Hospitalizations (2007-09)



	Wisconsin		Winnebago	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,753	355
Self-harm	16,640	98	750	152
MVC	13,219	78	289	59
Poisoning	8,020	47	138	28
Nontraffic Trans	4,587	27	120	24


Injury Emergency Department Visits (2007-09)



	Wisconsin		Winnebago	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	11,500	2,328
Struck (by/against)	175,276	1,031	5,807	1,175
Cut/pierce	122,657	722	4,449	901
Overexertion	121,424	715	4,404	891
MVC	115,728	681	2,960	599

Costs:

- The average charge per injury-related emergency department visit in Winnebago County during 2007-09 was \$768.58.
- The average charge per injury-related inpatient hospitalization in Winnebago County during 2007-09 was \$19,475.14.
- The average length of injury-related inpatient hospitalization in Winnebago County during 2007-09 was 4.74 days, with an average charge of \$4,108.68 per day.



WINNEBAGO COUNTY

Population 165,180

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	143	128
Falls	34	30
MVC	22	20
Struck (by/against)	19	17*
Nontraffic Trans	16	14*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	3,331	2,975
Struck (by/against)	2,434	2,174
Cut/pierce	900	804
Overexertion	750	670
Nontraffic Trans	569	508

Descriptive Notes:

- Eight injury-related deaths occurred in children in Winnebago County during 2007-09.
- There were 352 injury-related hospitalizations and 10,887 injury-related emergency department visits in children in Winnebago County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	593	186
Falls	497	156
MVC	214	67
Nontraffic Trans	89	28
Poisoning	85	27

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	5,631	1,764
Overexertion	3,449	1,080
Cut/pierce	3,274	1,025
Struck (by/against)	3,146	985
MVC	2,261	708

Descriptive Notes:

- One hundred sixty four injury-related deaths occurred in adults in Winnebago County during 2007-09.
- There were 2,017 injury-related inpatient hospitalizations and 25,836 injury-related emergency department visits in adults in Winnebago County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,222	1,946
MVC	53	84
Poisoning	43	68
Struck (by/against)	29	46
Overexertion	29	46


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	2,538	4,042
Cut/pierce	275	438
Struck (by/against)	227	362
Overexertion	205	326
MVC	175	279

Descriptive Notes:

- One hundred fifteen injury-related deaths occurred in older adults in Winnebago County during 2007-09.
- There were 1,655 injury-related hospitalizations and 4,182 injury-related emergency department visits in older adults in Winnebago County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



WOOD COUNTY


Population 76,075

Injury Deaths (2007-09)




	Wisconsin		Wood	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	2,763	16	36	16
Suicide	2,185	13	33	14
MVC	1,840	11	23	10
Poisoning	1,525	9	12	5*
Drowning	149	1	8	4*

Injury Hospitalizations (2007-09)



	Wisconsin		Wood	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	75,026	441	1,263	554
MVC	13,219	78	256	112
Self-harm	16,640	98	253	111
Poisoning	8,020	47	107	47
Nontraffic Trans	4,587	27	91	40


Injury Emergency Department Visits (2007-09)



	Wisconsin		Wood	
	Number (2007-09)	Annual Rate Per 100,000	Number (2007-09)	Annual Rate Per 100,000
Falls	379,254	2,232	3,773	1,654
Struck (by/against)	175,276	1,031	1,758	771
Overexertion	121,424	715	1,166	511
Cut/pierce	122,657	722	1,036	454
MVC	115,728	681	1,117	490

Costs:

- The average charge per injury-related emergency department visit in Wood County during 2007-09 was \$923.75.
- The average charge per injury-related inpatient hospitalization in Wood County during 2007-09 was \$22,016.07.
- The average length of injury-related inpatient hospitalization in Wood County during 2007-09 was 5.17 days, with an average charge of \$4,258.43 per day.



WOOD COUNTY

Population 76,075

Child (0-17 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Self-harm	53	105
Falls	48	95
MVC	31	62
Nontraffic Trans	25	50
Poisoning	16	32*

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	932	1,854
Struck (by/against)	685	1,363
Nat/Env Factors	247	491
Nontraffic Trans	207	412
Cut/pierce	203	404

Descriptive Notes:

- Twelve injury-related deaths occurred in children in Wood County during 2007-09.
- There were 250 injury-related hospitalizations and 3,350 injury-related emergency department visits in children in Wood County during 2007-09.

Adult (18-64 Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	339	242
Self-harm	195	139
MVC	177	126
Poisoning	64	46
Nontraffic Trans	58	41

	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,716	1,224
Struck (by/against)	963	687
Overexertion	881	628
MVC	843	601
Cut/pierce	764	545

Descriptive Notes:

- Eighty injury-related deaths occurred in adults in Wood County during 2007-09.
- There were 1,300 injury-related inpatient hospitalizations and 8,412 injury-related emergency department visits in adults in Wood County during 2007-09.

Older Adult (65+ Years)

	Injury Hospitalizations	
	Number (2007-09)	Annual Rate Per 100,000
Falls	876	2,331
MVC	48	128
Poisoning	27	72
Overexertion	24	64
Struck (by/against)	17	45*


	Injury Emergency Department visits	
	Number (2007-09)	Annual Rate Per 100,000
Falls	1,125	2,993
Struck (by/against)	110	293
Overexertion	98	261
Nat/Env Factors	88	234
MVC	84	223

Descriptive Notes:

- Forty three injury-related deaths occurred in older adults in Wood County during 2007-09.
- There were 1,258 injury-related hospitalizations and 1,888 injury-related emergency department visits in older adults in Wood County during 2007-09.

Technical Notes (detailed notes can be found on page 153):


- Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). For more information on rates, see page 156.
- For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.
- Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.



TECHNICAL NOTES

WISH TUTORIAL

GLOSSARY



Case definition


Injury events were identified through the following modules on Wisconsin Interactive Statistics on Health (WISH): Injury Mortality, Injury Hospitalizations, Injury Emergency Department Visits. More information on accessing WISH can be found on page 156. Mortality data are from resident death certificates. Within WISH, cause and manner of death was identified according to the International Classification of Diseases, Tenth Revision (ICD-10) codes on death certificates. The ICD-10 matrix is accessible here: <http://www.dhs.wisconsin.gov/wish/main/shared/InjMortICD10Codes.pdf>.

Hospitalization and emergency department visit data are prepared from data collected by the Wisconsin Hospital Association Information Center. Cause and manner of hospital and emergency department visit was identified according to external cause of injury groupings (E codes) within the International Classification of Diseases, Ninth Revision (ICD-9). The ICD-9 matrix is accessible here: <http://www.dhs.wisconsin.gov/wish/main/shared/InjuryCausesICD9Codes.pdf>. An "injury-related hospitalization" is an inpatient stay at a hospital for which an E code was coded from the medical record and reported. Records with E-codes indicating adverse effects of medical care or therapeutic drugs were excluded. An injured person may have multiple inpatient stays in the same or different hospitals for treatment of the same injury, including being transferred from one hospital to another. This module counts each stay, not each patient. Hospital discharges are classified based on patient's county of residence, rather than location of injury or location of hospital. An "injury-related emergency department visit" is defined as the treatment in a hospital emergency department and subsequent release of a patient whose visit was assigned an E code. Data on injury hospitalizations and emergency department visits include all discharge statuses, including visits that resulted in death.

Individuals who sustain injuries but do not seek medical attention are not included in records. Likewise, if hospital or death records are not properly coded to reflect injuries sustained, these individuals will not be included.

The figures in this document only represent information on injury-related events that 1) occurred in Wisconsin residents; and 2) are among those who died or were treated in Wisconsin.

Both unintentional and intentional injuries are included in this report. For the purposes of this report, unintentional injuries are presented by mechanism (i.e. motor vehicle crash (MVC), fall, poisoning), whereas intentional injuries are only presented by manner (i.e. suicide/self-harm, homicide/assault). Further description of the cause or mechanism by which intentional injuries were sustained can be found through a WISH query.



Fatal injury intent categories

Suicide: Intentionally self-inflicted injury that results in death.

Homicide: Injuries inflicted by another person with intent to injure or kill, by any means.

Unintentional: Injury that is not inflicted by deliberate means (i.e., not on purpose). This category includes those injuries described as unintended or "accidental," regardless of whether the injury was inflicted by one's self or by another person.

Legal Intervention: Injuries inflicted by the police or other law-enforcing agents, including military on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order and other legal actions. Excludes injuries caused by civil insurrections.

Operation of War: Injuries to military personnel or civilians caused by war or civil insurrection, including those occurring during the time of war or insurrection and after cessation of hostilities.


Non-fatal injury intent categories

Assault, confirmed or suspected: Injury from an act of violence where physical force by one or more persons is used with the intent of causing harm, injury or death to another person; or an intentional poisoning by another person. This category includes perpetrators as well as intended and unintended victims of violent acts (i.e., innocent bystanders). For this report, sexual assault cases are included in this category.

Self-harm, confirmed or suspected: Injury or poisoning resulting from a deliberate violent act inflicted on one's self with the intent to take one's own life or with the intent to harm one's self. This category includes suicide attempts and other intentional self-harm.

Unintentional: Injury or poisoning that is not inflicted by deliberate means (i.e., not on purpose). This category includes those injuries and poisonings described as unintended or "accidental" regardless of whether the injury was inflicted by one's self or by another person.

Legal intervention: Injury or poisoning caused by police or other legal authorities (including security guards) during law enforcement activities. Includes injuries and poisonings (mace, pepper spray) inflicted during legal action or execution, or while attempting to enforce the law such as arrest or restraint of arrested persons.



Rate calculations

All rates calculated in this document are considered crude rates. Rates in tables were rounded to the nearest whole number. Rates were calculated using the following formula:

$$(\text{Number of injury events} / \text{At-risk population}) \times 100,000$$

For example, in Brown County during 2007-09, there were 4,725 emergency department visits due to fall-related injuries in children 0-17 years of age. To determine the rate of fall-related emergency department visits:

Number of fall-related injury events: 4,725

Brown County population 0-17 years of age from 2007-09: 179,533


$$(4,725/179,533) \times 100,000=2,632 \text{ per } 100,000$$

This means that if we randomly selected 100,000 individuals from Brown County who were age 17 and younger between 2007-09, we would expect there to be 2,632 fall-related emergency department visits in that group.

Rates based on numbers of 20 or less are considered unstable due to random chance factors and should be interpreted with caution. When rates are based on events of 20 or less, apparent changes may be attributed to the small numerator rather than actual change in injury occurrence. Rates calculated from a corresponding injury count between 5-20 are indicated with an asterisk (*). Populations listed in headings are for 2009 only and are **not** the figures used for rate calculations. Population data can be accessed through the WISH query system "Population" module.

Rate calculations can be done as part of the WISH query system by selecting the second radial button under STEP 1 in all WISH modules.

For confidentiality purposes, counts of injury events between 1-4 are indicated with <5 rather than the actual number. In these instances, a corresponding rate is not calculated.



WISH TUTORIAL

Injury Mortality

Wisconsin Interactive Statistics on Health (WISH) is a valuable resource for monitoring injury data for your needs. The following tutorial will assist in using the Injury Mortality, Injury Hospitalizations and Injury Emergency Department Visits modules. All modules are accessible here: <http://www.dhs.wisconsin.gov/wish/>.

All three modules are set up in a similar fashion. Thus, the tutorial portion explaining use of the INJURY HOSPITALIZATION and INJURY EMERGENCY DEPARTMENT VISITS module often refer to the INJURY MORTALITY module, where each step is explained fully. In each module you build a query, which produces the results of the query in an output table.

Injury Mortality

The Injury Mortality module contains data on all deaths due to injury-related causes in Wisconsin obtained from resident death certificates. To use this module:

Click on the **INJURY MORTALITY** link.

Click on **QUERY 1999-2009**.

STEP 1: WHICH MEASURE DO YOU WISH TO FOCUS ON?

Select the radial button for the information.

EXAMPLE: For injury rate, select the radial button marked, "Injury Death Rate (per 100,000 population)."

DEFAULT: "Number of Injury Deaths."

STEP 2: SELECT ONE OR MORE EXTERNAL CAUSE OF INJURY

Click on the external cause you are interested in. For more than one cause, holding the CTRL button while you click allows you to select more than one.

EXAMPLE: For all motor vehicle crashes, press and hold CTRL and select:

"Motor vehicle traffic crash – Occupant."


"Motor vehicle traffic crash – Motorcyclist."

"Motor vehicle traffic crash – Pedal cyclist."

"Motor vehicle traffic crash – Pedestrian."

"Motor vehicle traffic crash – Other, unspecified."

DEFAULT: "All Injury Causes."



STEP 3: SELECT ONE OR MORE MANNER OR INTENT OF INJURY DEATH

Click on the manner or intent of injury death you are interested in.

EXAMPLE: For unintentional injury, click on "unintentional" to highlight it.

DEFAULT: "All Intents."

STEP 4: CHOOSE ONE OR MORE GEOGRAPHIC AREAS

All locations selected refer to place of residence. First select the radial button of interest. Once the radial button is selected, the corresponding menu can be highlighted to reflect your choice.

EXAMPLE: For Brown County, select the radial next to COUNTY, scroll through the list and click on BROWN.

DEFAULT: "Wisconsin statewide."

STEP 5: CHOOSE ONE OR MORE YEARS

You can select one or more years to examine. Often it is useful to combine years of data if you are requesting data for a small population.

EXAMPLE: For the past five years, select the radial next to ONE OR MORE YEARS then hold CTRL and select "2009," "2008," "2007," "2006," "2005."

ALTERNATIVELY: You can select the radial next to SPECIFY YOUR OWN YEARS and enter 2005 into the first box and 2009 into the second box.

DEFAULT: Most current year of available data.

STEP 6: CHOOSE A SPECIFIC SUBPOPULATION (OPTIONAL)


In this area, you can choose to get your data by age, sex, race or Hispanic ethnicity. There are five options for age group. Selecting the radial button next to each option allows you to scroll through and highlight the age groups of interest.

AGE

EXAMPLE: For infants less than one year, select the radial button next to AGE GROUP (OPTION 2) and then highlight "less than 1" in the corresponding box.

ALTERNATIVELY: You can select the radial next to AGE GROUP (OPTION 5) and then highlight "less than 1" in the corresponding box.

DEFAULT: AGE GROUP (OPTION 1) and "All" to capture all age groups.



WISH TUTORIAL

Injury Mortality

SEX

EXAMPLE: For females only, click on "Female" to highlight it.

DEFAULT: "All" to capture all sex categories.

RACE*

EXAMPLE: For the American Indian subpopulation, click on "American Indian" to highlight it.

DEFAULT: "All" to capture all racial groups.

ETHNICITY*

EXAMPLE: For the Hispanic subpopulation, click on "Hispanic" to highlight it.

DEFAULT: "All" to capture both Hispanic and Non-Hispanic.

*Race and ethnicity are separate constructs and often you must make selections in both to get accurate data on your sub-population of interest.


EXAMPLE: For White, Non-Hispanic, select "White" from the RACE box and "Non-Hispanic" from the HISPANIC ETHNICITY box. Only selecting "White" from the RACE box and leaving the default for HISPANIC ETHNICITY will capture Hispanic and Non-Hispanic persons.

STEP 7: CHOOSE A ROW VARIABLE

Select the radial button for the option of interest. The option selected in this step becomes the **ROW** in the results output table. Options are, "Geographic Area," "Years," "Age Groups," "Sex," "Race," "Hispanic Ethnicity," "Underlying Causes of Injury Death" and "Manner or Intent of Injury Death." Rather than running separate queries for each option of interest, you can use the options in STEP 7 to get specific output in one comprehensive query.

EXAMPLE: Often users will be interested in an output for males and females and will run one query for males and another for females, producing two output tables. However, by selecting "Sex" in this step you can get results for both males and females in one output table from one query. Males will be in one **row** and females in another in the output table.

DEFAULT: The default output table uses the options for "Geographic Area."



STEP 8: CHOOSE A COLUMN VARIABLE

Select the radial button for the option of interest. The option selected in this step becomes the **COLUMN** in the results output table. Options are the same as those in STEP 7. Rather than running separate queries for each option of interest, you can use the options in STEP 8 to get specific output in one comprehensive query.

EXAMPLE: Often users will be interested in an output for males and females and will run one query for males and another for females, producing two output tables. However, by selecting "Sex" in this step you can get results for both males and females in one output table from one query. Males will be in one **column** and females in another in the output table.


DEFAULT: "None."

Click on the **SUBMIT** button.

Although there are opportunities to click submit throughout the query, it is recommended that you go through each of the eight steps and then click submit. If you do not actively make any selections at each step, WISH runs the default options for each step.

A small box will pop up asking you to confirm your selections. If the selections are correct, click "OK." If you need to modify, click "CANCEL." This will take you back to the original screen where you can make modifications to your query.

The results window will then display your results which will be organized in table format. The rows of the table will match the variable of interest selected in STEP 7 and the columns will reflect the variable of interest selected in STEP 8.



Injury Hospitalizations

Data in this module count inpatient stays, NOT individual patients. This means that patients transferred between hospitals, readmitted to a hospital for further treatment or otherwise treated in more than one inpatient stay may have more than one record. The accuracy of statistics on hospital charges or hospital days is not affected by this. Data in this module include residents of other states who were hospitalized in Wisconsin. The geographic choices you are able to make in STEP 4 will reflect county of residence.

STEP 1: WHICH MEASURE DO YOU WISH TO FOCUS ON?

Same as INJURY MORTALITY MODULE (page 156).

STEP 2: SELECT ONE OR MORE CAUSES OF INJURY (OPTIONAL)

STEP 2A: STANDARD CAUSES OF INJURY

As in the INJURY MORTALITY module, you are able to click and highlight from a list of standard groupings of causes of injury based on groupings of ICD-9 codes in STEP 2A STANDARD CAUSES OF INJURY. Press and hold CTRL to click on more than one option.

STEP 2B: USER-SPECIFIED GROUPS OF CAUSES

Allows you to enter specific 3-digit E-codes if you are looking for a specific 3 digit E-code of interest. A list of 3-digit E-codes is provided as a hyperlink in this step to assist you in this process.

STEP 2C: DETAILED CAUSES OF INJURY


Allows you to enter specific 4-digit E-codes if you are looking for a specific 4 digit E-code of interest. A list of 4-digit E-codes is provided as a hyperlink in this step to assist you in this process.

STEP 3: SELECT ONE OR MORE MANNER OR INTENT OF INJURY

Same as INJURY MORTALITY MODULE (page 157).

STEP 4: CHOOSE ONE OR MORE GEOGRAPHIC AREAS

The default option is "All Areas," which includes out-of-state residents that were treated in Wisconsin hospitals. In order to exclude these persons, you need to select the radial next to REGION OF RESIDENCE and highlight "Southern," "Southeastern," "Northeastern," "Northern," and "Western."



Selecting a specific county in COUNTY OF RESIDENCE provides data for residents of that county only.

STEP 5: CHOOSE ONE OR MORE YEARS

Same as INJURY MORTALITY MODULE (page 157).

STEP 6: CHOOSE PATIENT CHARACTERISTICS (Optional)

This step contains options to select subpopulations based on five different age groups, sex, race, Hispanic ethnicity, month admitted to hospital, discharge status and expected primary payer.

The default options for AGE, SEX, RACE, and HISPANIC ETHNICITY are "All," as in the INJURY MORTALITY module (pages 157-158).

The default option for MONTH ADMITTED TO HOSPITAL is "All Months." Click on specific months to highlight them. Press and Hold CTRL to click on more than one month.

The default option for DISCHARGE STATUS is "All Discharges." This includes all of the following categories:

"Discharged to home."

"Discharged to home with home health service or IV provider."

"Transferred to general or long-term care hospital."

"Discharged to skilled or intermediate care facility, other institution, or swing bed."

"Discharged to rehab facility or referred for outpatient services."


"Left against medical advice."

"Expired (i.e. died)."

"Discharged to Hospice."

If you are only interested in live discharges, you can press and hold CTRL and click on each discharge status except "Expired."

The default option for EXPECTED PRIMARY PAYER is "All." This includes the following categories, "Medicare," "Medicaid," "Other Government," "Private Insurance," "Self-pay" and "Other or Unknown."



WISH TUTORIAL

Injury Hospitalizations

STEP 7: CHOOSE A ROW VARIABLE

Select the radial button for the option of interest. The option selected in this step becomes the **ROW** in the results output table. Options are, "Geographic Area," "Years," "Age Groups," "Sex," "Race," "Hispanic Ethnicity," "Admission Month," "Discharge Status," "Payer," "Causes of Injury," "User-Specified Causes of Injury: Groups," "User-Specified Causes of Injury: Detailed" and "Manner or Intent of Injury." Rather than running separate queries for each option of interest, you can use the options in STEP 7 to get specific output in one comprehensive query.

EXAMPLE: Often users will be interested in an output for males and females and will run one query for males and another for females, producing two output tables. However, by selecting "Sex" in this step you can get results for both males and females in one output table from one query. Males will be in one **row** and females in another in the output table.


DEFAULT: The default output table uses the options for "Geographic Area."

STEP 8: CHOOSE A COLUMN VARIABLE (OPTIONAL)

Select the radial button for the option of interest. The option selected in this step becomes the **COLUMN** in the results output table. Options are the same as those in STEP 7. Rather than running separate queries for each option of interest, you can use the options in STEP 8 to get specific output in one comprehensive query.

EXAMPLE: Often users will be interested in an output for males and females and will run one query for males and another for females, producing two output tables. However, by selecting "Sex" in this step you can get results for both males and females in one output table from one query. Males will be in one **column** and females in another in the output table.

DEFAULT: "None."



Injury Emergency Department Visits

The Emergency Department Visits Module allows you to query data on emergency department visits to Wisconsin hospitals for the treatment of relatively minor injuries.

It includes only emergency department visits that resulted in a patient being released. It does not include emergency department visits that resulted in the patient being admitted as an inpatient in this or another acute-care hospital (see Injury Hospitalizations Module) or dying in the emergency department (see Injury Mortality Module).

This module includes visits regardless of patient residence; thus your data selections can include both residents and non-residents of Wisconsin (see STEP 4 for more information).

STEP 1: WHICH MEASURE DO YOU WISH TO FOCUS ON?

Same as INJURY MORTALITY module (page 156).

STEP 2: SELECT ONE OR MORE CAUSES OF INJURY (OPTIONAL)

Same as INJURY HOSPITALIZATIONS module (page 160).

STEP 3: SELECT ONE OR MORE MANNER OR INTENT OF INJURY

Same as INJURY MORTALITY (page 157) module.

STEP 4: CHOOSE ONE OR MORE GEOGRAPHIC AREAS

Same as INJURY HOSPITALIZATIONS module (page 160).


STEP 5: CHOOSE YEAR(S) AND MONTH(S)

Similar to INJURY MORTALITY and INJURY HOSPITALIZATIONS, you can select from one or more years. The default options will be the most current data year.

In this module, you can select the month of injury in addition to the year. You can press and hold CTRL while clicking on more than one month in the supplied list. The default option will be "All Months."

STEP 6: CHOOSE AGE, SEX AND PAYER GROUPS (OPTIONAL)

This step contains options to select subpopulations based on five different age groups, sex and payer as in the INJURY HOSPITALIZATIONS module (page 161).



WISH TUTORIAL

Injury Emergency Department Visits

STEP 7: CHOOSE A ROW VARIABLE

Select the radial button for the option of interest. The option selected in this step becomes the **ROW** in the results output table. Options are, "Geographic Area," "Years," "Age Groups," "Sex," "Race," "Hispanic Ethnicity," "Admission Month," "Discharge Status," "Payer," "Causes of Injury," "User-Specified Causes of Injury: Groups," "User-Specified Causes of Injury: Detailed" and "Manner or Intent of Injury." Rather than running separate queries for each option of interest, you can use the options in STEP 7 to get specific output in one comprehensive query.

EXAMPLE: Often users will be interested in an output for males and females and will run one query for males and another for females, producing two output tables. However, by selecting "Sex" in this step you can get results for both males and females in one output table from one query. Males will be in one **row** and females in another in the output table.


DEFAULT: The default output table uses the options for "Geographic Area."

STEP 8: CHOOSE A COLUMN VARIABLE (OPTIONAL)

Select the radial button for the option of interest. The option selected in this step becomes the **COLUMN** in the results output table. Options are the same as those in STEP 7. Rather than running separate queries for each option of interest, you can use the options in STEP 8 to get specific output in one comprehensive query.

EXAMPLE: Often users will be interested in an output for males and females and will run one query for males and another for females, producing two output tables. However, by selecting "Sex" in this step you can get results for both males and females in one output table from one query. Males will be in one **column** and females in another in the output table.

DEFAULT: "None."



Assault: Intentional infliction of bodily harm by another person.

Cause (mechanism) of injury: The cause, or mechanism of injury, is the way in which the person sustained the injury; how the person was injured; or the process by which the injury occurred.

Cut/pierce: This category includes injuries caused by cutting and piercing instruments, such as knives, swords and daggers; power lawn mowers, power hand tools and household appliances; and other specified and unspecified sharp objects.

Drowning: This category includes deaths from drowning and submersion with and without involvement of watercraft.

Falls: This category includes injuries from falls associated with various mechanisms.

Fire: This category includes injuries from fire and flames, and from hot objects and substances.

Homicide: Death resulting from the intentional use of force or power, threatened or actual, against another person, group or community.

Hospitalization: An inpatient stay at a hospital.


Intent (manner) of injury: Intent of injury is whether an injury was caused by an act carried out on purpose by one's self or by another person(s), with the goal of injuring or killing.

Machinery: This category includes injuries associated with machinery used in various industrial and occupational activities.

Morbidity: Illness, disease or disability; for the purposes of this report, non-fatal injury.

Mortality: Death; for the purposes of this report, fatal injury.

Motor Vehicle Crash (MVC): This category includes injuries resulting from motor-vehicle-traffic crashes involving automobiles, vans, trucks, motorcycles and other motorized cycles known or assumed to be traveling on public roads or highways. Five major subcategories identifying the deceased's involvement in the traffic-related incidents are recommended for inclusion in the minimum reporting framework. These subcategories are specified using the



GLOSSARY

fourth digit of the E code, including a) occupant: vehicle occupant as driver or passenger; b) motorcyclist as driver or passenger; c) pedal cyclist: whose death resulted from a collision between a pedal cycle (e.g., bicycle) and motor vehicle in traffic; d) pedestrian: whose death resulted from being hit by a motor vehicle on a public road or highway; and e) unspecified: a death where the deceased was coded as "unspecified person."

Nontraffic Transportation: This category includes injuries resulting from crashes involving pedal cyclists, pedestrians and other modes of transportation, or crashes between the aforementioned and motor vehicles in a non-traffic situation (i.e., private driveway or road).

Natural/Environmental Factors: This category combines several distinct factors, including exposure to the elements (weather), lack of food or water (without the intent to harm) and venomous animals and toxic plants.

Overexertion: This category includes injuries sustained from excessive physical exercise, overexertion from lifting, pulling or pushing, and strenuous movements in recreational and other activities.

Poisoning: This category includes unintentional poisoning by drugs, medicinal substances, biologicals, solid and liquid substances and gases and vapors. Unintentional drug or alcohol overdoses are included in this category.


Rate: The number of people experiencing some event, such as death or hospitalization due to injury, divided by the number of people at risk for the event, for a specified period of time. Rates are expressed in terms of a unit of population. In this report, rates are always expressed per 100,000.


Self-harm: Intentional infliction of bodily harm to one's self.

Struck by/against: This category includes injuries resulting from being struck by or striking against objects or persons.

Suffocation: This category represents two major ways in which suffocation causes deaths: a) by the inhalation or ingestion of food or other objects that block respiration and b) by other mechanical means that hinder breathing.

Suicide: Intentionally self-inflicted injury that results in death.





A partnership of:

**Injury Research Center - Medical College of Wisconsin
Children's Health Alliance of Wisconsin
Wisconsin Department of Health Services**

Questions and/or comments:

**Wisconsin Department of Health Services
Injury and Violence Prevention Program
Becky Turpin, MA**

(608) 266-3008

rebecca.turpin@dhs.wisconsin.gov

<http://www.dhs.wisconsin.gov/health/injuryprevention/>

**Medical College of Wisconsin
Injury Research Center
Amy Schlotthauer, MPH**

(414) 955-7667

aschlott@mcw.edu

<http://www.mcw.edu/irc>