CRAWFORD COUNTY

The information presented here represents data specific to Crawford County, Wisconsin from 2001-2006, and is meant to complement the report, *The Burden of Suicide in Wisconsin*. Please refer to this report for technical notes and suicide prevention strategies. For counties with fewer than 20 suicides each year, data are aggregated for 2001-2006 and findings are presented in bullets rather than tables.

KEY FINDINGS

- ♦The suicide rate in Crawford County for all years was lower than the state rate for all years (6.7‡ versus 11.8).
- ♦Suicide represented a total of 419 years of potential life lost, at a rate of 438.4 for 2001-2006. This was more than the state rate (394.1 YPLL) for the same time period.
- ◆The cost of inpatient hospitalizations and emergency department visits due to self-inflicted injury was over \$209,000 in 2006 alone.
- ◆The most frequently used methods in Crawford County suicides were firearms (43%) and hanging/strangulation/suffocation (43%).

Numbers and rates (per 100,000 population) of suicides, inpatient hospitalizations, and emergency department visits due to self-inflicted injuries, by age, Crawford County, 2001-2006.

	Deaths		Inpatient Hospitalizations		Emergency Department Visit*	
Age Group	Number	Rate‡	Number	Rate‡	Number	Rate‡
5-14	0		4	29.2‡	6	53.2‡
15-24	I	6.7‡	44	296.5	19	153.3‡
25-34	I	9.6‡	14	133.7‡	I	I I .5‡
35-44	2	14.1‡	22	155.6‡	2	I7.2‡
45-54	I	6.2‡	10	61.5‡	0	
55-64	I	8.2 ‡	5	40.8‡	I	9.6‡
65-74	I	12.3‡	I	12.3‡	0	
75-84	0		I	I7.2‡	0	
85+	0	-	0		0	
Total	7	6.7‡	101	103.0	29	35.5 ‡

^{*}Emergency department data are not available for 2001.