## **RUSK COUNTY**

The information presented here represents data specific to Rusk County, Wisconsin from 2001-2006, and is meant to complement the report, *The Burden of Suicide in Wisconsin*. Please refer to this report for technical notes and suicide prevention strategies. For counties with fewer than 20 suicides each year, data are aggregated for 2001-2006 and findings are presented in bullets rather than tables.

## **KEY FINDINGS**

- ♦The suicide rate in Rusk County for all years was lower than the state rate for all years (10.8‡ versus 11.8).
- ◆Suicide represented a total of 218 years of potential life lost, at a rate of 260.8 for 2001-2006. This was less than the state rate (394.1 YPLL) for the same time period.
- ♦The cost of inpatient hospitalizations and emergency department visits due to self-inflicted injury was over \$76,000 in 2006 alone.
- ♦ Firearms were the most frequently used method in Rusk County suicides (70%).

Numbers and rates (per 100,000 population) of suicides, inpatient hospitalizations, and emergency department visits due to self-inflicted injuries, by age, Rusk County, 2001-2006.

	Deaths		Inpatient Hospitalizations		Emergency Department Visit*	
Age Group	Number	Rate‡	Number	Rate‡	Number	Rate‡
5-14	0		4	34.1‡	I	10.4‡
15-24	ı	8.2‡	21	172.5	13	128.0‡
25-34	I	10.9‡	13	141.2‡	3	39.1‡
35-44	I	7.9 <del>‡</del>	23	182.5‡	2	19.2‡
45-54	2	14.5‡	8	57.9‡	3	25.8‡
55-64	2	18.5‡	0		0	
65-74	I	12.0‡	0		0	
75-84	I	16.8‡	0		0	
85+	I	35.1‡	0		0	
Total	10	I 0.8‡	69	78.9	22	30.2

<sup>\*</sup>Emergency department data are not available for 2001.